

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0

# SILADENT

Page 1 of 13

Printing date: 08.01.2025

## Adisil transparent - component A

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

---

- 1.1 Product identifier:**  
Commercial product name: Adisil transparent – component A  
Duplicating silicone
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Identified uses: Moulding diverse objects.  
Uses advised against: None known.
- 1.3 Details of the supplier of the safety data sheet**  
Manufacturer/Supplier: SILADENT Dr. Böhme & Schöps GmbH  
Street / mailbox: Im Klei 26  
Country code. / postal code / city: D - 38644 Goslar  
Phone: Tel.: +49 (0) 53 21 / 37 79 – 0  
Fax: Fax: +49 (0) 53 21 / 38 96 32  
E-mail / Website: [info@siladent.de](mailto:info@siladent.de) - [www.siladent.de](http://www.siladent.de)  
Further information obtainable from: SILADENT Dr. Böhme & Schöps GmbH
- 1.4 Emergency telephone number**  
SILADENT Dr. Böhme & Schöps GmbH: +49 (0) 53 21 / 37 79 - 0 (Mon-Fri. 8 a.m. – 4 p.m.)

### SECTION 2: Hazards identification

---

- 2.1. Classification of the substance or mixture:** The product has not been classified as hazardous according to the legislation in force.
- Classification according to Regulation (EC) No 1272/2008 as amended:** Not classified
- 2.2 Label Elements:** Not applicable
- 2.3 Other hazards:**
- Physical Hazards:** No specific recommendations.
- Health Hazards:**
- Inhalation:** No specific symptoms noted.
- Eye contact:** No specific symptoms noted.
- Skin Contact:** No specific symptoms noted.
- Ingestion:** No specific symptoms noted.
- Other Health Effects:** No other information noted.
- Environmental hazards:** Not regarded as dangerous for the environment.
- Results of PBT and vPvB assessment:** This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).
- Endocrine Disruption - Health:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0

# SILADENT

Page 2 of 13

Printing date: 08.01.2025

## Adisil transparent - component A

### Endocrine Disruption - Environment:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Other hazards:

No other information noted.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### General information:

Mixture of organosiloxanes, additives.

Chemical name	Concentration*	Type	CAS-No.	EC No.	REACH Registration No.	Notes
Dodecamethylcyclohexasiloxane	0,1 - <1%	Impurities	540-97-6	208-762-8	Not relevant.	SVHC vPvB
Decamethylcyclopentasiloxane	0,1 - <1%	Impurities	541-02-6	208-764-9	Not relevant.	SVHC vPvB

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# This substance has workplace exposure limit(s).

## This substance is listed as SVHC.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

ED: Endocrine Disruptor

#### Classification:

Chemical name	Classification	Specific concentration limit: / ATE / M-Factor:	Notes
Dodecamethylcyclohexasiloxane	None known.		
Decamethylcyclopentasiloxane	None known.		

The full text for all H-statements is displayed in section 16.

## SECTION 4: First aid measures

### General information:

No specific first aid measures noted. Get medical attention if symptoms occur.

### 4.1 Description of first aid measures:

#### Inhalation:

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. In case of inhalation: Move person into fresh air and keep at rest. Get medical attention if symptoms occur.

#### Skin Contact:

Remove contaminated clothing and shoes. Wash skin with soap and water. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.

#### Eye contact:

In the event of contact with the eyes, rinse thoroughly with clean water. Continue to rinse for at least 15 minutes.

#### Ingestion:

Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0

# SILADENT

Page 3 of 13

Printing date: 08.01.2025

## Adisil transparent - component A

### Personal Protection for First-aid Responders:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). Refer to sections 5 and 8 for information on emergency procedures and protective equipment.

### 4.2 Most important symptoms and effects, both acute and delayed:

No specific symptoms noted. For further information, please refer to section 11 of the SDS.

### 4.3 Indication of any immediate medical attention and special treatment needed: Notes to the physician:

No specific recommendations. Show this Safety Data Sheet to the attending physician.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media Suitable extinguishing media:

Water spray, foam, dry powder or carbon dioxide.

### Unsuitable extinguishing media:

Avoid water in straight hose stream; will scatter and spread fire.

### 5.2 Special hazards arising from the substance or mixture:

Product will burn under fire conditions. Thermal decomposition or combustion may liberate carbon oxides, silicon oxides and other toxic gases or vapours.

### 5.3 Advice for firefighters: Special firefighting procedures:

Use standard firefighting procedures and consider the hazards of other involved materials. Remove undamaged containers from fire area if it is safe to do so. Evacuate to a safe location and contact the emergency services. Water spray should be used to cool containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Caution: Contaminated surfaces may be slippery. Follow safe handling advice and personal protective equipment recommendations. Prevent further leakage or spillage if safe to do so.

### 6.2 Environmental Precautions:

Do not release into the environment. Do not discharge into drains, water courses or onto the ground. Collect spillage. Use containment for a large spill. Notify relevant authorities if this material is released to the environment.

### 6.3 Methods and material for containment and cleaning up:

Absorb with sand or other inert absorbent. Shovel up and place in a container for salvage or disposal. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Never return the spilled product to its original container for reuse. To clean the floor and all objects contaminated by this material, use an appropriate solvent (see § 9). Flush area with plenty of water. Ensure that

## EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0

# SILADENT

Page 4 of 13

Printing date: 08.01.2025

### Adisil transparent - component A

waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Dispose of residue in accordance with regulations in force.

#### 6.4 Reference to other sections:

Please observe the important information mentioned in the other sections. In particular, information on exposure controls/personal protection and disposal considerations can be found under sections 8 and 13.

## SECTION 7: Handling and storage

---

### 7.1 Precautions for safe handling

#### Precautions:

Handle in accordance with good industrial hygiene and safety practices. No special precautions are necessary beyond normal good hygiene practices. See Section 8 of the SDS for additional personal protection advice when handling this product. Take care to prevent spills, waste and minimize release to the environment. In case of spills, beware of slippery floors and surfaces.

#### Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local/regional/national regulations. Avoid discharge into drains, water courses or onto the ground. Store in a dry place. Keep in properly labelled containers. Keep above the chemical's freezing point. Protect against physical damage and/or friction. Store away from incompatible materials. For further information, refer to section 10: "Stability and Reactivity".

#### Packaging frequently used at our sites:

Polyethylene. Plastic lined steel drum.

#### Lagerungshinweise:

Es liegen keine Daten vor.

#### Storage Class:

No data available.

### 7.3 Specific end use(s):

No specific recommendations. See the technical data sheet on this product for further information.

## SECTION 8: Exposure controls/personal protection

---

### 8.1 Control Parameters:

#### Occupational Exposure Limits:

#### Monitoring methods:

Ensure workers' exposure monitoring in accordance with national and European regulations in force, in particular Directives 98/24/EC and 2004/37/EC.

### 8.2 Exposure controls: Appropriate engineering controls:

No special requirements under ordinary conditions of use and with adequate ventilation. Avoid inhalation of vapours, mists or dusts.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0

# SILADENT

Page 5 of 13

Printing date: 08.01.2025

## Adisil transparent - component A

### Individual protection measures, such as personal protective equipment:

Avoid inhalation of vapours/aerosols/dusts and contact with skin and eyes. Personal protective equipment should be chosen according to applicable standards, adapted to the conditions of use of the product and in discussion with the supplier of the personal protective equipment.

### Eye/face protection:

Safety glasses with side shields

### Hand Protection:

This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes. In case this product will be mixed with other substances, you need to contact a supplier of CE approved protective gloves in order to determine the appropriate gloves.

Prolonged or repeated contact:

Material: Nitrile.

Glove thickness: 1,25 mm

Guideline: EN374-3

Short contact:

Material: Nitrile / Neoprene

Glove thickness: 0,198 mm

Guideline: EN374-3

### Skin and Body Protection:

No skin protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.

### Respiratory Protection:

No protection is ordinarily required under normal conditions of use and with adequate ventilation. If ventilation is insufficient, suitable respiratory protection must be provided.

### Environmental Controls:

See sections 7 and 13 of the Safety Data Sheet.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Physical state:**

Liquid

**Form:**

Viscous

**Colour:**

Transparent

**Odour:**

Odourless

**pH:**

By definition, pH measurement consists in the determination of hydrogen ions concentration in solution, generally aqueous. Silicones products are hydrophobic and therefore, not soluble in water. By consequence, it is not possible to measure the pH value.

**Melting point/freezing point:**

No data available.

**Boiling Point:**

No data available.

**Flash Point:**

> 200 °C (Closed cup according to method ASTM D56.)

**Flammability:**

No data available.

**Flammability Limit - Upper (%):**

No data available.

**Flammability Limit - Lower (%):**

No data available.

**Vapour pressure:**

< 0,1 hPa (20 °C)

**Relative vapour density:**

No data available.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0

# SILADENT

Page 6 of 13

Printing date: 08.01.2025

## Adisil transparent - component A

<b>Evaporation Rate:</b>	No data available.
<b>Density:</b>	Approximate 1 kg/dm <sup>3</sup> (20 °C)
<b>Solubility(ies):</b>	Practically Insoluble
<b>Solubility in Water:</b>	Diethylether: Miscible (in all proportions).
<b>Solubility (other):</b>	Chlorinated solvents: Miscible (in all proportions). Aromatic hydrocarbons: Miscible (in all proportions). Aliphatic hydrocarbons: Miscible (in all proportions). Acetone: Very slightly soluble Ethanol: Very slightly soluble
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Self-ignition:</b>	> 400 °C
<b>Decomposition Temperature:</b>	> 200 °C
<b>Kinematic viscosity:</b>	Approximate 11 000 mm <sup>2</sup> /s (20 °C)
<b>Particle characteristics:</b>	Not applicable.
<b>9.2 Other information:</b>	
<b>Dynamic viscosity:</b>	Approximate 10 000 mPa.s (20 °C)
<b>Oxidizing properties:</b>	According to the data on the components Not considered as oxidizing. (evaluation by structure-activity relationship)

## SECTION 10: Stability and reactivity

<b>10.1 Reactivity:</b>	Not relevant.
<b>10.2 Chemical Stability:</b>	Stable
<b>10.3 Possibility of Hazardous Reactions:</b>	Not known.
<b>10.4 Conditions to Avoid:</b>	No other information noted.
<b>10.5 Incompatible Materials:</b>	Strong oxidizing agents.
<b>10.6 Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Amorphous silica.

## SECTION 11: Toxicological information

<b>11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:</b>	
<b>Acute Toxicity:</b>	
<b>Oral:</b>	Not classified for acute toxicity based on available data.
<b>Dermal:</b>	Not classified for acute toxicity based on available data.
<b>Inhalation:</b>	Not classified for acute toxicity based on available data.
<b>Repeated dose toxicity:</b>	
<b>Based on our knowledge of the composition information:</b>	DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): NOAEL: 1 000 mg/kg ; (Rat ; Female, Male ; Oral) ; Method: OECD 422 ; Subacute exposure. NOAEL: 0,0182 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Method: OECD 413 ; Subchronic exposure.
	DECAMETHYLCYCLOPENTASILOXANE (541-02-6): An Expert Judgment stated that no classification is necessary based on present knowledge. NOAEL: 1 000

## EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0

# SILADENT

Page 7 of 13

Printing date: 08.01.2025

### Adisil transparent - component A

mg/kg ; (Rat ; Female, Male ; 90 d ; Oral) ; No treatment-related adverse effects observed ; Method: OECD 408  
NOAEL: 2,42 mg/l ; (Rat ; Female, Male ; 2 yr ; Inhalation - vapour) ; No treatment-related adverse effects observed ; Method: OECD 453  
NOAEL: 1 600 mg/kg ; (Rat ; Female, Male ; 28 d ; Dermal) ; No treatment-related adverse effects observed ; Method: OECD 410

#### Skin Corrosion/Irritation:

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Not irritating (Rabbit) ; Method: OECD 404

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Not Classified Not irritating (Rabbit ; 24 h) ; Method: OECD 404

#### Serious Eye Damage/Eye Irritation:

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Not irritating (Rabbit) ; Method: OECD 405

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Not Classified Not irritating (Rabbit) ; Method: OECD 405

#### Respiratory or Skin Sensitization:

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Skin sensitization: Not a skin sensitizer. ; Not a skin sensitizer. (Mouse) ; Method: OECD 429

#### Germ Cell Mutagenicity:

In vitro: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471  
In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Bacterial reverse mutation test: No mutagenic components identified. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471  
In vitro gene mutations test on mammalian cells: No mutagenic components identified. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476  
Chromosomal aberration: No clastogenic effect. (Chinese hamster lung cells ; with and without metabolic activation) ; Method: OECD 473

In vivo: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

## EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0

# SILADENT

Page 8 of 13

Printing date: 08.01.2025

### Adisil transparent - component A

Mammalian erythrocyte micronucleus test: No mutagenic effect. (Mouse ; Intraperitoneal) ; Method: OECD 474

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Mammalian erythrocyte micronucleus test: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 474  
Unscheduled DNA Synthesis (UDS) Test with mammalian liver cells in vivo: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 486

#### Carcinogenicity:

**Based on our knowledge of the composition information:**

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not classified

The product is not considered to be carcinogenic.

NOAEC:  $\geq 2,42$  mg/l (Rat ; Female, Male ; 24 months ; Inhalation - vapour) ; Method: Similar to OECD 453 ; No carcinogenic effects relevant to humans.

#### Reproductive toxicity:

**Fertility: Based on our knowledge of the composition information:**

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not classified

Reproduction/developmental toxicity screening test:

NOAEL (parent):  $\geq 1\ 000$  mg/kg ; NOAEL (F1):  $\geq 1\ 000$  mg/kg ; NOAEL (F2): None. (Rat ; Female, Male ; Gavage (Oral)) ; Method: OECD 422 ; The product is not considered to affect fertility.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not classified

Fertility study 2 generations: NOAEL (parent):  $> 2,496$

mg/l ; NOAEL (F1):  $> 2,496$  mg/l ; NOAEL (F2): None.

(Rat ; Female, Male ; Inhalation - vapor) ; Method: OECD 416 ; No adverse effect observed.

**Teratogenicity: Based on our knowledge of the composition information:**

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not classified

NOAEL (terato):  $\geq 1\ 000$  mg/kg ; NOAEL (mater):  $\geq 1\ 000$

mg/kg (Rabbit ; Gavage (Oral)) ; Method: OECD 414

NOAEL (terato):  $\geq 1\ 000$  mg/kg ; NOAEL (mater):  $\geq 1\ 000$

mg/kg (Rat ; Gavage (Oral)) ; Method: OECD 414

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not classified

NOAEL (terato):  $> 2\ 427$  mg/l ; NOAEL (mater):  $> 2\ 427$

mg/l (Rat ; Inhalation) ; Method: OECD 414 ; No adverse effect observed.

NOAEL (terato):  $> 2\ 427$  mg/l ; NOAEL (mater):  $> 2\ 427$

mg/l (Rabbit ; Inhalation) ; Method: OECD 414 ; No adverse effect observed.

#### Specific Target Organ Toxicity - Single Exposure:

**Based on our knowledge of the composition information:**

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0

# SILADENT

Page 9 of 13

Printing date: 08.01.2025

## Adisil transparent - component A

### Specific Target Organ Toxicity - Repeated Exposure:

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Based on available data, the classification criteria are not met.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Based on available data, the classification criteria are not met.

### Aspiration Hazard:

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Based on available data, the classification criteria are not met.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Not applicable

### 11.2 Information on other hazards:

Endocrine disrupting properties:

No data available.

## SECTION 12: Ecological information

### 12.1 Toxicity:

#### Acute toxicity:

Fish: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0,016 mg/l ; Method: OECD 204 ; No toxicity at the limit of solubility

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0,016 mg/l ; Method: OECD 204  
NOEC (Oncorhynchus mykiss; 96 h ; Flow through) : >= 0,016 mg/l ; Method: OECD 204

Aquatic Invertebrates: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0,0029 mg/l ; Method: OECD 202 ; No toxicity at the limit of solubility

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0,0029 mg/l ; Method: OECD 202  
NOEC (Water flea (Daphnia magna); 48 h ; Flow through) : >= 0,0029 mg/l ; Method: OECD 202

Aquatic plants: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
NOEC (growth rate) (Algae (Pseudokirchneriella subcapitata); 72 h ; Static) : >= 0,002 mg/l ; Method: OECD 201 ; No toxicity at the limit of solubility  
ErC50 (Algae (Pseudokirchneriella subcapitata); 72 h ; Static) : > 0,002 mg/l ; Method: OECD 201 ; No toxicity at the limit of solubility

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
EC 50 (Algae (Pseudokirchneriella subcapitata); 96 h ; Static) : > 0,012 mg/l ; Method: OECD 201

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0

# SILADENT

Page 10 of 13

Printing date: 08.01.2025

## Adisil transparent - component A

	NOEC (Algae ( <i>Pseudokirchneriella subcapitata</i> ); 96 h ; Static) : $\geq 0,012$ mg/l ; Method: OECD 201
<b>Toxicity to microorganisms:</b>	No data available.
<b>Chronic Toxicity:</b>	
<b>Fish: Based on our knowledge of the composition information:</b>	DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): NOEC ( <i>Oncorhynchus mykiss</i> ; 90 d ; Flow through) : $\geq 0,014$ mg/l ; Method: OECD 210 ; No toxicity at the limit of solubility  DECAMETHYLCYCLOPENTASILOXANE (541-02-6): NOEC ( <i>Oncorhynchus mykiss</i> ; 90 d ; Flow through) : $\geq 0,014$ mg/l ; Method: OECD 210
<b>Aquatic Invertebrates: Based on our knowledge of the composition information:</b>	DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): NOEC (Water flea ( <i>Daphnia magna</i> ); 21 d ; semi-static) : $\geq 0,0046$ mg/l ; Method: OECD 211 ; No toxicity at the limit of solubility  DECAMETHYLCYCLOPENTASILOXANE (541-02-6): NOEC (Water flea ( <i>Daphnia magna</i> ); 21 d ; semi-static) : $\geq 0,015$ mg/l ; Method: OECD 211
<b>12.2 Persistence and Degradability:</b>	
<b>Biodegradation: Based on our knowledge of the composition information:</b>	DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): 4,5 % (activated sludge, domestic, non-adapted ; 28 d) ; Method: OECD 310 ; The product is not readily biodegradable.  DECAMETHYLCYCLOPENTASILOXANE (541-02-6): 0,14 % (28 d) ; The product is not readily biodegradable.
<b>BOD/COD Ratio:</b>	No data available.
<b>12.3 Bioaccumulative Potential:</b>	
<b>Bioconcentration Factor (BCF): Based on our knowledge of the composition information:</b>	DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Bioconcentration Factor (BCF): 2 860 ( <i>Fathead Minnow</i> ; 49 d) ; Method: OECD 305 ; Has the potential to bioaccumulate.  DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Bioconcentration Factor (BCF): 16 200 ( <i>Pimephales promelas</i> ) ; Method: OECD 305 ; The product is not bioaccumulating.
<b>Partition coefficient (n-octanol/water): Based on our knowledge of the composition information:</b>	DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Log Kow: 8,87 (23 °C)  DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Log Kow: 8,02 (25,3 °C) ; Method: OECD 123
<b>12.4 Mobility in Soil:</b>	No data available.
<b>12.5 Results of PBT and vPvB assessment: Based on our knowledge of the composition information:</b>	DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Meets vPvB criteria (REACH (1907/2006) Ax XIII)

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0



Page 11 of 13

Printing date: 08.01.2025

## Adisil transparent - component A

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Meets vPvB criteria (REACH (1907/2006) Ax XIII)

**12.6 Endocrine disrupting properties:** No data available.

**12.7 Other adverse effects:** No data available.

### SECTION 13: Disposal considerations

**13.1 Waste treatment methods:** Do not empty into drains. The user's attention is drawn to the possible existence of local regulations regarding disposal. Please observe the important information mentioned in the other sections. In particular, information on hazards identification and product stability and reactivity under sections 2 and 10.

**Disposal methods:** Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Incinerate or landfill.

**Contaminated Packaging:** Contaminated packages should be as empty as possible. Recycle following cleaning or dispose of at an authorised site. Packaging that cannot be cleaned should be disposed of in the same way as the product it contained.

**Waste code:** The waste code of the European Waste Catalogue (EWC) cannot be determined for this product, as its determination depends on how the material is used by the end-users. The waste code has to be determined within the EU in agreement with the waste-disposal operator.

### SECTION 14: Transport information

**ADR:** Not Regulated.

**ADN:** Not Regulated.

**RID:** Not Regulated.

**IMDG / IMO:** Not Regulated.

**IATA:** Not Regulated.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU Regulations:**  
**Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances** None present or none present in regulated quantities.

**Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances:** None present or none present in regulated quantities.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0

# SILADENT

Page 12 of 13

Printing date: 08.01.2025

## Adisil transparent - component A

**EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended:** None present or none present in regulated quantities.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended:** None present or none present in regulated quantities.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended:** None present or none present in regulated quantities.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended:** None present or none present in regulated quantities.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended:** None present or none present in regulated quantities.

**EU. Directive 2010/75/EU on Industrial Emissions (IPPC), Annex II, L 334/17:** None present or none present in regulated quantities.

**EU. REACH Annex XIV, Substances Subject to Authorization:** None present or none present in regulated quantities.

### EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Additional Information
Dodecamethylcyclohexasiloxane	540-97-6	Persistent, Bioaccumulative and Toxic (PBT) very Persistent and very Bioaccumulative (vPvB)
Decamethylcyclopentasiloxane	541-02-6	very Persistent and very Bioaccumulative (vPvB) Persistent, Bioaccumulative and Toxic (PBT)

### Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Entry No:
Decamethylcyclopentasiloxane	541-02-6	70
Dodecamethylcyclohexasiloxane	540-97-6	70

**Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:** None present or none present in regulated quantities.

**EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:** None present or none present in regulated quantities.

For information on the concentration of the substances listed in this section 15.1, please refer to section 3 of this document.

### National Regulations:

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.02.2024

Version: 7.0

# SILADENT

Page 13 of 13

Printing date: 08.01.2025

## Adisil transparent - component A

### Wassergefährdungs-klasse (WGK):

WGK 1: schwach wassergefährdend. Einstufung nach AwSV, Anlage 1 (5.2)

### Water Hazard Class (WGK):

WGK 1: slightly water-endangering. Classification according to AwSV, Appendix 1 (5.2)

### 15.2 Chemical safety assessment:

As this product is not classified as hazardous, a chemical safety assessment is not required. For safe use information, please refer to section 8 of this SDS.

### Inventory Status:

Australia Industrial Chem. Act (AIC):  
Canada DSL Inventory List:  
China Inv. Existing Chemical Substances:  
Japan (ENCS) List:  
Korea Existing Chemicals Inv. (KECI):  
New Zealand Inventory of Chemicals:  
Philippines PICCS:  
Taiwan Chemical Substance Inventory:  
US TSCA Inventory:  
Thailand DIW Existing Chemical Inv. List:  
Vietnam National Chemical Inventory:  
EINECS, ELINCS or NLP:

On or in compliance with the inventory.  
On or in compliance with the inventory.  
On or in compliance with the inventory.  
Not in compliance with the inventory.  
On or in compliance with the inventory.

## SECTION 16: Other information

### Revision Information:

SECTION 15:

Modification:

Regulatory information

### Abbreviations and acronyms:

CLP: Regulation No. 1272/2008.  
PBT: persistent, bioaccumulative and toxic substance.  
vPvB: very persistent and very bioaccumulative substance.  
NOAEL: No Observable Adverse Effect Level  
LOAEL: Lowest Observable Adverse Effect Level  
ED: Endocrine Disruptor  
SVHC: Listed on the Candidate List of substances of very high concern (SVHC)

### Issue Date:

18.10.2024

### Disclaimer:

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0



Page 1 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

---

- 1.1 Product identifier:**  
Commercial product name: Adisil transparent – component B  
Duplicating silicone
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Identified uses: Moulding diverse objects.  
Uses advised against: None known.
- 1.3 Details of the supplier of the safety data sheet**  
Manufacturer/Supplier: SILADENT Dr. Böhme & Schöps GmbH  
Street / mailbox: Im Klei 26  
Country code. / postal code / city: D - 38644 Goslar  
Phone: Tel.: +49 (0) 53 21 / 37 79 – 0  
Fax: Fax: +49 (0) 53 21 / 38 96 32  
E-mail / Website: [info@siladent.de](mailto:info@siladent.de) - [www.siladent.de](http://www.siladent.de)  
Further information obtainable from: SILADENT Dr. Böhme & Schöps GmbH
- 1.4 Emergency telephone number**  
SILADENT Dr. Böhme & Schöps GmbH: +49 (0) 53 21 / 37 79 - 0 (Mon-Fri. 8 a.m. – 4 p.m.)

### SECTION 2: Hazards identification

---

- 2.1. Classification of the substance or mixture:** The product has not been classified as hazardous according to the legislation in force.
- Classification according to Regulation (EC) No 1272/2008 as amended.** Not classified.
- 2.2 Label Elements:**
- Supplemental label information:** EUH210: Safety data sheet available on request.
- 2.3 Other hazards:**
- Physical Hazards:** No specific recommendations.
- Health Hazards:**
- Inhalation:** No specific symptoms noted.
- Eye contact:** No specific symptoms noted.
- Skin Contact:** No specific symptoms noted.
- Ingestion:** No specific symptoms noted.
- Other Health Effects:** No other information noted.
- Environmental hazards:** Not regarded as dangerous for the environment.
- Results of PBT and vPvB assessment:** This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).
- Endocrine Disruption - Health:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0

# SILADENT

Page 2 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

### Endocrine Disruption - Environment:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Other hazards:

Chemical compounds containing silicon - hydrogen bonds (SiH). This product may generate hydrogen gas. For further information, refer to section 10: "Stability and Reactivity".

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### General information:

Mixture of organosiloxanes, additives.

#### Hazardous Component(s):

Chemical name	Concentration	Type	CAS-No.	EC No.	REACH Registration No.	Notes
Dodecamethylcyclohexasiloxane	0,1 - <1%	Impurities	540-97-6	208-762-8	Not relevant.	SVHC vPvB
Decamethylcyclopentasiloxane	0,1 - <1%	Impurities	541-02-6	208-764-9	Not relevant.	SVHC vPvB
toluene	0,1 - <1%	Impurities	108-88-3	203-625-9	Not relevant.	#

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# This substance has workplace exposure limit(s).

## This substance is listed as SVHC.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

ED: Endocrine Disruptor

#### Classification:

Chemical name	Classification	Specific concentration limit: / ATE / M-Factor:	Notes
Dodecamethylcyclohexasiloxane	None known.		
Decamethylcyclopentasiloxane	None known.		
toluene	Flam. Liq. 2 H225; Repr. 2 H361d; STOT RE 2 H373; STOT SE 3 H336; Asp. Tox. 1 H304; Skin Irrit. 2 H315; Aquatic Chronic 3 H412;		

The full text for all H-statements is displayed in section 16.

## SECTION 4: First aid measures

#### General information:

Move into fresh air and keep at rest. Take off contaminated clothing and wash it before reuse. Get medical attention if symptoms occur.

#### 4.1 Description of first aid measures:

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0

# SILADENT

Page 3 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

<b>Inhalation:</b>	Under normal conditions of intended use, this material is not expected to be an inhalation hazard. In case of inhalation: Move person into fresh air and keep at rest. Get medical attention if symptoms occur.
<b>Skin Contact:</b>	Remove contaminated clothing and shoes. Wash skin with soap and water. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.
<b>Eye contact:</b>	In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention if symptoms occur.
<b>Ingestion:</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.
<b>Personal Protection for First-aid Responders:</b>	First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). Refer to sections 5 and 8 for information on emergency procedures and protective equipment.
<b>4.2 Most important symptoms and effects, both acute and delayed:</b>	Any important symptoms and effects are described in Section 11 (Toxicological information) of this SDS.
<b>4.3 Indication of any immediate medical attention and special treatment needed: Notes to the physician:</b>	No specific recommendations. Show this Safety Data Sheet to the attending physician.

### SECTION 5: Firefighting measures

<b>5.1 Extinguishing media</b>	
<b>Suitable extinguishing media:</b>	Alcohol resistant foam. Carbon dioxide (CO <sub>2</sub> ). Dry sand. Water spray.
<b>Unsuitable extinguishing media:</b>	Alkaline powders. Do not use water jet as an extinguisher, as this will spread the fire. For further information, refer to section 10: "Stability and Reactivity".
<b>5.2 Special hazards arising from the substance or mixture:</b>	Product will burn under fire conditions. This product may generate hydrogen gas. Vapours may form explosive mixtures with air. For further information, refer to section 10: "Stability and Reactivity". Thermal decomposition or combustion may liberate carbon oxides, silicon oxides and other toxic gases or vapours.
<b>5.3 Advice for firefighters: Special firefighting procedures:</b>	Use standard firefighting procedures and consider the hazards of other involved materials. Remove undamaged containers from fire area if it is safe to do so. Evacuate to a safe location and contact the emergency services. Water spray should be used to cool containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
<b>Special protective equipment for fire-fighters:</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0



Page 4 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

### SECTION 6: Accidental release measures

---

- 6.1 Personal precautions, protective equipment and emergency procedures:** Personnel not required or not equipped with personal protection should be evacuated from the area. Caution: Contaminated surfaces may be slippery. Follow safe handling advice and personal protective equipment recommendations. Avoid contact with eyes, skin, and clothing. Provide good ventilation. Avoid inhalation of vapours, mists or dusts. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Remove all possible sources of ignition in the surrounding area. Avoid sparks, flames, heat and smoking. Keep away from Alkalis and caustic products. Prevent further leakage or spillage if safe to do so. Alert the Health, Safety & Environmental department of spill.
- 6.2 Environmental Precautions:** Do not release into the environment. Do not discharge into drains, water courses or onto the ground. Collect spillage. Use containment for a large spill. Notify relevant authorities if this material is released to the environment.
- 6.3 Methods and material for containment and cleaning up:** Access to contaminated area only to authorized people. Absorb with sand or other inert absorbent. Shovel up and place in a container for salvage or disposal. Materials in contact with water, moisture, acids or bases have the potential to generate hydrogen gas. Use clean non-sparking tools to collect absorbed material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Recovered material should be stored in a vented container. Never return the spilled product to its original container for reuse. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Container must be kept tightly closed. To clean the floor and all objects contaminated by this material, use an appropriate solvent (see § 9). Flush area with plenty of water. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Dispose of residue in accordance with regulations in force.
- 6.4 Reference to other sections:** Please observe the important information mentioned in the other sections. In particular, information on exposure controls/personal protection and disposal considerations can be found under sections 8 and 13.

### SECTION 7: Handling and storage

---

- 7.1 Precautions for safe handling** This product may generate hydrogen gas. Keep away from ignition source. Empty container after use should be stored in separate area, and be disposed after degassing completely. Take precautionary measures against static discharges. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Read and follow manufacturer's recommendations. Avoid inhalation of vapours/aerosols/dusts and contact with skin and eyes. Use mechanical ventilation in case of handling

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0



Page 5 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

which causes formation of vapours. If ventilation is insufficient, suitable respiratory protection must be provided. See Section 8 of the SDS for Personal Protective Equipment. Provide eyewash station and safety shower and ensure that their location are labelled conspicuously. Limit the quantities of product in the work area to those which are necessary for the work in hand. Handle in accordance with good industrial hygiene and safety practices. Handle and open container with care. Protect from contamination. Do not mix with incompatible materials. For further information, refer to section 10: "Stability and Reactivity". Take care to prevent spills, waste and minimize release to the environment. In case of spills, beware of slippery floors and surfaces.

### Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local/regional/national regulations. Avoid discharge into drains, water courses or onto the ground. Provide impermeable soil. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures. For further information, refer to section 10: "Stability and Reactivity". Store in original tightly closed container, equipped with a degassing device. Product may evolve minute quantities of flammable hydrogen gas which can accumulate. Adequately ventilate to maintain vapours well below flammability limits and exposure guidelines. Do not repackage. Clogged container vents may increase pressure build up. Keep in properly labelled containers. Keep above the chemical's freezing point. Protect against physical damage and/or friction.

### Packaging frequently used at our sites:

Polyethylene. Steel drums coated with epoxy-resin.

### Lagerklasse:

Es liegen keine Daten vor.

### Storage Class:

No data available.

### 7.3 Specific end use(s):

No specific recommendations. See the technical data sheet on this product for further information.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control Parameters:

#### Occupational Exposure Limits:

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0

Page 6 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

### toluene

Type	Exposure Limit Values	Source	Date	Remarks
SKIN_DES	- -	EU ELV	02 2017	Can be absorbed through the skin.
AGW	50 ppm 190 mg/m <sup>3</sup>	TRGS 900	04 2021	If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7).
TWA	50 ppm 192 mg/m <sup>3</sup>	EU ELV	12 2009	Indicative
STEL	100 ppm 384 mg/m <sup>3</sup>	EU ELV	12 2009	Indicative
SKIN_DES	- -	DFG MAK	2007	Can be absorbed through the skin.
PEAK CAT	- -	DFG MAK	2007	Category II: substances with a resorptive effect.
SKIN_DES	- -	TRGS 900	12 2007	Can be absorbed through the skin.
STEL CL	- -	TRGS 900	12 2007	Category II: substances with a resorptive effect.

### Biological Limit Values:

#### toluene

Exposure Limit Values	Type	Source	Date
1,5 mg/l (Urine)	o-Cresol, with hydrolysis (Sampling time period is for long-term exposures, at the end of the shift after several preceding ones./ Sampling time period is at end of exposure or at end of shift.)	DE BGW	03 2020
75 µg/l (Urine)	toluene (Sampling time: End of shift.)	DE BGW	03 2020
600 µg/l (Blood)	toluene (Sampling time period is immediately after exposure.)	DE BGW	06 2018

### Monitoring methods:

Ensure workers' exposure monitoring in accordance with national and European regulations in force, in particular Directives 98/24/EC and 2004/37/EC.

### 8.2 Exposure controls: Appropriate engineering controls:

Use engineering controls to reduce air contamination to permissible exposure level. The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Engineering controls are always preferable to personal protective equipment. Control measures to consider: Provide adequate ventilation. In case of inadequate ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

### Individual protection measures, such as personal protective equipment:

Avoid inhalation of vapours/aerosols/dusts and contact with skin and eyes. Personal protective equipment should be chosen according to applicable standards, adapted to the conditions of use of the product and in discussion with the supplier of the personal protective equipment.

### Eye/face protection:

Safety glasses with side shields

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0

# SILADENT

Page 7 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

### Hand Protection:

This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes. In case this product will be mixed with other substances, you need to contact a supplier of CE approved protective gloves in order to determine the appropriate gloves.

Prolonged or repeated contact:

Material: Nitrile.

Glove thickness: 1,25 mm

Guideline: EN374-3

Short contact:

Material: Nitrile / Neoprene

Glove thickness: 0,198 mm

Guideline: EN374-3

### Skin and Body Protection:

Wear appropriate clothing to prevent any possibility of skin contact. Isolate contaminated clothing and wash before reuse. In case of splashes: Wear apron or special protective clothing.

### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use the following CE approved air-purifying respirator: Breathing apparatus with combined filter type ABEK. Wear respiratory protection with combination filter (dust and gas filter) during operations leading to the formation of dust/aerosols.

### Environmental Controls:

See sections 7 and 13 of the Safety Data Sheet.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Physical state:**

Liquid

**Form:**

Viscous

**Colour:**

transparent

**Odour:**

Odourless

**pH:**

By definition, pH measurement consists in the determination of hydrogen ions concentration in solution, generally aqueous. Silicones products are hydrophobic and therefore, not soluble in water. By consequence, it is not possible to measure the pH value.

**Melting point/freezing point:**

No data available.

**Boiling Point:**

No data available.

**Flash Point:**

> 200 °C (Closed cup according to method ASTM D56.)

**Flammability:**

No data available.

**Flammability Limit - Upper (%):**

74 %(V) Hydrogen.

**Flammability Limit - Lower (%):**

4 %(V) Hydrogen.

**Vapour pressure:**

< 0,1 hPa (20 °C)

**Relative vapour density:**

No data available.

**Evaporation Rate:**

No data available.

**Density:**

Approximate 1 kg/dm<sup>3</sup> (20 °C)

**Solubility(ies):**

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0



Page 8 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

**Solubility in Water:**

**Solubility (other):**

Practically Insoluble

Diethylether: Miscible (in all proportions).

Chlorinated solvents: Miscible (in all proportions).

Aromatic hydrocarbons: Miscible (in all proportions).

Aliphatic hydrocarbons: Miscible (in all proportions).

Acetone: Very slightly soluble

Ethanol: Very slightly soluble

No data available.

**Partition coefficient (n-octanol/water):**

**Self-Ignition:**

500 °C

**Decomposition Temperature:**

> 200 °C

**Kinematic viscosity:**

Approximate 11 000 mm<sup>2</sup>/s (20 °C)

**Particle characteristics:**

Not applicable.

**9.2 Other information:**

No data available.

**Dynamic viscosity:**

Approximate 40 000 mPa.s

**Oxidizing properties:**

According to the data on the components

Not considered as oxidizing.

(evaluation by structure-activity relationship)

### SECTION 10: Stability and reactivity

**10.1 Reactivity:**

No other information noted.

**10.2 Chemical Stability:**

Material is stable under normal conditions.

**10.3 Possibility of Hazardous Reactions:**

This product may generate hydrogen gas.

**10.4 Conditions to Avoid:**

No other information noted.

**10.5 Incompatible Materials:**

A fire or explosion hazard arises because highly flammable gas (hydrogen) is released when it is in contact with: Strong oxidizing agents. Alkalis and caustic products. Chemical compounds with mobile hydrogen, in the presence of metal salts and complexes.

**10.6 Hazardous Decomposition Products:**

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Amorphous silica. Quantity of hydrogen potentially released (l/kg of product): <14

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

**Acute toxicity:**

**Oral:**

Not classified for acute toxicity based on available data.

**Dermal:**

Not classified for acute toxicity based on available data.

**Inhalation:**

Not classified for acute toxicity based on available data.

**Repeated dose toxicity:**

**Based on our knowledge of the composition information:**

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
NOAEL:  $\geq$  1 000 mg/kg ; (Rat ; Female, Male ; Oral) ;  
Method: OECD 422 ; Subacute exposure.  
NOAEL: 0,0182 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Method: OECD 413 ; Subchronic exposure.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0



Page 9 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

### DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

An Expert Judgment stated that no classification is necessary based on present knowledge. NOAEL:  $\geq$  1 000 mg/kg ; (Rat ; Female, Male ; 90 d ; Oral) ; No treatment-related adverse effects observed ; Method: OECD 408

NOAEL:  $\geq$  2,42 mg/l ; (Rat ; Female, Male ; 2 yr ; Inhalation - vapour) ; No treatment-related adverse effects observed ; Method: OECD 453

NOAEL:  $\geq$  1 600 mg/kg ; (Rat ; Female, Male ; 28 d ; Dermal) ; No treatment-related adverse effects observed ; Method: OECD 410

### TOLUENE (108-88-3):

May cause damage to organs through prolonged or repeated exposure.

NOAEL: 625 mg/kg ; LOAEL: 1 250 mg/kg ; (Rat ; 90 d ; Oral) ; Target Organ(s): Nervous System, Liver, Kidney, Brain, Heart ; Method: OECD 408

NOAEL:  $>$  1,13 mg/l ; (Rat ; Female, Male ; 24 Months ; Inhalation - vapour) ; No treatment-related adverse effects observed ; Method: OECD 453

### Skin Corrosion/Irritation:

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Not irritating (Rabbit) ; Method: OECD 404

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Not irritating (Rabbit) ; Method: OECD 404

TOLUENE (108-88-3):  
Causes skin irritation. (Rabbit) ; Method: According to a standardised method.

### Serious Eye Damage/Eye Irritation:

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Not irritating (Rabbit) ; Method: OECD 405

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Not Classified Not irritating (Rabbit) ; Method: OECD 405

TOLUENE (108-88-3):  
Based on available data, the classification criteria are not met. Not irritating (Rabbit) ; Method: OECD 405

### Respiratory or Skin Sensitization:

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Skin sensitization: Not a skin sensitizer. ; Not a skin sensitizer. (Mouse) ; Method: OECD 429

TOLUENE (108-88-3):  
Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0



Page 10 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

### Germ Cell Mutagenicity:

**In vitro: Based on our knowledge of the composition information:**

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471  
In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Bacterial reverse mutation test: No mutagenic components identified. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471  
In vitro gene mutations test on mammalian cells: No mutagenic components identified. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476  
Chromosomal aberration: No clastogenic effect. (Chinese hamster lung cells ; with and without metabolic activation) ; Method: OECD 473

TOLUENE (108-88-3):  
Bacterial reverse mutation test: No mutagenic effect. Method: Similar to OECD 471  
In vitro gene mutations test on mammalian cells: No mutagenic effect. Method: Similar to OECD 476

**In vivo: Based on our knowledge of the composition information:**

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Mammalian erythrocyte micronucleus test: No mutagenic effect. (Mouse ; Intraperitoneal) ; Method: OECD 474

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Mammalian erythrocyte micronucleus test: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 474  
Unscheduled DNA Synthesis (UDS) Test with mammalian liver cells in vivo: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 486

TOLUENE (108-88-3):  
Mammalian bone marrow chromosomal aberration test: negative (Rat ; Intraperitoneal)  
Rodent dominant Lethal test: negative (Mouse ; Inhalation) ; Method: OECD 478

### Carcinogenicity:

**Based on our knowledge of the composition information:**

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Not classified  
The product is not considered to be carcinogenic.  
NOAEC:  $\geq$  2,42 mg/l (Rat ; Female, Male ; 24 months ; Inhalation - vapour) ; Method: Similar to OECD 453 ; No carcinogenic effects relevant to humans.

TOLUENE (108-88-3):  
Not classified

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0

# SILADENT

Page 11 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

The product is not considered to be carcinogenic.  
NOAEC:  $\geq 4,522$  mg/l (Rat ; Inhalation - vapour) ;  
Method: Similar to OECD 453

### Reproductive toxicity: Fertility: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Not classified  
Reproduction/developmental toxicity screening test:  
NOAEL (parent):  $\geq 1\ 000$  mg/kg ; NOAEL (F1):  $\geq 1\ 000$  mg/kg ; NOAEL (F2): None. (Rat ; Female, Male ; Gavage (Oral)) ; Method: OECD 422 ; The product is not considered to affect fertility.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Not classified  
Fertility study 2 generations: NOAEL (parent):  $> 2,496$  mg/l ; NOAEL (F1):  $> 2,496$  mg/l ; NOAEL (F2): None. (Rat ; Female, Male ; Inhalation - vapour) ; Method: OECD 416 ; No adverse effect observed.

TOLUENE (108-88-3):  
The product is not considered to affect fertility.  
Fertility study 2 generations: NOAEL (parent): 7,5 mg/l ; NOAEL (F1): 7,5 mg/l ; NOAEL (F2): (Rat ; Female, Male ; Inhalation - vapour) ; Reproductive toxicity

### Teratogenicity: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Not classified  
NOAEL (terato):  $\geq 1\ 000$  mg/kg ; NOAEL (mater):  $\geq 1\ 000$  mg/kg (Rabbit ; Gavage (Oral)) ; Method: OECD 414  
NOAEL (terato):  $\geq 1\ 000$  mg/kg ; NOAEL (mater):  $\geq 1\ 000$  mg/kg (Rat ; Gavage (Oral)) ; Method: OECD 414

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
Not classified  
NOAEL (terato):  $> 2\ 427$  mg/l ; NOAEL (mater):  $> 2\ 427$  mg/l (Rat ; Inhalation) ; Method: OECD 414 ; No adverse effect observed.  
NOAEL (terato):  $> 2\ 427$  mg/l ; NOAEL (mater):  $> 2\ 427$  mg/l (Rabbit ; Inhalation) ; Method: OECD 414 ; No adverse effect observed.

TOLUENE (108-88-3):  
Suspected of damaging the unborn child.  
NOAEL (terato): 2,26 mg/l ; NOAEL (mater): 2,26 mg/l (Rat ; Inhalation - vapor) ; Method: Similar to OECD 414 ; No effect observed on development.  
NOAEL (terato): 1,884 mg/l ; NOAEL (mater): 1,884 mg/l (Rabbit ; Inhalation - vapor) ; Method: OECD 414 ; No effect observed on development.

### Specific Target Organ Toxicity - Single Exposure:

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
Based on available data, the classification criteria are not met.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0



Page 12 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

TOLUENE (108-88-3):

May cause drowsiness or dizziness.

### Specific Target Organ Toxicity - Repeated Exposure:

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

TOLUENE (108-88-3):

May cause damage to organs through prolonged or repeated exposure. Target Organ(s): Nervous system.

### Aspiration Hazard:

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

TOLUENE (108-88-3):

May be fatal if swallowed and enters airways.

### 11.2 Information on other hazards:

Endocrine disrupting properties:

No data available.

## SECTION 12: Ecological information

### 12.1 Toxicity:

Acute toxicity:

Fish: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0,016 mg/l ; Method: OECD 204 ; No toxicity at the limit of solubility

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : >

0,016 mg/l ; Method: OECD 204

NOEC (Oncorhynchus mykiss; 96 h ; Flow through) : >=

0,016 mg/l ; Method: OECD 204

TOLUENE (108-88-3):

LC 50 (Coho salmon; 96 h ; Flow through) : 5,5 mg/l

Aquatic Invertebrates: Based on our

knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0,0029 mg/l ; Method: OECD 202 ; No toxicity at the limit of solubility

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0

# SILADENT

Page 13 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
EC 50 (Water flea (Daphnia magna); 48 h ; Flow through)  
: > 0,0029 mg/l ; Method: OECD 202  
NOEC (Water flea (Daphnia magna); 48 h ; Flow through)  
: >= 0,0029 mg/l ; Method: OECD 202

TOLUENE (108-88-3):  
EC 50 (Water flea (Ceriodaphnia dubia); 48 h ; semi-static)  
: 3,78 mg/l ; Method: According to a standardised method.

### Aquatic plants: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
NOEC (growth rate) (Algae (Pseudokirchneriella subcapitata); 72 h ; Static) : >= 0,002 mg/l ; Method: OECD 201 ; No toxicity at the limit of solubility  
ErC50 (Algae (Pseudokirchneriella subcapitata); 72 h ; Static) : > 0,002 mg/l ; Method: OECD 201 ; No toxicity at the limit of solubility

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
EC 50 (Algae (Pseudokirchneriella subcapitata); 96 h ; Static) : > 0,012 mg/l ; Method: OECD 201  
NOEC (Algae (Pseudokirchneriella subcapitata); 96 h ; Static) : >= 0,012 mg/l ; Method: OECD 201

TOLUENE (108-88-3):  
NOEC (biomass) (Skeletonema costatum; 72 h ; Static) : 10 mg/l ; Method: OECD 201

### Toxicity to microorganisms:

No data available.

### Chronic Toxicity:

#### Fish: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
NOEC (Oncorhynchus mykiss; 90 d ; Flow through) : >= 0,014 mg/l ; Method: OECD 210 ; No toxicity at the limit of solubility

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
NOEC (Oncorhynchus mykiss; 90 d ; Flow through) : >= 0,014 mg/l ; Method: OECD 210

TOLUENE (108-88-3):  
NOEC (growth rate) (Coho salmon; 40 d ; Flow through) : 1,4 mg/l

### Aquatic Invertebrates: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):  
NOEC (Water flea (Daphnia magna); 21 d ; semi-static) : >= 0,0046 mg/l ; Method: OECD 211 ; No toxicity at the limit of solubility

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):  
NOEC (Water flea (Daphnia magna); 21 d ; semi-static) : >= 0,015 mg/l ; Method: OECD 211

TOLUENE (108-88-3):  
NOEC (Water flea (Ceriodaphnia dubia); 7 d ; semi-static) : 0,74 mg/l ; Method: According to a standardised method.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0

# SILADENT

Page 14 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

<b>12.2 Persistence and Degradability:</b>	
<b>Biodegradation: Based on our knowledge of the composition information:</b>	DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): 4,5 % (activated sludge, domestic, non-adapted ; 28 d) ; Method: OECD 310 ; The product is not readily biodegradable.
	DECAMETHYLCYCLOPENTASILOXANE (541-02-6): 0,14 % (28 d) ; The product is not readily biodegradable.
	TOLUENE (108-88-3): 69 % ; The product is easily biodegradable.
<b>BOD/COD Ratio:</b>	No data available.
<b>12.3 Bioaccumulative Potential:</b>	
<b>Bioconcentration Factor (BCF): Based on our knowledge of the composition information:</b>	DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Bioconcentration Factor (BCF): 2 860 (Fathead Minnow ; 49 d) ; Method: OECD 305 ; Has the potential to bioaccumulate.
	DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Bioconcentration Factor (BCF): 16 200 (Pimephales promelas) ; Method: OECD 305 ; The product is not bioaccumulating.
	TOLUENE (108-88-3): Bioconcentration Factor (BCF): 90 ; Potential to bioaccumulate is low.
<b>Partition coefficient (n-octanol/water):</b>	
<b>Based on our knowledge of the composition information:</b>	DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Log Kow: 8,87 (23 °C)
	DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Log Kow: 5,20 Log Kow: 8,02 (25,3 °C) ; Method: OECD 123
	TOLUENE (108-88-3): Log Kow: 2,73
<b>12.4 Mobility in Soil:</b>	No data available.
<b>12.5 Results of PBT and vPvB assessment:</b>	
<b>Based on our knowledge of the composition information:</b>	DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Meets vPvB criteria (REACH (1907/2006) Ax XIII)
	DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Meets vPvB criteria (REACH (1907/2006) Ax XIII)
	TOLUENE (108-88-3): Not fulfilling PBT (persistent/bioaccumulative/toxic) criteria. (REACH (1907/2006) Ax XIII) Not fulfilling vPvB (very persistent/very bioaccumulative) criteria. (REACH (1907/2006) Ax XIII)
<b>12.6 Endocrine disrupting properties:</b>	No data available.
<b>12.7 Other adverse effects:</b>	No data available.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0



Page 15 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

### SECTION 13: Disposal considerations

---

#### 13.1 Waste treatment methods:

Do not empty into drains. The user's attention is drawn to the possible existence of local regulations regarding disposal. Please observe the important information mentioned in the other sections. In particular, information on hazards identification and product stability and reactivity under sections 2 and 10.

#### Disposal methods:

Waste of this material should not be mixed with other waste. Provide measures such as vented bungs to ensure pressure relief in the waste container. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Incinerate in suitable combustion chamber.

#### Contaminated Packaging:

Contaminated packages should be as empty as possible and equipped with a degassing device. Recycle following cleaning or dispose of at an authorised site. Packaging that cannot be cleaned should be disposed of in the same way as the product it contained.

#### Waste code:

The waste code of the European Waste Catalogue (EWC) cannot be determined for this product, as its determination depends on how the material is used by the end-users. The waste code has to be determined within the EU in agreement with the waste-disposal operator.

### SECTION 14: Transport information

---

**ADR:** Not regulated.

**ADN:** Not regulated.

**RID:** Not regulated.

**IMDG / IMO:** Not regulated.

**IATA:** Not regulated.

**Other information:** Warning  
Packaging with a breathing/venting bung are FORBIDDEN for transport by air.

### SECTION 15: Regulatory information

---

#### 15. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU Regulations:

**Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances:** None present or none present in regulated quantities.

**Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances:** None present or none present in regulated quantities.

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0

# SILADENT

Page 16 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

**EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended:** None present or none present in regulated quantities.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended:** None present or none present in regulated quantities.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended:** None present or none present in regulated quantities.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended:** None present or none present in regulated quantities.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended:** None present or none present in regulated quantities.

**EU. Directive 2010/75/EU on Industrial Emissions (IPPC), Annex II, L 334/17:**

Chemical name	CAS-No.
toluene	108-88-3

**EU. REACH Annex XIV, Substances Subject to Authorization:** None present or none present in regulated quantities.

**EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):**

Chemical name	CAS-No.	Additional Information
Dodecamethylcyclohexasiloxane	540-97-6	Persistent, Bioaccumulative and Toxic (PBT) very Persistent and very Bioaccumulative (vPvB)
Decamethylcyclopentasiloxane	541-02-6	very Persistent and very Bioaccumulative (vPvB) Persistent, Bioaccumulative and Toxic (PBT)

**Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:**

Chemical name	CAS-No.	Entry No:
Decamethylcyclopentasiloxane	541-02-6	70
toluene	108-88-3	48
Dodecamethylcyclohexasiloxane	540-97-6	70

**Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:**

Chemical name	CAS-No.
toluene	108-88-3

**EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:**

Chemical name	CAS-No.
toluene	108-88-3

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0

# SILADENT

Page 17 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

For information on the concentration of the substances listed in this section 15.1, please refer to section 3 of this document.

### National Regulations:

#### Wassergefährdungs-klasse (WGK):

WGK 1: schwach wassergefährdend. Einstufung nach AwSV, Anlage 1 (5.2)

#### Water Hazard Class (WGK):

WGK 1: slightly water-endangering. Classification according to AwSV, Appendix 1 (5.2)

### 15.2 Chemical safety assessment:

As this product is not classified as hazardous, a chemical safety assessment is not required. For safe use information, please refer to section 8 of this SDS.

### Inventory Status

Australia Industrial Chem. Act (AIC):	On or in compliance with the inventory.
Canada DSL Inventory List:	On or in compliance with the inventory.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory.
Japan (ENCS) List:	On or in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory.
US TSCA Inventory:	On or in compliance with the inventory.
Thailand DIW Existing Chemical Inv. List:	On or in compliance with the inventory.
Vietnam National Chemical Inventory:	On or in compliance with the inventory.
EINECS, ELINCS or NLP:	On or in compliance with the inventory.

## SECTION 16: Other information

### Revision Information:

SECTION 15:                      Modification:                      Regulatory information

### Abbreviations and acronyms:

CLP:	Regulation No. 1272/2008.
PBT:	persistent, bioaccumulative and toxic substance.
vPvB:	very persistent and very bioaccumulative substance.
NOAEL	No Observable Adverse Effect Level
LOAEL	Lowest Observable Adverse Effect Level
ED:	Endocrine Disruptor
SVHC:	Listed on the Candidate List of substances of very high concern (SVHC)

### Wording of H-statements in section 2 and 3:

EUH210	Safety data sheet available on request.
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
H412	Harmful to aquatic life with long lasting effects.

Issue Date:

18.10.2024

# EG-MATERIAL SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 18.10.2024

Supersedes Date: 26.12.2022

Version: 7.0

The logo for SILADENT, featuring the word "SILADENT" in a bold, red, sans-serif font. The letters are closely spaced, and the "I" and "A" are particularly prominent.

Page 18 of 18

Printing date: 08.01.2025

## Adisil transparent - component B

### Disclaimer:

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment.