

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Bacillo AF

Version 1.22	Revision Date: 18.08.2025	SDS Number: R11072	Date of last issue: 12.03.2024 Date of first issue: 06.06.2014
-----------------	------------------------------	-----------------------	---

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH  
Melanchthonstraße 27  
22525 Hamburg (Germany)  
Tel.: +49 (0)40 / 54 00 60

Supplier : Paul Hartmann AG  
Paul-Hartmann-Str. 12  
89522 Heidenheim  
Deutschland  
Tel.: +49 (0)7321 / 36 - 0

Responsible Department : Scientific Affairs  
sds@bode-chemie.de

Emergency telephone number : Poison Center Göttingen  
24h-Phone +49 (0)551 / 1 92 40

#### Recommended use of the chemical and restrictions on use

Recommended use : In-door use  
Disinfectants and algacides not intended for direct application to humans or animals  
Food and feed area disinfectants  
For further information, refer to the product technical data sheet.

Restrictions on use : Restricted to professional users.

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3

Serious eye damage/eye irritation : Category 1

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

#### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H318 Causes serious eye damage.  
H336 May cause drowsiness or dizziness.

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Bacillof AF

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing vapours.  
P280 Wear eye protection/ face protection.

**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Propan-1-ol	71-23-8	>= 30 - < 50
Propan-2-ol	67-63-0	>= 20 - < 30
Ethanol	64-17-5	>= 1 - < 10

## 4. FIRST AID MEASURES

General advice : If you feel unwell, seek medical advice (show the label where possible).

If inhaled : Move to fresh air.

In case of skin contact : Take off all contaminated clothing immediately. Wash off with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

If swallowed : Rinse mouth with water. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed : Causes serious eye damage. May cause drowsiness or dizziness.

Notes to physician : For specialist advice physicians should contact the Poisons Information Service.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray.

Hazardous combustion products : No hazardous combustion products are known

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Bacillof AF

Special protective equipment for firefighters : Use personal protective equipment.  
In the event of fire, wear self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.  
Remove all sources of ignition.

Environmental precautions : Should not be released into the environment.

Methods and materials for containment and cleaning up : Clean-up methods - small spillage  
Wipe up with absorbent material (e.g. cloth, fleece).  
Clean-up methods - large spillage  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

### 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.  
Keep away from open flames, hot surfaces and sources of ignition.  
Vapours may form explosive mixtures with air.  
Vapours are heavier than air and may spread along floors.  
Provide sufficient air exchange and/or exhaust in work rooms.

Advice on safe handling : For personal protection see section 8.  
Avoid contact with eyes.

Conditions for safe storage : Store in original container.  
Keep tightly closed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-1-ol	71-23-8	TWA	100 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Ethanol	64-17-5	STEL	1.000 ppm	ACGIH

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

#### Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Bacillof AF

Keep away from food and drink.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	alcohol-like
pH	:	6 (20 °C)
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	> 80 °C
Flash point	:	26,5 °C Method: ISO 2719
Lower explosion limit / Lower flammability limit	:	Lower flammability limit 2 %(V)
Vapour pressure	:	40 hPa (20 °C)
Density	:	0,855 g/cm <sup>3</sup> (20 °C)
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	430 °C Method: Regulation (EC) No. 440/2008, Annex, A.15
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	not determined
Surface tension	:	23,6 mN/m, Regulation (EC) No. 440/2008, Annex, A.5

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Heat Strong sunlight for prolonged periods.

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Bacillof AF

Incompatible materials : None.

Hazardous decomposition products : No decomposition if stored and applied as directed.

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **Propan-1-ol (CAS: 71-23-8):**

Acute oral toxicity : LD50 Oral (Rat): 8.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 33,8 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): 4.032 mg/kg  
Method: OECD Test Guideline 402

##### **Propan-2-ol (CAS: 67-63-0):**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 10000 ppm  
Exposure time: 6 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

##### **Ethanol (CAS: 64-17-5):**

Acute oral toxicity : LD50 Oral (Rat): 10.470 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124,7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### **Propan-1-ol (CAS: 71-23-8):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **Propan-2-ol (CAS: 67-63-0):**

Species : Rabbit  
Result : No skin irritation

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Bacillof AF

### Ethanol (CAS: 64-17-5):

Species : human skin  
Result : Mild skin irritation  
Remarks : Based on available data, the classification criteria are not met.

### Serious eye damage/eye irritation

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Components:

### Propan-1-ol (CAS: 71-23-8):

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

### Propan-2-ol (CAS: 67-63-0):

Species : Rabbit  
Result : Eye irritation

### Ethanol (CAS: 64-17-5):

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritating to eyes.

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

### Propan-1-ol (CAS: 71-23-8):

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.

### Propan-2-ol (CAS: 67-63-0):

Test Type : Buehler Test  
Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

### Ethanol (CAS: 64-17-5):

Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.

### Germ cell mutagenicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Bacillof AF

### Components:

#### **Propan-1-ol (CAS: 71-23-8):**

Genotoxicity in vitro : Test Type: in vitro assay  
Result: negative

#### **Propan-2-ol (CAS: 67-63-0):**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT - single exposure**

May cause drowsiness or dizziness.

### **STOT - repeated exposure**

Not classified based on available information.

### **Repeated dose toxicity**

### Product:

Remarks : No data available

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

No data available

### **Experience with human exposure**

No data available

### **Neurological effects**

No data available

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

#### **Propan-1-ol (CAS: 71-23-8):**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4.554 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.300 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Chlorella pyrenoidosa (algae)): 1.150 mg/l  
Exposure time: 48 h  
Test Type: Growth inhibition

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Bacillo AF

- EC50 ( Pseudokirchneriella subcapitata (green algae)): 9.170 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition
- Toxicity to microorganisms : IC50 (Bacteria): > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209
- Propan-2-ol (CAS: 67-63-0):**
- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.692 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.285 mg/l  
Exposure time: 48 h
- NOEC (Daphnia magna (Water flea)): 141 mg/l  
Exposure time: 16 d
- Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): 10.500 mg/l  
Exposure time: 72 h
- Ethanol (CAS: 64-17-5):**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 11.200 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9.268 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 ( Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC ( Chlorella vulgaris (Fresh water algae)): 9,6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### Persistence and degradability

#### Product:

Biodegradability : Result: Readily biodegradable.

#### Components:

##### **Propan-1-ol (CAS: 71-23-8):**

Biodegradability : Result: Readily biodegradable.

##### **Propan-2-ol (CAS: 67-63-0):**

Biodegradability : Result: rapidly biodegradable

##### **Ethanol (CAS: 64-17-5):**

Biodegradability : Result: Readily biodegradable.

### Bioaccumulative potential

#### Components:

##### **Propan-1-ol (CAS: 71-23-8):**

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Bacillof AF

Partition coefficient: n-octanol/water : log Pow: 0,25

**Propan-2-ol (CAS: 67-63-0):**

Partition coefficient: n-octanol/water : log Pow: 0,05

**Ethanol (CAS: 64-17-5):**

Partition coefficient: n-octanol/water : log Pow: -0,35

### Mobility in soil

#### Components:

**Propan-2-ol (CAS: 67-63-0):**

Distribution among environmental compartments : Remarks: Mobile in soils

#### **Other adverse effects**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty remaining contents.  
Store containers and offer for recycling of material when in accordance with the local regulations.

---

## 14. TRANSPORT INFORMATION

### **ADR**

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(propan-1-ol, propan-2-ol)  
Class : 3  
Packing group : III  
Labels : 3  
Hazard Identification Number : 30  
Tunnel restriction code : (D/E)  
Limited quantity (LQ) : 5,00 L  
Environmentally hazardous : no

### **UNRTDG**

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(propan-1-ol, propan-2-ol)  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : no

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Bacillo AF

### IATA-DGR

UN/ID No. : UN 1987  
Proper shipping name : Alcohols, n.o.s.  
(propan-1-ol, propan-2-ol)  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

### IMDG-Code

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(propan-1-ol, propan-2-ol)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Limited quantity (LQ) : 5,00 L  
Marine pollutant : no

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### Other international regulations

#### The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

---

## 16. OTHER INFORMATION

Revision Date : 18.08.2025

Date format : yyyy/mm/dd

### Safety datasheet sections which have been updated:

9. Physical and chemical properties


### Further information

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Bacillo AF

### NFPA:



### HMIS® IV:

HEALTH	/	2
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or

# **SAFETY DATA SHEET**

according to the Globally Harmonized System

## **Bacillof AF**

quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN