



# SAFETY DATA SHEET

Printing date: October 30, 2024

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier  
Trade Name:  
**BeutiBond Xtreme**
- 1.2 Relevant identified uses of the substance or mixture and uses advised against  
Relevant identified uses: Dental material  
Uses advised against: No further data
- 1.3 Details of the supplier of the safety data sheet  
Company/Undertaking identification  
Manufacturer's Name: SHOFU DENTAL GmbH  
Address: An der Pönt 70, 40885 Ratingen, Germany  
Phone: +49 (0) 2102-8664-0  
Fax: +49 (0) 2102-8664-64  
E-Mail: info@shofu.de  
Section in Charge: Quality Management & Regulatory Affairs
- 1.4 Emergency Telephone Number  
+49-2102-8664-53 (SHOFU DENTAL GmbH) 24 hours / 7 days

## SECTION 2. Hazards identification

- 2.1 Classification of the substance or mixture  
CLASSIFICATION (EC 1272/2008)
- |               |      |                                     |
|---------------|------|-------------------------------------|
| Flam.Liq. 2   | H225 | Highly flammable liquid and vapour. |
| Skin Irrit. 2 | H315 | Causes skin irritation.             |
| Eye Irrit. 2  | H319 | Causes serious eye irritation.      |
| STOT SE 3     | H336 | May cause drowsiness or dizziness.  |

- 2.2 Label elements  
LABEL IN ACCORDANCE WITH (EC) NO.1272/2008:



GHS02



GHS07

SIGNAL WORD:

Danger

HAZARD-DETERMINING COMPONENTS OF LABELLING:

Acetone

HAZARD STATEMENTS:

- H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

PRECAUTIONARY STATEMENTS:

- P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/sparks/open flames/hot surfaces - No smoking.

(Contd. on page2)

Version Number 2

Revision date: October 30, 2024



# SAFETY DATA SHEET

(Contd. of page1)

- P233 Keep container tightly closed.
- P261 Avoid breathing dust/fume/gas/mist/vapour s/spray.
- P264 Wash hands thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P304+P340  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338  
IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P332+P313  
If skin irritation occurs: Get medical advice/attention.
- P337+P313  
If eye irritation persists: Get medical advice/attention.

#### ADDITIONAL INFORMATION:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

### SECTION 3. Composition/information on ingredients

3.1 Chemical characterization: Mixtures

3.2 Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
Cas: 67-64-1 EINECS: 200-662-2	Acetone Flam. Liq. 2, H225; Eye Irrit. 2, H319 STOT SE 3, H336	40-50 %
Cas: 109-16-0 EINECS: 203-652-6	TEGDMA Skin Sens. 1B, H317	

Others: Bis-GMA [Cas No. 1565-94-2, EINECS 216-367-7] 10-20 %

3.3 Additional information: For the wording of the listed risk phrases refer to section 2.

### SECTION 4. First-aid measures

4.1 Description of first aid measures

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice/attention.

Skin contact: Wash immediately with soap and plenty of water. If on skin, skin irritation, get medical advice/attention.

(Contd. on page3)



# SAFETY DATA SHEET

Printing date: October 30, 2024

(Contd. of page2)

Ingestion: Rinse mouth. Get medical advice/attention.  
Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptom concerning breath goes out, call a POISON CENTER or doctor.

- 4.2 Most important symptoms and effects, both acute and delayed  
No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

## SECTION 5. Fire-fighting measures

- 5.1 Extinguishing Media:  
CO<sub>2</sub>, Dry chemical, Foam, Dry sand
- 5.2 Special hazards arising from the substance or mixture:  
Easily flammable liquid in room temp.
- 5.3 Advice for firefighters:  
Wear fire protective cloth and self-contained breathing apparatus, if necessary.

## SECTION 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures:  
Avoid eye and skin contact.
- 6.2 Environmental Precautions:  
Attention should be given not to cause damage to the environment by flowing of spillage to rivers.
- 6.3 Methods and material for containment and cleaning up:  
Wipe up and discard in a suitable container.
- 6.4 Reference to other section:  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7. Handling and storage

- 7.1 Precautions for safe handling:  
Handle in a well ventilated place.  
Keep away from naked flames, sparks and sources of heat. No smoking.
- 7.2 Conditions for safe storage, including any incompatibilities:  
Store in a cool and dark area (1-25 °C) with container tightly closed.  
Separated from strong oxidants.
- 7.3 Specific end use(s):  
No further relevant information available.

## SECTION 8. Exposure controls/personal protection

- 8.1 Control parameters:  
Exposure limits:

(Contd. on page4)



# SAFETY DATA SHEET

(Contd. of page3)

Component		EU	ACGIH (TLV)
Acetone	TWA; 500 ppm, 1210 mg/m <sup>3</sup> STEL; 1500 ppm, 3620 mg/m <sup>3</sup>	TWA; 500 ppm 8 hr TWA; 1210 mg/m <sup>3</sup> 8 hr	250 ppm TWA 500 ppm STEL
Component	NIOSH	OSHA-Final PELs	
Acetone	250 ppm TWA (590 mg/m <sup>3</sup> TWA) 2500 ppm IDLH	1000 ppm TWA 2400 mg/m <sup>3</sup> TWA	

## 8.2 Exposure controls:

### Respiratory Protection:

Not required.

### Skin Protection:

#### Hand Protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR  
Nitrile rubber, NBR

### Eye Protection: Safety goggles

## SECTION 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties:

Appearance/Odor/Colour:	Pale yellow liquid with characteristic odor.
Odour threshold:	Not determined.
pH:	Not determined.
Melting point/freezing point:	Not determined.
Boiling point:	Not determined.
Flash point:	-20 °C (closed)
Evaporation rate:	Not determined.

(Contd. on page5)



# SAFETY DATA SHEET

Printing date: October 30, 2024

(Contd. of page4)

Flammability (solid, gas):	Not applicable.
Upper/lower flammability or explosive limits:	Not determined.
Vapour pressure:	Not determined.
Vapour density:	Not determined.
Relative density:	0.95 (water=1)
Solubility: water solubility	Soluble
Partition coefficient (n-octanol/water):	Not determined.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Viscosity:	Not determined.
Explosive properties:	Not applicable.
Oxidising properties:	Not applicable.

## 9.2 Other information:

No further relevant information available.

## SECTION 10. Stability and reactivity

### 10.1 Reactivity:

No further relevant information available.

### 10.2 Chemical stability:

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions:

No dangerous reactions known.

### 10.4 Condition to Avoid:

Avoid direct sunlight, excess heat, flame and other source of ignition.

### 10.5 Incompatible materials:

Strong oxidizing materials.

### 10.6 Hazardous Decomposition Products:

None under normal conditions of storage and use.

## SECTION 11. Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Acute toxicity:	Acetone;				
	Oral	rat	LD50	5800 mg/kg	
	Dermal	rabbit	LD50	> 7400 mg/kg	
	Inhalation	rat	LC50	32000 ppm/4h	

Skin corrosion/irritation: Skin Irrit. 2; H315 Causes skin irritation.

Eye damage/irritation: Eye Irrit. 2; H319 Causes serious eye irritation.

Sensitization to the respiratory tract:

Based on available data, the classification criteria are not met.

Skin sensitization:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

(Contd. on page6)

Version Number 2

Revision date: October 30, 2024



# SAFETY DATA SHEET

Printing date: October 30, 2024

(Contd. of page5)

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure):

STOT SE 3; H336 May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure):

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards:

No further relevant information available.

## SECTION 12. Ecological information

### 12.1 Toxicity:

Acetone:

Fish toxicity: Fathead minnow; LC50/96H > 100 mg/L

### 12.2 Persistence and degradability:

No further relevant information available.

### 12.3 Bioaccumulative potential:

No further relevant information available.

### 12.4 Mobility in soil:

No further relevant information available.

### 12.5 Results of PBT and vPvB assessment:

Not applicable.

### 12.6 Endocrine disrupting properties:

This product does not contain any known or suspected endocrine disruptors.

### 12.7 Other adverse effects:

No further relevant information available.

## SECTION 13. Disposal considerations

### 13.1 Waste treatment methods:

Dispose of contents/container to in accordance with local/regional/national/international regulations.

## SECTION 14. Transport information

14.1 UN number or ID number:

1090

14.2 UN proper shipping name:

Acetone, solution

14.3 Transport hazard class (es):

3 Flammable liquids.

14.4 Packing group:

II

14.5 Environmental hazards:

No further relevant information available.

14.6 Special precautions for user:

Warning: Flammable liquids.

14.7 Maritime transport in bulk according to IMO instruments:

Not applicable.

## SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- EU REGULATIONS: See Section 2

(Contd. on page7)

Version Number 2

Revision date: October 30, 2024



# SAFETY DATA SHEET

page 7/7  
BeutiBond Xtreme

Printing date: October 30, 2024

(Contd. of page6)

- Other regulations, limitations and prohibitive regulations:

The product is a medical device according to the EC-directive 93/42/EEC.

## 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

## SECTION 16. Other information

This product is intended for use by dental professionals (instrument/material).

### Relevant phrases:

- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

### Abbreviations and acronyms:

- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative

Version Number 2

Revision date: October 30, 2024