

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1


Revision: 03.03.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking


- **1.1 Product identifier**
- **Trade name:** Bisi-White Office 35%
- **Article number:** 10021
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
Use only by dentally trained personnel.
- **Application of the substance / the mixture**
see point 3)
Dental bleaching agent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bisico Bielefelder Dentalsilicone GmbH & Co. KG
Johanneswerkstrasse 3
33611 Bielefeld
Germany
+49 521 80168-00
www.bisico.de
- **Further information obtainable from:** R&D, MANI MEDICAL GERMANY GmbH, Tel: +049 6003/8286-0
- **1.4 Emergency telephone number:**
+49 (0) 6003 82 86-0, MANI MEDICAL GERMANY GmbH (8:00 - 17:00) or
+49 (0) 6131 19240 Poison Information Center, University Mainz (24 h)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**
Acute Tox. 4 H302 Harmful if swallowed.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.
STOT SE 3 H335 May cause respiratory irritation.

 - **2.2 Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
 - **Hazard pictograms**
- 

GHS05



GHS07
- **Signal word** *Danger*
 - **Hazard-determining components of labelling:**
hydrogen peroxide solution
 - **Hazard statements**
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
 - **Precautionary statements**
P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
P310 *Immediately call a POISON CENTER/doctor.*
P321 *Specific treatment (see on this label).*
P330 *Rinse mouth.*
P362+P364 *Take off contaminated clothing and wash it before reuse.*

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: **Bisi-White Office 35%**

(Contd. of page 1)

P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3).

· **Labelling of packages where the contents do not exceed 125 ml**

· **Hazard pictograms**



GHS05 GHS07

· **Signal word** Danger

· **Hazard-determining components of labelling:**

hydrogen peroxide solution

· **Hazard statements**

H318 Causes serious eye damage.

· **Precautionary statements**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Dental-bleaching based on hydrogen-peroxide

· **Dangerous components:**

CAS: 7722-84-1 EINECS: 231-765-0	hydrogen peroxide solution Ox. Liq. 2, H272; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H332 Specific concentration limits: Ox. Liq. 1; H271: C ≥ 70 % Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: C ≥ 8 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; H335: C ≥ 35 % Ox. Liq. 2; H272: C ≥ 50 %	25-50%
CAS: 25322-68-3	Polyethylenglycol substance with a Community workplace exposure limit	2.5-10%
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate Ox. Sol. 2, H272	<2.5%
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	<2.5%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

IE

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: *Bisi-White Office 35%*

(Contd. of page 2)

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Immediately remove any clothing soiled by the product.
- **After inhalation** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing**
Call for a doctor immediately.
Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fire with alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in refrigerator.
- **Information about storage in one common storage facility:**
Store away from flammable substances.
Store away from reducing agents.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: **Bisi-White Office 35%**

(Contd. of page 3)

- Store away from metals.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

7722-84-1 hydrogen peroxide solution

OEL (Ireland)	Short-term value: 3 mg/m ³ , 2 ppm Long-term value: 1.5 mg/m ³ , 1 ppm
WEL (Great Britain)	Short-term value: 2.8 mg/m ³ , 2 ppm Long-term value: 1.4 mg/m ³ , 1 ppm
PEL (USA)	Long-term value: 1.4 mg/m ³ , 1 ppm
REL (USA)	Long-term value: 1.4 mg/m ³ , 1 ppm
TLV (USA)	Long-term value: 1.4 mg/m ³ , 1 ppm A3

25322-68-3 Polyethylenglycol

WEEL (USA)	Long-term value: 10 mg/m ³ (H); MW>200
------------	--

56-81-5 glycerol

OEL (Ireland)	Long-term value: 10 mg/m ³
WEL (Great Britain)	Long-term value: 10 mg/m ³
PEL (USA)	Long-term value: 15* 5** mg/m ³ mist; *total dust **respirable fraction
TLV (USA)	TLV withdrawn-insufficient data human occup. exp.

- **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required
- **Hand protection** Protective gloves.
- **Material of gloves** Natural rubber, NR
- **Penetration time of glove material**
0,1 - 0,2 mm
Penetration time: 5 min.
- **Eye/face protection** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Liquid

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: *Bisi-White Office 35%*

(Contd. of page 4)

· Colour:	<i>Red</i>
· Odour:	<i>Weak, characteristic</i>
· Odour threshold:	<i>Not determined</i>
· Melting point/freezing point:	<i>undetermined</i>
· Boiling point or initial boiling point and boiling range	<i>100 °C</i>
· Flammability	<i>Not applicable</i>
· Lower and upper explosion limit	
· Lower:	<i>Not determined</i>
· Upper:	<i>Not determined</i>
· Flash point:	<i>Not applicable</i>
· Auto-ignition temperature:	<i>400 °C</i>
· Decomposition temperature:	<i>Not determined</i>
· pH at 20 °C	<i>7.3</i>
· Viscosity:	
· Kinematic viscosity	<i>Not determined</i>
· dynamic at 20 °C:	<i>20,000 mPas</i>
· Solubility	
· Water:	<i>Fully miscible</i>
· Partition coefficient n-octanol/water (log value)	<i>Not determined</i>
· Vapour pressure at 20 °C:	<i>23 hPa</i>
· Density and/or relative density	
· Density at 20 °C:	<i>1.2 g/cm³</i>
· Relative density	<i>Not determined</i>
· Vapour density	<i>Not determined</i>

· **9.2 Other information**

· Appearance:	
· Form:	<i>Pasty</i>
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	<i>Product is not selfigniting.</i>
· Explosive properties:	<i>Product does not present an explosion hazard.</i>
· Change in condition	
· Evaporation rate	<i>Not determined</i>

· **Information with regard to physical hazard classes**

· Explosives	<i>Void</i>
· Flammable gases	<i>Void</i>
· Aerosols	<i>Void</i>
· Oxidising gases	<i>Void</i>
· Gases under pressure	<i>Void</i>
· Flammable liquids	<i>Void</i>
· Flammable solids	<i>Void</i>
· Self-reactive substances and mixtures	<i>Void</i>
· Pyrophoric liquids	<i>Void</i>
· Pyrophoric solids	<i>Void</i>
· Self-heating substances and mixtures	<i>Void</i>
· Substances and mixtures, which emit flammable gases in contact with water	<i>Void</i>
· Oxidising liquids	<i>Void</i>
· Oxidising solids	<i>Void</i>
· Organic peroxides	<i>Void</i>
· Corrosive to metals	<i>Void</i>
· Desensitised explosives	<i>Void</i>

IE

(Contd. on page 6)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: Bisi-White Office 35%

(Contd. of page 5)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
 - Reacts with various metals
 - Reacts with reducing agents
 - Reacts with catalysts
 - Acts as an oxidizing agent on organic materials such as wood, paper and fats
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if swallowed.
- **LD/LC50 values relevant for classification:** LD-50/dermal > 2000 mg/kg rab
- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties**
 - The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
 - Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
 - Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 - Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: *Bisi-White Office 35%*

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

06 13 99	wastes not otherwise specified
----------	--------------------------------

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA

UN2014

· 14.2 UN proper shipping name

· ADR

2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION

· IMDG, IATA

HYDROGEN PEROXIDE, AQUEOUS SOLUTION

· 14.3 Transport hazard class(es)

· ADR



· Class

5.1 (OC1) Oxidising substances.

· Label

5.1+8

· IMDG



· Class

5.1 Oxidising substances.

· Label

5.1/8

· IATA



· Class

5.1 Oxidising substances.

· Label

5.1 (8)

· 14.4 Packing group

· ADR, IMDG, IATA

II

· 14.5 Environmental hazards:

· Marine pollutant:

No

· 14.6 Special precautions for user

Warning: Oxidising substances.

· Hazard identification number (Kemler code):

58

· EMS Number:

F-H,S-Q

· Segregation groups

(SGG16) Peroxides

(Contd. on page 8)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: Bisi-White Office 35%

(Contd. of page 7)

· Stowage Category	D
· Stowage Code	SW1 Protected from sources of heat.
· Segregation Code	SG16 Stow "separated from" class 4.1 SG59 Stow "separated from" SGG14-permanganates SG72 See 7.2.6.3.2.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

7722-84-1	hydrogen peroxide solution	Limit value: >12-≤35 %	25-50%
-----------	----------------------------	------------------------	--------

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

7757-79-1	potassium nitrate
-----------	-------------------

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
NK	<2.5

· **Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.**

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: **Bisi-White Office 35%**

(Contd. of page 8)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

· **Department issuing SDS:** R&D, MANI MEDICAL GERMANY GmbH

· **Contact:** Fr. R.Naveenakumar

· **Date of previous version:** 23.01.2026

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids – Category 2

Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Bisi-Gingiva Protector
- **Article number:** 10022
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
Medizinprodukt. Gebrauchsinformation beachten
- **Application of the substance / the mixture** see point 3)
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bisico Bielefelder Dentalsilicone GmbH & Co. KG
Johanneswerkstrasse 3
33611 Bielefeld
Germany
+49 521 80168-00
www.bisico.de
- **Further information obtainable from:** R&D, MANI MEDICAL GERMANY GmbH, Tel: +049 6003/8286-0
- **1.4 Emergency telephone number:**
+49 (0) 6003 82 86-0, MANI MEDICAL GERMANY GmbH (8:00 - 17:00) or
+49 (0) 6131 19240 Poison Information Center, University Mainz (24 h)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07 GHS09

- **Signal word** Warning
- **Hazard-determining components of labelling:**
di-urethane dimethacrylate
tetramethylene dimethacrylate
- **Hazard statements**
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: Bisi-Gingiva Protector

(Contd. of page 1)

- Labelling of packages where the contents do not exceed 125 ml
- Hazard pictograms



GHS07 GHS09

- Signal word *Warning*
- Hazard-determining components of labelling:
di-urethane dimethacrylate
tetramethylene dimethacrylate
- Hazard statements
H317 May cause an allergic skin reaction.
- Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable
- vPvB: Not applicable

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description:
Light curing material based on urethane dimethacrylate for gingiva protection at in-office-bleaching

- Dangerous components:

CAS: 41137-60-4	<i>di-urethane dimethacrylate</i> <i>Aquatic Chronic 2, H411; Skin Sens. 1B, H317</i>	50-75%
CAS: 2082-81-7 EINECS: 218-218-1	<i>tetramethylene dimethacrylate</i> <i>Skin Sens. 1B, H317</i>	2.5-10%

- Additional information *For the wording of the listed hazard phrases refer to section 16.*

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information *No special measures required.*
- After inhalation *Supply fresh air; consult doctor in case of complaints.*
- After skin contact
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- After eye contact
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing *Drink plenty of water and provide fresh air. Call for a doctor immediately.*
- 4.2 Most important symptoms and effects, both acute and delayed *No further relevant information available.*
- 4.3 Indication of any immediate medical attention and special treatment needed
No further relevant information available.

(Contd. on page 3)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: **Bisi-Gingiva Protector**

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
 - Water haze
 - Foam
 - Fire-extinguishing powder
 - Carbon dioxide
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 - Dispose contaminated material as waste according to section 13.
 - Ensure adequate ventilation.
- **6.4 Reference to other sections**
 - No dangerous substances are released.
 - See Section 7 for information on safe handling
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 - Keep receptacles tightly sealed.
 - Keep away from heat and direct sunlight.
 - Ensure good ventilation/exhaustion at the workplace.
 - Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
 - Close container immediately after use and protect product from light incidence.
 - Store between 3 °C and 25 °C
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
 - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.

(Contd. on page 4)

IE

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: Bisi-Gingiva Protector

(Contd. of page 3)

- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not required
- **Hand protection** Solvent resistant gloves
- **Material of gloves**
Butyl rubber, BR
Nitrile rubber, NBR
- **Penetration time of glove material**
0,3 mm
Penetration time 60 min.
0,11 mm
Penetration time 10 min.
- **Eye/face protection** Goggles recommended during refilling.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Liquid
- **Colour:** Blue
- **Odour:** Weak, characteristic
- **Odour threshold:** Not determined
- **Melting point/freezing point:** undetermined
- **Boiling point or initial boiling point and boiling range** 178 °C
- **Flammability** Not applicable
- **Lower and upper explosion limit**
- **Lower:** Not determined
- **Upper:** Not determined
- **Flash point:** 91 °C
- **Decomposition temperature:** Not determined
- **pH** Not determined
- **Viscosity:**
- **Kinematic viscosity** Not determined
- **dynamic:** Not determined
- **Solubility**
- **Water:** Not miscible or difficult to mix
- **Partition coefficient n-octanol/water (log value)** Not determined
- **Vapour pressure:** Not determined
- **Density and/or relative density**
- **Density at 20 °C:** 1.28 g/cm³
- **Relative density** Not determined
- **Vapour density** Not determined

- **9.2 Other information**
- **Appearance:**
- **Form:** Pasty
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Change in condition**
- **Evaporation rate** Not determined

- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: Bisi-Gingiva Protector

(Contd. of page 4)

· <i>Aerosols</i>	<i>Void</i>
· <i>Oxidising gases</i>	<i>Void</i>
· <i>Gases under pressure</i>	<i>Void</i>
· <i>Flammable liquids</i>	<i>Void</i>
· <i>Flammable solids</i>	<i>Void</i>
· <i>Self-reactive substances and mixtures</i>	<i>Void</i>
· <i>Pyrophoric liquids</i>	<i>Void</i>
· <i>Pyrophoric solids</i>	<i>Void</i>
· <i>Self-heating substances and mixtures</i>	<i>Void</i>
· <i>Substances and mixtures, which emit flammable gases in contact with water</i>	<i>Void</i>
· <i>Oxidising liquids</i>	<i>Void</i>
· <i>Oxidising solids</i>	<i>Void</i>
· <i>Organic peroxides</i>	<i>Void</i>
· <i>Corrosive to metals</i>	<i>Void</i>
· <i>Desensitised explosives</i>	<i>Void</i>

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Exothermic polymerization
Photoreactive
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
In presence of radical formers (e. g. peroxides), deoxidizing substances, and/or heavy metal ions, polymerization with heat release is possible.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**
tetramethylene dimethacrylate LD-50 oral > 5000 mg/kg (rat)
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

128-37-0 Butylated hydroxytoluene

List II

(Contd. on page 6)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: **Bisi-Gingiva Protector**

(Contd. of page 5)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
 - **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Must be specially treated adhering to official regulations.
 - **European waste catalogue**
- | | |
|----------|---|
| 08 04 10 | waste adhesives and sealants other than those mentioned in 08 04 09 |
|----------|---|
- **Uncleaned packaging:**
 - **Recommendation:**
Packagings that may not be cleansed are to be disposed of in the same manner as the product.
 - **Recommended cleansing agents:** Alcohol

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, IMDG, IATA** UN3082
- **14.2 UN proper shipping name**
- **ADR** 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (di-urethane dimethacrylate)
- **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (di-urethane dimethacrylate), MARINE POLLUTANT
- **IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (di-urethane dimethacrylate)

(Contd. on page 7)

IE

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1


Revision: 03.03.2026

Trade name: Bisi-Gingiva Protector

(Contd. of page 6)

· **14.3 Transport hazard class(es)**· **ADR**

· **Class** 9 (M6) Miscellaneous dangerous substances and articles.
 · **Label** 9

· **IMDG, IATA**

· **Class** 9 Miscellaneous dangerous substances and articles.
 · **Label** 9

· **14.4 Packing group**

· **ADR, IMDG, IATA** III

· **14.5 Environmental hazards:**

· **Marine pollutant:** No
 Symbol (fish and tree)
 · **Special marking (ADR):** Symbol (fish and tree)
 · **Special marking (IATA):** Symbol (fish and tree)

· **14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.
 · **Hazard identification number (Kemler code):** 90
 · **EMS Number:** F-A,S-F
 · **Stowage Category** A

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable

· **Transport/Additional information:**· **ADR**

· **Limited quantities (LQ)** 5L
 · **Excepted quantities (EQ)** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml
 · **Transport category** 3
 · **Tunnel restriction code** (-)

· **IMDG**

· **Limited quantities (LQ)** 5L
 · **Excepted quantities (EQ)** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN 3082 ENVIRONMENTALLY HAZARDOUS
 SUBSTANCE, LIQUID, N.O.S. (DI-URETHANE
 DIMETHACRYLATE), 9, III

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: **Bisi-Gingiva Protector**

(Contd. of page 7)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category E2** Hazardous to the Aquatic Environment

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· National regulations

· Technical instructions (air):

Class	Share in %
III	2.5-10

· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** R&D, MANI MEDICAL GERMANY GmbH

· **Contact:** Fr. R.Naveenakumar

· **Date of previous version:** 04.09.2025

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: Bisi-Gingiva Protector

(Contd. of page 8)

*PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Skin Sens. 1: Skin sensitisation – Category 1**Skin Sens. 1B: Skin sensitisation – Category 1B**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2**· * Data compared to the previous version altered.*

IE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Bisi-After Care
- **Article number:** 10023
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
Dental product. Follow the instructions of use
- **Application of the substance / the mixture** Medical device
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bisico Bielefelder Dentalsilicone GmbH & Co. KG
Johanneswerkstrasse 3
33611 Bielefeld
Germany
+49 521 80168-00
www.bisico.de
- **Further information obtainable from:** R&D, MANI MEDICAL GERMANY GmbH, Tel: +049 6003/8286-0
- **1.4 Emergency telephone number:**
+49 (0) 6003 82 86-0, MANI MEDICAL GERMANY GmbH (8:00 - 17:00) or
+49 (0) 6131 19240 Poison Information Center, University Mainz (24 h)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**
Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable





· **Determination of endocrine-disrupting properties**

7681-49-4	sodium fluoride	List II
-----------	-----------------	---------

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of water, glycerine and additives

· **Dangerous components:**

CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	2.5-10%
CAS: 7757-79-1 EINECS: 231-818-8	 Ox. Sol. 2, H272	2.5-10%
CAS: 7681-49-4 EINECS: 231-667-8	sodium fluoride  Acute Tox. 3, H301;  Skin Irrit. 2, H315;  Eye Irrit. 2, H319, EUH032	<2.5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: Bisi-After Care

(Contd. of page 1)

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store between 3 ° C and 25 ° C
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

56-81-5 glycerol

OEL (Ireland) Long-term value: 10 mg/m³

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: Bisi-After Care

(Contd. of page 2)

WEL (Great Britain)	Long-term value: 10 mg/m ³
PEL (USA)	Long-term value: 15* 5** mg/m ³ mist; *total dust **respirable fraction
TLV (USA)	TLV withdrawn-insufficient data human occup. exp.

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures are to be adhered to when handling chemicals.

· **Respiratory protection:** Not required

· **Hand protection** Not required

· **Material of gloves -**

· **Penetration time of glove material -**

· **Eye/face protection** Not required

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Liquid
· Colour:	White
· Odour:	Peppermint-like
· Odour threshold:	Not determined
· Melting point/freezing point:	undetermined
· Boiling point or initial boiling point and boiling range	100 °C
· Flammability	Not applicable
· Lower and upper explosion limit	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	160 °C
· Auto-ignition temperature:	400 °C
· Decomposition temperature:	Not determined
· pH at 20 °C	7
· Viscosity:	
· Kinematic viscosity	Not determined
· dynamic:	Not determined
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure at 20 °C:	23 hPa
· Density and/or relative density	
· Density at 20 °C:	1.06 g/cm ³
· Relative density	Not determined
· Vapour density	Not determined

· 9.2 Other information

· **Appearance:**

· **Form:** Pasty

· **Important information on protection of health and environment, and on safety.**

· **Ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: Bisi-After Care

(Contd. of page 3)

· Change in condition	
· Evaporation rate	Not determined
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**

Glycerol	oral	> 12.600 mg/kg rat
	dermal	> 10.000 mg/kg rbt
	inhal./4h	is above the saturation limit
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· Endocrine disrupting properties

7681-49-4 | sodium fluoride

List II

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: Bisi-After Care

(Contd. of page 4)

99-76-3 methyl 4-hydroxybenzoate

List II; III

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
- **European waste catalogue**
- 07 07 99 wastes not otherwise specified
- **Uncleaned packaging:**
- **Recommendation:**
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | |
|---|----------------|
| · 14.1 UN number or ID number
· ADR, ADN, IMDG, IATA | Void |
| · 14.2 UN proper shipping name
· ADR, ADN, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es)
· ADR, ADN, IMDG, IATA
· Class | Void |
| · 14.4 Packing group
· ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards:
· Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable |

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: *Bisi-After Care*

(Contd. of page 5)

· UN "Model Regulation": *Void*

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Directive 2012/18/EU

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

7757-79-1 | potassium nitrate

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations**· **Technical instructions (air):**

Class	Share in %
III	<2.5
NK	2.5-10

· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

EUH032 Contact with acids liberates very toxic gas.

· **Department issuing SDS:** R&D, MANI MEDICAL GERMANY GmbH· **Contact:** Fr. R.Naveenakumar· **Date of previous version:** 23.01.2026· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 7)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.03.2026

Version: 1

Revision: 03.03.2026

Trade name: Bisi-After Care

(Contd. of page 6)

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Ox. Sol. 2: Oxidizing solids – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
· *** Data compared to the previous version altered.**

IE