



Safety Information Sheet for Medical Devices

Copyright,2021, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	31-1081-4	Version number:	1.00
Revision date:	21/06/2021	Supersedes date:	Initial issue.

A safety data sheet is not required for this Product. This Safety Information Sheet has been created on a voluntary basis.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M™ Cavit™-G (44313)

Product Identification Numbers

70-2011-0466-1 70-2011-2000-6

7000030669 7000054917

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Medical device; refer to Instructions for Use

Restrictions on Use

For use only by dental professionals

1.3 Details of the supplier of the safety information sheet for medical devices

Address:	3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.
Telephone:	+44 (0)1344 858 000
E Mail:	tox.uk@mmm.com
Website:	www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

This product is a medical device as defined in Directive 93/42/EEC (MDD) respectively Regulation (EU) 2017/745 (MDR),

which is invasive or used in direct physical contact with the human body, and therefore is exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). Although not required, the classification and label information, as applicable, is provided below.

CLASSIFICATION:

Hazardous to the Aquatic Environment (Acute), Category 1 - Aquatic Acute 1; H400

Hazardous to the Aquatic Environment (Chronic), Category 1 - Aquatic Chronic 1; H410

For full text of H phrases, see Section 16.

2.2. Label elements**CLP REGULATION (EC) No 1272/2008****SIGNAL WORD**

WARNING.

Symbols

GHS09 (Environment) |

Pictograms**HAZARD STATEMENTS:**

H410

Very toxic to aquatic life with long lasting effects.

Notes on labelling

This material is not considered to be an eye irritant based on the Bovine Corneal Opacity Permeability Assay (BOCP).

2.3. Other hazards

For information on hazards and safe use, please consider the corresponding sections of this document.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Zinc oxide	(CAS-No.) 1314-13-2 (EC-No.) 215-222-5	30 - 50	Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1
Talc	(CAS-No.) 14807-96-6 (EC-No.) 238-877-9	10 - 30	Substance with a national occupational exposure limit
Zinc salt	(CAS-No.) 7733-02-0 (EC-No.) 231-793-3	1 - 20	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1
Barium sulfate	(CAS-No.) 7727-43-7	10 -	Substance with a national occupational exposure

	(EC-No.) 231-784-4	20	limit
Diacetate	(CAS-No.) 111-21-7 (EC-No.) 203-846-0	10 - 20	Substance not classified as hazardous
Resin	(CAS-No.) 9003-20-7	1 - 10	Substance not classified as hazardous
Calcium salt	(CAS-No.) 10034-76-1	1 - 10	Substance with a national occupational exposure limit

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SIS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

No need for first aid is anticipated.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide
Carbon dioxide.
Irritant vapours or gases.

Condition

During combustion.
During combustion.
During combustion.

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SIS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

Refer to Instructions for Use (IFU) for more information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
DUST, INERT OR NUISANCE	10034-76-1	UK HSC	TWA(as respirable dust):4 mg/m ³ ;TWA(as inhalable dust):10 mg/m ³	
Plaster of Paris (Ca(SO ₄).1/2H ₂ O)	10034-76-1	UK HSC	TWA(as respirable dust):4 mg/m ³ ;TWA(as inhalable dust):10 mg/m ³	
DUST, INERT OR NUISANCE	1314-13-2	UK HSC	TWA(as respirable dust):4 mg/m ³ ;TWA(as inhalable dust):10 mg/m ³	
Talc	14807-96-6	UK HSC	TWA(as respirable dust):1 mg/m ³	
Barium sulfate	7727-43-7	UK HSC	TWA(as respirable dust):4 mg/m ³ ;TWA(as inhalable dust):10 mg/m ³	

UK HSC : UK Health and Safety Commission
 TWA: Time-Weighted-Average
 STEL: Short Term Exposure Limit
 CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety information sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Skin/hand protection

See Section 7.1 for additional information on skin protection.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Solid.
Specific Physical Form:	Paste
Colour	Grey
Odor	Slight Acetic Acid
Melting point/freezing point	<i>No data available.</i>
Boiling point/boiling range	<i>Not applicable.</i>
Flammability (solid, gas)	Not classified
Flammable Limits(LEL)	<i>Not applicable.</i>
Flammable Limits(UEL)	<i>Not applicable.</i>
Flash point	Flash point > 93 °C (200 °F)
Autoignition temperature	<i>Not applicable.</i>
Relative density	2.6 - 2.8 [<i>Ref Std: WATER=1</i>]
pH	<i>substance/mixture is non-soluble (in water)</i>
Kinematic Viscosity	<i>No data available.</i>
Water solubility	Nil
Density	2.6 g/cm ³ - 3 g/cm ³

9.2. Other information**9.2.2 Other safety characteristics**

EU Volatile Organic Compounds	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>
Percent volatile	<i>Not applicable.</i>

SECTION 10: Stability and reactivity**10.1 Reactivity**

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Zinc oxide	Dermal		LD50 estimated to be > 5,000 mg/kg
Zinc oxide	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 5.7 mg/l
Zinc oxide	Ingestion	Rat	LD50 > 5,000 mg/kg
Barium sulfate	Dermal		LD50 estimated to be > 5,000 mg/kg
Barium sulfate	Ingestion	Rat	LD50 > 15,000 mg/kg
Diacetate	Dermal	Rabbit	LD50 9,040 mg/kg
Diacetate	Ingestion	Rat	LD50 15,594 mg/kg
Talc	Dermal		LD50 estimated to be > 5,000 mg/kg
Talc	Ingestion		LD50 estimated to be > 5,000 mg/kg
Calcium salt	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Calcium salt	Ingestion	similar compounds	LD50 estimated to be > 5,000 mg/kg
Resin	Dermal		LD50 estimated to be > 5,000 mg/kg
Resin	Ingestion	Rat	LD50 > 9,700 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Zinc oxide	Human and animal	No significant irritation
Talc	Rabbit	No significant irritation
Resin	Rabbit	Mild irritant

Serious Eye Damage/Irritation

Name	Species	Value
Zinc oxide	Rabbit	Mild irritant
Barium sulfate	Rabbit	No significant irritation
Talc	Rabbit	No significant irritation
Resin	similar health hazards	Moderate irritant

Skin Sensitisation

Name	Species	Value
Zinc oxide	Guinea pig	Not classified
Resin	Human	Not classified

Respiratory Sensitisation

Name	Species	Value
Talc	Human	Not classified

Germ Cell Mutagenicity

Name	Route	Value
Zinc oxide	In Vitro	Some positive data exist, but the data are not sufficient for classification
Zinc oxide	In vivo	Some positive data exist, but the data are not sufficient for classification
Talc	In Vitro	Not mutagenic
Talc	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Talc	Inhalation	Rat	Some positive data exist, but the data are not sufficient for classification
Resin	Not specified.	Multiple animal species	Not carcinogenic

Reproductive Toxicity**Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Zinc oxide	Ingestion	Not classified for reproduction and/or development	Multiple animal species	NOAEL 125 mg/kg/day	prematuring & during gestation
Talc	Ingestion	Not classified for development	Rat	NOAEL 1,600 mg/kg	during organogenesis

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Zinc oxide	Ingestion	nervous system	Not classified	Rat	NOAEL 600 mg/kg/day	10 days
Zinc oxide	Ingestion	endocrine system hematopoietic system kidney and/or bladder	Not classified	Other	NOAEL 500 mg/kg/day	6 months

Barium sulfate	Inhalation	pneumoconiosis	Not classified	Human	NOAEL Not available	occupational exposure
Talc	Inhalation	pneumoconiosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
Talc	Inhalation	pulmonary fibrosis respiratory system	Not classified	Rat	NOAEL 18 mg/m3	113 weeks

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SIS for additional toxicological information on this material and/or its components.

The product was evaluated by a toxicologist to be safe for its intended use.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS #	Organism	Type	Exposure	Test endpoint	Test result
Zinc oxide	1314-13-2	Activated sludge	Estimated	3 hours	EC50	6.5 mg/l
Zinc oxide	1314-13-2	Green Algae	Estimated	72 hours	EC50	0.052 mg/l
Zinc oxide	1314-13-2	Rainbow trout	Estimated	96 hours	LC50	0.21 mg/l
Zinc oxide	1314-13-2	Water flea	Estimated	48 hours	EC50	0.07 mg/l
Zinc oxide	1314-13-2	Green Algae	Estimated	72 hours	NOEC	0.006 mg/l
Zinc oxide	1314-13-2	Water flea	Estimated	7 days	NOEC	0.02 mg/l
Talc	14807-96-6		Data not available or insufficient for classification			N/A
Barium sulfate	7727-43-7	Fish other	Experimental	96 hours	LC50	>100 mg/l
Diacetate	111-21-7	Fathead minnow	Experimental	96 hours	LC50	185 mg/l
Diacetate	111-21-7	Green algae	Experimental	72 hours	EC50	>100 mg/l
Diacetate	111-21-7	Water flea	Experimental	48 hours	EC50	>100 mg/l
Diacetate	111-21-7	Green algae	Experimental	72 hours	NOEC	100 mg/l
Zinc salt	7733-02-0	Rainbow trout	Estimated	96 hours	LC50	0.42 mg/l
Zinc salt	7733-02-0		Experimental	48 hours	EC50	0.099 mg/l

Zinc salt	7733-02-0	Activated sludge	Experimental	3 hours	EC50	12.8 mg/l
Zinc salt	7733-02-0	Green Algae	Experimental	72 hours	EC50	0.104 mg/l
Zinc salt	7733-02-0	Water flea	Experimental	48 hours	EC50	0.15 mg/l
Zinc salt	7733-02-0	Diatom	Experimental	72 hours	NOEC	0.05 mg/l
Zinc salt	7733-02-0	Green Algae	Experimental	72 hours	NOEC	0.012 mg/l
Zinc salt	7733-02-0	Water flea	Experimental	7 days	NOEC	0.032 mg/l
Calcium salt	10034-76-1	Algae or other aquatic plants	Estimated	96 hours	EC50	3,400 mg/l
Calcium salt	10034-76-1	Bluegill	Estimated	96 hours	LC50	>3,180 mg/l
Calcium salt	10034-76-1	Water flea	Estimated	48 hours	EC50	>2,100 mg/l
Calcium salt	10034-76-1	Water flea	Estimated	21 days	NOEC	1,350 mg/l
Resin	9003-20-7		Data not available or insufficient for classification			N/A

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Zinc oxide	1314-13-2	Data not availbl-insufficient			N/A	
Talc	14807-96-6	Data not availbl-insufficient			N/A	
Barium sulfate	7727-43-7	Data not availbl-insufficient			N/A	
Diacetate	111-21-7	Experimental Biodegradation	28 days	BOD	60 % BOD/ThBOD	OECD 301C - MITI test (I)
Zinc salt	7733-02-0	Data not availbl-insufficient			N/A	
Calcium salt	10034-76-1	Data not availbl-insufficient			N/A	
Resin	9003-20-7	Data not availbl-insufficient			N/A	

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Zinc oxide	1314-13-2	Experimental BCF-Carp	56 days	Bioaccumulation factor	≤217	OECD 305E - Bioaccumulation flow-through fish test
Talc	14807-96-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Barium sulfate	7727-43-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Diacetate	111-21-7	Experimental Bioconcentration		Log Kow	0.03	Non-standard method
Zinc salt	7733-02-0	Experimental BCF-Carp	56 days	Bioaccumulation factor	242	Non-standard method
Calcium salt	10034-76-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Resin	9003-20-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.4. Mobility in soil

No test data available.

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Refer to Instructions for Use (IFU) for more information.

EU waste code (product as sold)

180106* Chemicals consisting of or containing dangerous substances.

SECTION 14: Transportation information

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number	UN3077	UN3077	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(ZINC OXIDE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(ZINC OXIDE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(ZINC OXIDE)
14.3 Transport hazard class(es)	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental hazards	Not Environmentally Hazardous	Not applicable	Not a Marine Pollutant
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.

Emergency Temperature	No data available.	No data available.	No data available.
ADR Tunnel Code	(-)	Not applicable.	Not applicable.
ADR Classification Code	M7	Not applicable.	Not applicable.
ADR Transport Category	3	Not applicable.	Not applicable.
ADR Multiplier	0	0	0
IMDG Segregation Code	Not applicable.	Not applicable.	NONE

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

Contact the manufacturer for more information

Global inventory status

Contact the manufacturer for more information

SECTION 16: Other information

List of relevant H statements

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Revision information:

Revision information not available

The product to which this Safety Information Sheet applies is classified as a medical device according to the EU Medical Device Regulation EU 2017/745. _x000D_

Medical devices which are invasive or used in direct physical contact with the human body are exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). _x000D_

The EU Medical Device Regulation does not foresee the use of Safety Data sheets for medical devices which are invasive or used in direct physical contact with the human body, as the safe use of the product is described through the Instructions for Use and /or the labelling for the product. Nevertheless, the 3M Safety Information Sheet is provided as a further service to customers to provide additional toxicology and chemical information on the product. In case of further questions, please contact your 3M representative listed on the Safety Information Sheet.

3M United Kingdom Safety Information Sheets are available at www.3M.com/uk