

Page 1/10

#### Safety data sheet according to 1907/2006/EC. Article 31

Printing date 05.03.2024

Version number 4 (replaces version 1)

Revision: 05.03.2024

#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier Trade name: CoCr Laser welding wire 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Manufacture of dental prothesis · 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Kulzer GmbH Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522 · Informing department: E-Mail: msds@kulzer-dental.com • 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463 SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Resp. Sens. 1 Skin Sens. 1 H317 May cause an allergic skin reaction. Muta. 2 H341 Suspected of causing genetic defects. H350 May cause cancer. Carc. 1B H360F May damage fertility. Repr. 1B Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Hazard pictograms GHS08 Signal word Danger · Hazard-determining components of labelling: cobalt · Hazard statements H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects. H350 May cause cancer. H360F May damage fertility. H413 May cause long lasting harmful effects to aquatic life. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection. (Contd. on page 2)

∠) GB —



Page 2/10

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2024

Version number 4 (replaces version 1)

Revision: 05.03.2024

## Trade name: CoCr Laser welding wire

(Contd. of page 1)

P280 Wear protective clothing.P284 In case of inadequate ventilation wear respiratory protection.

P321 Specific treatment (see on this label).

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Additional information:

Restricted to professional users.

#### 2.3 Other hazards

During welding and soldering processes spatter can occur, molten metal and UV / IR heat can cause burns or fire.

Chrome:

Welding and grinding produce smoke and dust. Chromium (VI) oxide, which is classified as carcinogenic, fine dust and ozone can develop. Sodium chromate can be formed during welding.

Sodium chromate has the following classification:

Classification sodium chromate (This classification only applies to pure sodium chromate.)

H 350 May cause cancer.

H 340 May cause genetic defects.

H 360FD May damage fertility. May harm the unborn child.

- H 330 Danger to life if inhaled.
- H 301 Toxic if swallowed.

H 372 Causes damage to organs through prolonged or repeated exposure.

H 312 Harmful in contact with skin.

H 314 Causes severe skin burns and eye damage.

H 334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H 317 can cause allergic reactions to your skin.

H 410 Very toxic for water organisms with long-term effect.

The proportion of sodium chromate in welding fumes depends on the electrode, the material to be welded and the welding conditions. It cannot be assessed here which of the aforementioned properties the welding smoke actually has.

Note on labeling:

As alloy, the product does not need to be labeled in accordance with EC regulations or the respective national laws. Although this product does not require labeling, we recommend that you follow the safety advice.

#### Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

# SECTION 3: Composition/information on ingredients • 3.2 Mixtures • Description: • Dangerous components: • CAS: 7440-48-4 CAS: 7440-48-4 cobalt EINECS: 231-158-0 Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1B, H350; Repr. Index number: 027-001-00-9 Skin Sens. 1, H317 Aquatic Chronic 4, H413 (Contd. on page 3)



Page 3/10

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2024

Version number 4 (replaces version 1)

Revision: 05.03.2024

#### Trade name: CoCr Laser welding wire

	(Co	ontd. of page 2)
CAS: 7440-47-3 EINECS: 231-157-5	chromium substance with a Community workplace exposure limit	≥25- <u>≤</u> 50%
CAS: 1333-86-4 EINECS: 215-609-9	Carbon black substance with a Community workplace exposure limit	<1%
CAS: 7439-96-5 EINECS: 231-105-1	manganese substance with a Community workplace exposure limit	<1%
CAS: 7440-21-3 EINECS: 231-130-8	silicon, containing more than 99.99 per centby weight of silicon substance with a Community workplace exposure limit	<1%
	P For the wording of the listed beyond phrases refer to eastion 16	

Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- 4.1 Description of first aid measures
  - After inhalation Supply fresh air; consult doctor in case of symptoms.
  - · After skin contact
  - Instantly wash with water and soap and rinse thoroughly.
  - If skin irritation continues, consult a doctor.
  - After eye contact Rinse opened eye for several minutes under running water. Then consult doctor. After swallowing
  - Rinse out mouth and then drink plenty of water.
  - In case of persistent symptoms consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
  - Suitable extinguishing agents
  - Extinguishing powder. Do not use water.
  - Dry sand
  - Use fire fighting measures that suit the environment.
  - For safety reasons unsuitable extinguishing agents Water.
  - Carbon dioxide
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
  - Protective equipment: No special measures required.
  - · Additional information -

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Use breathing protection against the effects of fumes/dust/aerosol. Avoid causing dust.

(Contd. on page 4) GB



Page 4/10

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2024

Version number 4 (replaces version 1)

Revision: 05.03.2024

#### Trade name: CoCr Laser welding wire

#### · 6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

- Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up: Collect mechanically.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

#### **SECTION 7: Handling and storage**

#### <sup>•</sup> 7.1 Precautions for safe handling

Prevent formation of dust.

Do not breathe vapor / mist / gas.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
  - · Storage
    - Requirements to be met by storerooms and containers: No special requirements.
    - Information about storage in one common storage facility: Not required.
    - Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

7440-48-4 cobalt		
WEL (Great Britain)	Long-term value: 0.1 mg/m³ as Co; Carc, Sen	
7440-47-3 chromium		
WEL (Great Britain)	Long-term value: 0.5 mg/m <sup>3</sup>	
AGW (European Union)	Long-term value: 2 mg/m³ as Cr	
IOELV (European Union)	Long-term value: 2 mg/m³ as Cr	
1333-86-4 Carbon black		
WEL (Great Britain)	Short-term value: 7 mg/m³ Long-term value: 3.5 mg/m³	
7439-96-5 manganese		
WEL (Great Britain)	Long-term value: 0.2* 0.05** mg/m <sup>3</sup> as Mn *inhalable fraction **respirable fraction	
IOELV (European Union)	Long-term value: 0.2* 0.05** mg/m³ as Mn; *inhalable, **respirable fraction	

(Contd. of page 3)

GB -



Page 5/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2024

Version number 4 (replaces version 1)

Revision: 05.03.2024

# Trade name: CoCr Laser welding wire

Odour threshold:

7440-21-3 silicon. col	Contd. of pa (Contd. of pa ) (Contd. of pa ) (Contd. of pa
WEL (Great Britain)	Long-term value: 10* 4** mg/m <sup>3</sup>
	*inhalable dust **respirable dust
· Additional info	<b>rmation:</b> The lists that were valid during the compilation were used as basis.
8.2 Exposure control	
Appropriate engin	eering controls No further data; see section 7.
	ion measures, such as personal protective equipment
· General protec	tive and hygienic measures
	n foodstuffs, beverages and food.
instantly remove	e any soiled and impregnated garments.
	ring breaks and at the end of the work.
· Breathing equi	pment:
Filter P3.	
Filter P1.	
Breathing protect	ction recommended.
Hand protectio	
For welding wor	k: Use welding gloves (DIN 4841-4, EN 12477).
	cannot be avoided, protective gloves are recommended to avoid poss
sensitization.	
Check protective	e gloves prior to each use for their proper condition.
recommended	
· Material of g	loves
The selection	n of the suitable gloves does not only depend on the material, but also on fu
marks of qua	ality and varies from manufacturer to manufacturer. As the product is a prepara
of several su	ubstances, the resistance of the glove material can not be calculated in adva
and has ther	efore to be checked prior to the application.
· Penetration	time of glove material
	reak trough time has to be found out by the manufacturer of the protective glo
and has to be	
	manent contact of a maximum of 15 minutes gloves made of the follow
materials ar	
Butyl rubber,	
Nitrile rubber	
<ul> <li>Eye/face protect</li> </ul>	stion
eye protection (I	
Tightly sealed s	afety glasses.
<ul> <li>Body protectio</li> </ul>	n: Light weight protective clothing
SECTION 9: Phys	ical and chemical properties
9.1 Information on ba	asic physical and chemical properties
General Information	
· Physical state	Solid.
· Colour:	White
· Smell:	Odourless
▲ .1	La L

Not determined.

(Contd. on page 6)



Page 6/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2024

Version number 4 (replaces version 1)

Revision: 05.03.2024

# Trade name: CoCr Laser welding wire

	(Con	td. of pag
<ul> <li>Melting point/freezing point:</li> </ul>	1,300-1,370 °C	
• Boiling point or initial boiling point and		
boiling range	Not determined	
·Flammability	Not determined.	
<sup>·</sup> Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	Not applicable	
Decomposition temperature:	Not determined.	
· SADT		
· pH	Mixture is non-soluble (in water).	
Viscosity:		
· Kinematic viscosity	Not applicable.	
· Kinematic viscosity		
· dynamic:	Not applicable.	
· Solubility		
· Water:	Soluble	
	Soluble	
· Partition coefficient n-octanol/water (log		
value)	Not determined.	
· Steam pressure:	Not applicable.	
· Vapour pressure:		
Density and/or relative density		
· Density at 20 °C	8.3 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
	further relevant information available.	
Appearance:	Optial	
· Form:	Solid.	
Important information on protection of health		
and environment, and on safety.		
· Self-inflammability:	Product is not selfigniting.	
<ul> <li>Explosive properties:</li> </ul>	Product is not explosive.	
	Not determined.	
· Solvent content:		
Solids content:	100.0 %	
Change in condition		
· Evaporation rate	Not applicable.	
-		
Information with regard to physical hazard		
classes		
<sup>.</sup> Explosives	Void	
· Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids		
	Void	
Self-reactive substances and mixtures	Void	
	Void	
· Pyrophoric liquids		



Page 7/10

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2024

Version number 4 (replaces version 1)

Revision: 05.03.2024

## Trade name: CoCr Laser welding wire

		(Contd. of pag
· Pyrophoric solids	Void	
<ul> <li>Self-heating substances and mixtures</li> </ul>	Void	
<ul> <li>Substances and mixtures, which emit</li> </ul>		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
<ul> <li>Desensitised explosives</li> </ul>	Void	

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- <sup>•</sup> 10.2 Chemical stability
  - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None
  - · Additional information: -

## SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity** Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

	LCOU Valu	es that are relevant for classification.
7440-48-4	cobalt	
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)
7440-47-3	chromiu	n
Oral	LD50	>5,000 mg/kg (rat) (OECD 420)
Inhalative	LC50/4 h	>5.41 mg/l (rat) (OECD 403)
7439-98-7	molybde	num
Oral	LD50	4,233 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)
Inhalative	LC50/4 h	>5.1 mg/l (rat) (OECD 403)
7439-96-5	mangane	Se Se
Oral	LD50	>2,000 mg/kg (rat) (OECD 420)
Inhalative	LC50/4 h	>5.14 mg/l (rat) (OECD 403)
• <b>Respir</b> May ca May ca • <b>Germ</b> (	ratory or s ause allerg ause an alle cell mutag	<b>rritation</b> Based on available data, the classification criteria are not met. <b>kin sensitisation</b> y or asthma symptoms or breathing difficulties if inhaled. ergic skin reaction. <b>genicity</b> Suspected of causing genetic defects. May cause cancer.
Garcin	ogenicity	may cause cancer.

(Contd. on page 8)



Page 8/10

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2024

Version number 4 (replaces version 1)

Revision: 05.03.2024

### Trade name: CoCr Laser welding wire

(Contd. of page 7)

Reproductive toxicity May damage fertility.
 STOT-single exposure Based on available data, the classification criteria are not met.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
  - CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Muta. 2, Carc. 1B, Repr. 1B • **11.2 Information on other hazards**

#### · Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

#### · 12.1 Toxicity

· Aquatic toxicity:

7439-96-5 manganese

LC50/21d 0.17-15.61 mg/L (fish)

- · **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
  - · PBT: Not applicable.
  - vPvB: Not applicable.

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

#### Additional ecological information:

General notes:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

#### SECTION 13: Disposal considerations

- <sup>•</sup> 13.1 Waste treatment methods
  - <sup>·</sup> Recommendation

Smaller quantities can be disposed with household garbage.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- Uncleaned packagings:
  - **Recommendation:** Packaging can be reused or recycled after cleaning.
  - · Recommended cleaning agent: Water, if necessary with cleaning agent.

(Contd. on page 9)

GB



Page 9/10

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2024

Version number 4 (replaces version 1)

Revision: 05.03.2024

#### Trade name: CoCr Laser welding wire

(Contd. of page 8)

14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	<b>to IMO</b> Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

#### **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed. • LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)

• Water hazard class: Generally not hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H360F May damage fertility.
- H413 May cause long lasting harmful effects to aquatic life.
- Abbreviations and acronyms:
- SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 10)

GB



Page 10/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2024

Version number 4 (replaces version 1)

Revision: 05.03.2024

# Trade name: CoCr Laser welding wire

(Contd. of page 9)

GB

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 2 Carc. 1B: Carcinogenicity – Category 1B Repr. 1B: Reproductive toxicity – Category 1B Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4 • * Data compared to the previous version altered.		
---	--	--