

SAFETY DATA SHEET (EC 1907/2006)

DWL-Lot 801

Version: 2.7 / GB
Revision date: 26.09.2017
Issue date: 03.09.2001
replaces version: 2.6
Page: 1 / 8

Material no.
Specification 102836
VA-Nr 01906661



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name DWL-Lot 801
REACH Registration No.: if available listed in Chapter. 3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For dental use only.

1.3. Details of the supplier of the safety data sheet

Company DeguDent GmbH
Postfach 1364
D-63403 Hanau
Telephone +49 (0)6181/59-5576
Telefax +49 (0)6181/59-5879
Email address SDB.Degudent-DE@dentsplysirona.com

1.4. Emergency telephone number

Emergency information +49 (0)6181/59-50 (This telephone number is available during office hours only.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carcinogenicity	Category 2	H351
Specific Target Organ Toxicity - Repeated exposure	Category 1	H372
Skin Sensitisation	Category 1	H317

2.2. Label elements

Labelling as per (EU) 1272/2008

hazard-defining component(s) (GHS)

• nickel
Hazard pictograms



Signal word Danger

Hazard statement
H351 - Suspected of causing cancer.
H372 - Causes damage to organs through prolonged or repeated exposure.
H317 - May cause an allergic skin reaction.

Precautionary statement
P281 - Use personal protective equipment as required.
P273 - Avoid release to the environment.
P308 + P313 - IF exposed or concerned: Get medical advice/ attention.
P302 + P352 - IF ON SKIN: Wash with plenty of water/ soap.

2.3. Other hazards

nickel oxide is released during processing., Zinc oxide fumes is released during processing, Possible release of metallic vapors when melted., Dusts and vapors: Do not inhale.
A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

SAFETY DATA SHEET (EC 1907/2006)

DWL-Lot 801

Version: **2.7 / GB**
Revision date: **26.09.2017**
Issue date: **03.09.2001**
replaces version: **2.6**
Page: **2 / 8**

Material no.
Specification **102836**
VA-Nr **01906661**



SECTION 3: Composition/information on ingredients

3.1. Substances

-

3.2. Mixtures

Information on ingredients / Hazardous components as per EU-CLP Regulation (EC) No. 1272/2008

• Gold	80.0%				
CAS-No.	7440-57-5	EC-No.	231-165-9		
• nickel	15.0%				
CAS-No.	7440-02-0	EC-No.	231-111-4		
Carcinogenicity				Category 2	H351
Specific Target Organ Toxicity - Repeated exposure				Category 1	H372
Skin Sensitisation				Category 1	H317
• zinc	5.0%				
CAS-No.	7440-66-6	EC-No.	231-175-3		

Texts of H phrases, see in Chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove to fresh air.

If symptoms persist, call a physician.

Skin contact

Wash off with soap and water.

In the case of skin irritation or allergic reactions see a physician.

Eye contact

Rinse with plenty of water.

If eye irritation persists, consult a specialist.

Ingestion

Clean mouth with water and drink afterwards plenty of water.

Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin sensitisation has developed and a causal relationship has been confirmed, further exposure should not be allowed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Special powder against metal fire
quenching powder
dry sand
common salt

SAFETY DATA SHEET (EC 1907/2006)

DWL-Lot 801

Version: 2.7 / GB
Revision date: 26.09.2017
Issue date: 03.09.2001
replaces version: 2.6
Page: 3 / 8

Material no.
Specification 102836
VA-Nr 01906661



Unsuitable extinguishing media: Water
Carbon dioxide (CO2)

5.2. Special hazards arising from the substance or mixture

In the case of fire, the following hazardous smoke fumes may be produced: nickel oxides.

5.3. Advice for firefighters

The product itself does not burn.

Extinction measures are to be adjusted to the specific location.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

Avoid breathing dust.

In case of dust being formed, provide for adequate extraction.

Ensure suitable suction/aeration at the work place and with operational machinery.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

Avoid dust formation.

Fill into marked, sealable containers.

6.4. Reference to other sections

Wear personal protective equipment; see section 8.

Disposal considerations; see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

In case of melting, soldering or grinding:

Local ventilation.

Avoid dust formation.

Dusts and vapors: Do not inhale.

In case of dust or vapor: Wear personal safety equipment

No special measures are necessary if properly handled.

7.2. Conditions for safe storage, including any incompatibilities

Storage

No special storage conditions required.

German storage class

13 - Non Combustible Solids

7.3. Specific end use(s)

We are unaware of any specific end uses which go beyond the data reported in Section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

• nickel			
CAS-No.	7440-02-0	EC-No.	231-111-4
Control parameters	0.5 mg/m3		Time Weighted Average (TWA):(EH40 WEL)
Control parameters	Can be absorbed through the skin.		Skin designation:(EH40 WEL)

SAFETY DATA SHEET (EC 1907/2006)				
DWL-Lot 801				
Version:	2.7 / GB	Material no.		
Revision date:	26.09.2017	Specification	102836	
Issue date:	03.09.2001	VA-Nr	01906661	
replaces version:	2.6			
Page:	4 / 8			

8.2. Exposure controls

Engineering measures

nickel oxide is released during processing., Zinc oxide fumes is released during processing, In case of melting, soldering or grinding:, Adequate exhaustion / ventilation of the work site or machinery must be assured. Vacuuming of objects.

Personal protective equipment

Respiratory protection

In case of working with / without sufficient object exhaustion:, Respirator with P3 particle filter

Hand protection

Protective gloves

Glove material butyl-rubber, Nitrile rubber, Natural Rubber/Natural latex (NR)

Eyel/face protection

Safety glasses with side-shields, In case of smoke or dust development: goggles

Skin and body protection

If nickel oxide fumes occurs: Keep clothes separate. Change contaminated clothing., Apply adequate skin protection agents before handling the product. Assure skin cleaning and skin care after work. Preventive skin protection is recommended.

Hygiene measures

If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used., Do not eat, drink, smoke, or sniff while at work. Wash your hands and/or face before breaks and before termination of work., Do not inhale smoke, dust, vapor., If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Form	solid
Colour	white

Odour odourless

Odour threshold: not applicable

pH not applicable (solid)

Melting point/range 865 - 930 °C

Boiling point/range not applicable (solid)

Flash point not applicable

Evaporation rate No data available

Flammability (solid, gas) not flammable

Lower explosion limit not applicable

Upper explosion limit not applicable

Vapour pressure not applicable

Density 17.2 g/cm3

Water solubility not applicable

SAFETY DATA SHEET (EC 1907/2006)

DWL-Lot 801

Version: 2.7 / GB
Revision date: 26.09.2017
Issue date: 03.09.2001
replaces version: 2.6
Page: 5 / 8

Material no.
Specification 102836
VA-Nr 01906661



Partition coefficient: n-octanol/water no data available
Autoinflammability Not capable of spontaneous combustion or heating.
Thermal decomposition No data available
Viscosity, dynamic no data available
Explosiveness not applicable
Oxidizing properties not oxidizing

9.2. Other information

Other information No further physicochemical data were determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

no data available

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No dangerous reactions known.

10.4. Conditions to avoid

None known

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Decomposition products occurring when heated above melting temperature
metallic vapors

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity no data available
Acute inhalation toxicity no data available
Acute dermal toxicity no data available
Skin irritation no data available
Eye irritation no data available
Sensitization May cause sensitisation of susceptible persons by skin contact or by inhalation of dust.
Repeated dose toxicity no data available
Mutagenicity assessment no data available
Carcinogenicity Test substance: nickel
Suspected of causing cancer.

SAFETY DATA SHEET (EC 1907/2006)**DWL-Lot 801**

Version: **2.7 / GB**
Revision date: **26.09.2017**
Issue date: **03.09.2001**
replaces version: **2.6**
Page: **6 / 8**

Material no.
Specification **102836**
VA-Nr **01906661**



Toxicity to reproduction	No data available
Human experience	Toxic effects from handling this product are unknown as yet.
Further information	No hazardous reactions are known if properly handled and stored.

SECTION 12: Ecological information**12.1. Toxicity**

No ecotoxicological data is available for this product.

12.2. Persistence and degradability

Biodegradability no data available

12.3. Bioaccumulative potential

Bioaccumulation no data available

12.4. Mobility in soil

Mobility The product is insoluble in water.
No further information available

12.5. Results of PBT and vPvB assessment

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

12.6. Other adverse effects

Further Information Dusts and water-soluble forms of the alloy:, Introduction into soil, natural water bodies or sewerage must be prevented.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Product**

Can be used after re-conditioning.

SECTION 14: Transport information

Not dangerous according to transport regulations.

14.1. UN number:	--
14.2. UN proper shipping name:	--
14.3. Transport hazard class(es):	--
14.4. Packing group:	--
14.5. Environmental hazards:	--
14.6. Special precautions for user:	No

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

SAFETY DATA SHEET (EC 1907/2006)

DWL-Lot 801

Version: 2.7 / GB
Revision date: 26.09.2017
Issue date: 03.09.2001
replaces version: 2.6
Page: 7 / 8

Material no.
Specification 102836
VA-Nr 01906661



National legislation

15.2. Chemical safety assessment

Chemical safety assessment No Chemical Safety Report as per Articles 2(8), 2(9) or 14 of the REACH Regulation is required for this product.

SECTION 16: Other information

Classification and applied procedure to derive the classification of mixtures according to EU Regulation (EC) No. 1272/2008 (CLP)

Classification	Classification procedure
Carc., 2 , H351 STOT RE, 1 , H372 Skin Sens., 1 , H317	

Relevant H phrases from chapter 3

H317 : May cause an allergic skin reaction.
H351 : Suspected of causing cancer.
H372 : Causes damage to organs through prolonged or repeated exposure.

Further information

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Legend

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ASTM	American Society for Testing and Materials
ATP	Adaptation to Technical Progress
BCF	Bioconcentration factor
BetrSichV	German Ordinance on Industrial Safety and Health
c.c.	closed cup
CAS	Chemical Abstract Services
CESIO	European Committee of Organic Surfactants and their Intermediates
ChemG	German Chemicals Act
CMR	carcinogenic-mutagenic-toxic for reproduction
DIN	German Institute for Standardization
DMEL	Derived minimum effect level
DNEL	Derived no effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
EC50	half maximal effective concentration
GefStoffV	German Ordinance on Hazardous Substances
GGVSEB	German ordinance for road, rail and inland waterway transportation of dangerous goods
GGVSee	German ordinance for sea transportation of dangerous goods
GLP	Good Laboratory Practice

SAFETY DATA SHEET (EC 1907/2006)**DWL-Lot 801**

Version: **2.7 / GB**
Revision date: **26.09.2017**
Issue date: **03.09.2001**
replaces version: **2.6**
Page: **8 / 8**

Material no.
Specification **102836**
VA-Nr **01906661**



GMO	Genetic Modified Organism
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
ISO	International Organization For Standardization
LOAEL	Lowest observed adverse effect level
LOEL	Lowest observed effect level
NOAEL	No observed adverse effect level
NOEC	no observed effect concentration
NOEL	no observed effect level
o. c.	open cup
OECD	Organisation for Economic Cooperation and Development
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative, toxic
PEC	Predicted effect concentration
PNEC	Predicted no effect concentration
REACH	REACH registration
RID	Convention concerning International Carriage by Rail
STOT	Specific Target Organ Toxicity
SVHC	Substances of Very High Concern
TA	Technical Instructions
TPR	Third Party Representative (Art. 4)
TRGS	Technical Rules for Hazardous Substances
VCI	German chemical industry association
vPvB	very persistent, very bioaccumulative
VOC	volatile organic compounds
VwVwS	German Administrative Regulation on the Classification of Substances Hazardous to Waters into Water Hazard Classes
WGK	Water Hazard Class
WHO	World Health Organization