Printing date 04.10.2021	Version number 1	Revision: 09.08.2021
· 1.1 Product identifier		
• Trade name: <u>Dentosuc daily AD</u> • 1.2 Relevant identified uses of the No further relevant information of the substance / the	he substance or mixture and uses advised a available.	against
• 1.3 Details of the supplier of the	safety data sheet	
· Manufacturer/Supplier:		
PRISMAN GmbH		
Otto-Hahn-Ring 6-18		
D-64653 Lorsch		
Vertrieb durch:		
Müller-Omicron GmbH & Co.K(	$\hat{J}$	
Schlosserstr. 1		
DE-51789 Lindlar		
<i>Tel:</i> +49 2266 4742-0		
Fax: +49 2266 4742-23		
www.mueller-omicron.de		
• Further information obtainable	from:	
Abteilung Produktsicherheit		
Alexander.Metz@prisman.de		
• 1.4 Emergency telephone numb	er: ++49 (0)6251 866980-0, Mo - Fr 8-18	Uhr

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008		
Skin Corr. 1B	H314	Causes severe skin burns and eye damage.
Eye Dam. 1	H318	Causes serious eye damage.
Aquatic Chronic 2	H411	Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

- *Labelling according to Regulation (EC) No 1272/2008* The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

	ning components of labelling:
	I-Dioctylammoniumchlorid
potassium hydro	vxide
• Hazard stateme	nts
H314 Causes se	vere skin burns and eye damage.
H411 Toxic to a	quatic life with long lasting effects.
· Precautionary s	tatements
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	(Contd on page 2)

(Contd. on page 2) GB

Printing date 04.10.2021

Version number 1

Revision: 09.08.2021

Trade name: Dentosuc daily AD pur

- · Labelling of packages where the contents do not exceed 125 ml -
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

Dangerous components:		
CAS: 5538-94-3	N,N-Dimethyl-N-Dioctylammoniumchlorid Acute Tox. 3, H301; Acute Tox. 2, H310; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	2.5-10%
CAS: 110-63-4 EINECS: 203-786-5 RTECS: EK 0525000	butane-1,4-diol	2.5-10%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-XXXX	ethanol	<i>≤</i> 2.5%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 RTECS: TT 2102000	potassium hydroxide            Skin Corr. 1A, H314;          Acute Tox. 4, H302          Specific concentration limits: Skin Corr. 1A; H314: $C \ge 5$ %          Skin Corr. 1B; H314: 2 % ≤ C <	

*Additional information:* For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eve contact: Rinse opened eve for several minutes under running water. Then consult a doctor.

• After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

GB

(Contd. of page 1)

Printing date 04.10.2021

\*

\*

\*

Version number 1

Revision: 09.08.2021

Trade name: Dentosuc daily AD pur

(Contd. of page 2)

6.1 Personal precautions, protective equipment and emergency procedures	
Wear protective clothing.	
Wear protective equipment. Keep unprotected persons away.	
6.2 Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage Dilute with plenty of water.	e system.
Do not allow to enter sewers/ surface or ground water.	
6.3 Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universa	l binders, sawdust).
Use neutralising agent.	
Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.	
6.4 Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
SECTION 7: Handling and storage	
7.1 Precautions for safe handling Store in cool, dry place in tightly closed in Information about fire - and explosion protection: No special measures rec	
7.2 Conditions for safe storage, including any incompatibilities	
Storage:	
Requirements to be met by storerooms and receptacles: Store only in the or	iginal receptacle.
Information about storage in one common storage facility: Not required.	
<b>Further information about storage conditions:</b> Store in upright position. <b>7.3 Specific end use(s)</b> No further relevant information available.	
7.5 Specific ena use(s) no farmer relevant information available.	
SECTION 8: Exposure controls/personal protection	
Additional information about design of technical facilities: No further data	i; see item 7.
Additional information about design of technical facilities: No further data Ingredients with limit values that require monitoring at the workplace:	r; see item 7.
Additional information about design of technical facilities: No further data Ingredients with limit values that require monitoring at the workplace: 64-17-5 ethanol	i; see item 7.
Additional information about design of technical facilities: No further data Ingredients with limit values that require monitoring at the workplace:	i; see item 7.
Additional information about design of technical facilities: No further data Ingredients with limit values that require monitoring at the workplace: 64-17-5 ethanol	r; see item 7.
Additional information about design of technical facilities: No further dataIngredients with limit values that require monitoring at the workplace:64-17-5 ethanolWELLong-term value: 1920 mg/m³, 1000 ppm	; see item 7.
Additional information about design of technical facilities: No further dataIngredients with limit values that require monitoring at the workplace:64-17-5 ethanolWELLong-term value: 1920 mg/m³, 1000 ppm1310-58-3 potassium hydroxideWELShort-term value: 2 mg/m³	
Additional information about design of technical facilities: No further dataIngredients with limit values that require monitoring at the workplace:64-17-5 ethanolWELLong-term value: 1920 mg/m³, 1000 ppm1310-58-3 potassium hydroxideWELShort-term value: 2 mg/m³Additional information: The lists valid during the making were used as basic	
Additional information about design of technical facilities: No further data         Ingredients with limit values that require monitoring at the workplace:         64-17-5 ethanol         WEL       Long-term value: 1920 mg/m³, 1000 ppm         1310-58-3 potassium hydroxide         WEL       Short-term value: 2 mg/m³         Additional information: The lists valid during the making were used as basis         8.2 Exposure controls         Personal protective equipment:	
Additional information about design of technical facilities: No further data         Ingredients with limit values that require monitoring at the workplace:         64-17-5 ethanol         WEL       Long-term value: 1920 mg/m³, 1000 ppm         1310-58-3 potassium hydroxide         WEL       Short-term value: 2 mg/m³         Additional information: The lists valid during the making were used as basis         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic measures:	
Additional information about design of technical facilities: No further data         Ingredients with limit values that require monitoring at the workplace:         64-17-5 ethanol         WEL       Long-term value: 1920 mg/m³, 1000 ppm         1310-58-3 potassium hydroxide         WEL       Short-term value: 2 mg/m³         Additional information: The lists valid during the making were used as basis         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic measures:         Keep away from foodstuffs, beverages and feed.	
Additional information about design of technical facilities: No further data         Ingredients with limit values that require monitoring at the workplace:         64-17-5 ethanol         WEL       Long-term value: 1920 mg/m³, 1000 ppm         1310-58-3 potassium hydroxide         WEL       Short-term value: 2 mg/m³         Additional information: The lists valid during the making were used as basis         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic measures:         Keep away from foodstuffs, beverages and feed.         Immediately remove all soiled and contaminated clothing	
Additional information about design of technical facilities: No further data         Ingredients with limit values that require monitoring at the workplace:         64-17-5 ethanol         WEL       Long-term value: 1920 mg/m³, 1000 ppm         1310-58-3 potassium hydroxide         WEL       Short-term value: 2 mg/m³         Additional information: The lists valid during the making were used as basis         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic measures:         Keep away from foodstuffs, beverages and feed.         Immediately remove all soiled and contaminated clothing         Wash hands before breaks and at the end of work.	
Additional information about design of technical facilities: No further data         Ingredients with limit values that require monitoring at the workplace:         64-17-5 ethanol         WEL       Long-term value: 1920 mg/m³, 1000 ppm         1310-58-3 potassium hydroxide         WEL       Short-term value: 2 mg/m³         Additional information: The lists valid during the making were used as basis         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic measures:         Keep away from foodstuffs, beverages and feed.         Immediately remove all soiled and contaminated clothing	
WEL       Long-term value: 1920 mg/m³, 1000 ppm         1310-58-3 potassium hydroxide         WEL       Short-term value: 2 mg/m³         Additional information: The lists valid during the making were used as basis         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic measures:         Keep away from foodstuffs, beverages and feed.         Immediately remove all soiled and contaminated clothing         Wash hands before breaks and at the end of work.         Avoid contact with the eyes.	

Printing date 04.10.2021

Version number 1

Revision: 09.08.2021

(Contd. of page 3)

#### Trade name: Dentosuc daily AD pur

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:
- Rubber gloves
- For the permanent contact gloves made of the following materials are suitable: Neoprene gloves
- As protection from splashes gloves made of the following materials are suitable:
- Natural rubber, NR

Butyl rubber, BR Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

• Eye protection:



Tightly sealed goggles

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and ch	hemical properties
· General Information	
· Appearance:	
Form:	Fluid
Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C:	9
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	- 100 °C
· Flash point:	> 100 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
	(Contd. on page 5

Printing date 04.10.2021

Version number 1

Revision: 09.08.2021

Trade name: Dentosuc daily AD pur

	(Conte	d. of page 4
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	l g/cm <sup>3</sup>	
Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	>70 %	
VOC (EC)	2 %	
9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 2,506 mg/kg (rat)

Dermal LD50 2,358 mg/kg (rabbit)

5538-94-3 N,N-Dimethyl-N-Dioctylammoniumchlorid

Oral LD50 238 mg/kg (rat)

Dermal LD50 191 mg/kg (rabbit)

110-63-4 butane-1,4-diol

Oral LD50 500 mg/kg (ATE)

1310-58-3 potassium hydroxide

Oral LD50 500 mg/kg (ATE)

· Primary irritant effect:

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 04.10.2021

Version number 1

Revision: 09.08.2021

Trade name: Dentosuc daily AD pur

• Additional toxicological information:

• Sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met. • **Aspiration hazard** Based on available data, the classification criteria are not met.
- Aspiration mazara based on available adia, the classification effectia are no

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · European waste catalogue
- 07 00 00 WASTES FROM ORGANIC CHEMICAL PROCESSES
- 07 06 00 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
- 07 06 99 wastes not otherwise specified

• Uncleaned packaging:

- *Recommendation: Disposal must be made according to official regulations.*
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

<b>SECTION 14:</b> Transport inform	ition
-------------------------------------	-------

· 14.1 UN-Number

· ADR, IMDG, IATA

UN1903

(Contd. on page 7)

GB

(Contd. of page 5)

nting date 04.10.2021 Vers	ion number 1	<i>Revision: 09.08.2</i>
de name: Dentosuc daily AD pur		
		(Contd. of pag
14.2 UN proper shipping name ADR IMDG	(N, N-Dimethyl-N-Di ENVIRONMENTALLY HA DISINFECTANT, LIQUI	LIQUID, CORROSIVE, N.O octylammoniumchlorid ZARDOUS D, CORROSIVE, N.O.S. (N. umoniumchlorid), MARL
IATA	POLLUTANT	D, CORROSIVE, N.O.S. (N
14.3 Transport hazard class(es)		
ADR, IMDG		
Class Label IATA	8 Corrosive substances. 8	
Class	8 Corrosive substances.	
Label	8	
14.4 Packing group ADR, IMDG, IATA	111	
14.5 Environmental hazards:		mentally hazardous substanc
Marine pollutant:	N,N-Dimethyl-N-Dioctylan Yes	imoniumchlorid
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)	
14.6 Special precautions for user	Warning: Corrosive substa	nces.
Hazard identification number (Kemler code): EMS Number:	80 F-A,S-B	
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	<b>f</b> Not applicable.	
Transport/Additional information:		
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per Maximum net quantity per	
Transport category Tunnel restriction code	Maximum net quantity per 3 E	omor puonuzinz. 1000 mi
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per Maximum net quantity per	
		(Contd. on pag

Printing date 04.10.2021

Version number 1

Revision: 09.08.2021

(Contd. of page 7)

Trade name: Dentosuc daily AD pur

· UN "Model Regulation":

UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N,N-DIMETHYL-N-DIOCTYLAMMONIUMCHLORID), 8, III, ENVIRONMENTALLY HAZARDOUS

#### **SECTION 15: Regulatory information**

+15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

• Labelling according to Regulation (EC) No 1272/2008 GHS label elements

• Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. *Customs tariff No.: 38089490* 

#### · Relevant phrases

H225 Highly flammable liquid and vapour.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
Recommended restriction of use Product only for professional use
Department issuing SDS: Abteilung Produktsicherheit

#### · Contact: Hr. Dr. Metz

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity - oral - Category 3 Acute Tox. 4: Acute toxicity - oral - Category 4 Acute Tox. 2: Acute toxicity - dermal – Category 2 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 • \* Data compared to the previous version altered.

<sup>·</sup> Directive 2012/18/EU