according to 1907/2006/EC, Article 31

Enamel Plus HRi	
Product code: sd184 Pag	ge 1 o
ne substance/mixture and of the company/undertaking	
, COSVITUE, CR, COSVITICOSSTAIN	
u	
safatu data shqat	
I-16036 Avegno (GE), Italy	
+39-0185-7887870	
quality@micerium.it	
Dr. Eugenio Miceli	
www.micerium.com	
Dr. Eugenio Miceli	
Ospedale San Martino Centro Antiveleni (Genoa, Italy) Tel.: +39-010-35-2808	
)	Product code: sd184 Pages Product code: sd184 Pages Pages substance/mixture and of the company/undertaking , COSVITUE, CR, COSVITICOSSTAIN e substance or mixture and uses advised against safety data sheet Micerium S.p.A. Via G. Marconi, 83 I-16036 Avegno (GE), Italy +39-0185-7887870 quality@micerium.it Dr. Eugenio Miceli www.micerium.com

.1. Classification of the substance of

CLP Regulation Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

CLP Regulation

Hazard components for labelling

di-urethane dimethacrylate

tetramethylene dimethacrylate

Signal word: Warning

Pictograms:



Hazard statements

ŀ	H317	
ŀ	412	2

May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

Precautionary statements

recautionaly states	nents
P501	Dispose of contents/container to Dispose of waste according to applicable legislation
P280	Wear protective gloves.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P321	Specific treatment (see on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P362+P364	Take off contaminated clothing and wash it before reuse.

according to 1907/2006/EC, Article 31

Enamel Plus HRi			
Revision date: 08.04.2024	Product code: sd184	Page 2 of 8	
	re the contents do not exceed 125 ml arning		
Hazard statements H317-H412 Precautionary statements	\checkmark		
P501-P280-P261-P321-F	2333+P313-P362+P364		
2.3. Other hazards No information available.			
SECTION 3: Composition/information on ingredients			

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	No Index No REACH No		
	Classification (CLP Regulation)			
41137-60-4	di-urethane dimethacrylate		10 - < 25 %	
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411			
2082-81-7	tetramethylene dimethacrylate		2.5 - < 10 %	
	218-218-1	607-134-00-4		
	Skin Sens. 1B; H317			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

according to 1907/2006/EC, Article 31

Enamel Plus HRi

Revision date: 08.04.2024

Product code: sd184

Page 3 of 8

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Foam Extinguishing powder Water mist Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. After use replace the closing cap immediately. Protect against: Light

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Recommended storage temperature 10-25 °C

according to 1907/2006/EC, Article 31

Enamel Plus HRi

Revision date: 08.04.2024

Product code: sd184

Page 4 of 8

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
60676-86-0	Silica, fused respirable dust	-	0.08		TWA (8 h)	WEL

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

Tested protective gloves must be worn Butyl caoutchouc (butyl rubber) NBR (Nitrile rubber) Permeation time (maximum wear duration): 0,3 mm: 60 min Permeation time (maximum wear duration): 0,11 mm: 10 min

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	
Colour:	not determined
Melting point/freezing point:	
Boiling point or initial boiling point and	251 °C
boiling range:	
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	101 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic:	not determined
Water solubility:	No
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined

according to 1907/2006/EC, Article 31

Product code: sd184

Revision date: 08.04.2024

Page 5 of 8

Density: Relative vapour density: Particle characteristics: not determined not determined not applicable

9.2. Other information

Information with regard to physical hazard classes Explosive properties The product is not: Explosive. Oxidizing properties

The product is not: oxidising.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (di-urethane dimethacrylate; tetramethylene dimethacrylate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

according to 1907/2006/EC, Article 31

Enamel Plus HRi

Revision date: 08.04.2024

Product code: sd184

Page 6 of 8

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH. The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Send to a hazardous waste incinerator facility under observation of official regulations.

List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	

No

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

according to 1907/2006/EC, Article 31

Enamel Plus HR

Revision date: 08.04.2024

Product code: sd184

Page 7 of 8

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75 Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

work protection guideline' (94/33/EC).

Causes allergic hypersensitivity reactions.

2 - obviously hazardous to water

Observe restrictions to employment for juveniles according to the 'juvenile

National regulatory information

Employment restrictions:

Water hazard class (D): Skin resorption/Sensitization:

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.

Abbreviations and acronyms Skin Sens: Skin sensitisation

Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations EC/EEC: European Community/European Economic Community EU: European Union CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: verv persistent, verv bioaccumulative M-factor: Multiplying factor ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

according to 1907/2006/EC, Article 31

Enamel Plus HRi

Revision date: 08.04.2024

Product code: sd184

Page 8 of 8

Classification for mixtures and used evaluation method according to CLP Regulation

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)