

Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

FotoDent gingiva

This substance/mixture contains components in nanoform

UFI

UFI: W60U-T016-R00U-692H

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Light-curing material for the manufacturing of dental gingival masks

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Dentamid GmbH

Max-Planck-Straße 31

DE-59423 Unna

Telephone no. +49 2303 8807-0

Fax no. +49 2303 8807-29

Information provided by / telephone Department Research & Development: Fax: +49 2303 8807-562

E-mail address of person responsible sicherheitsdatenblatt@dreve.com

for this SDS

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1A H317

Aquatic Chronic 2 H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms





Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

Signal word

Warning

Hazard statements

H317 May cause an allergic skin reaction.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P391 Collect spillage.
 P501.1 Dispose of contents/container to industrial incineration plant.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains Hydroxypropyl methacrylate; 2-Hydroxyethyl acrylate; Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide; Diethylene glycol dimethacrylate

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous ingredients****Isodecylmethacrylate**

CAS No. 29964-84-9
 EINECS no. 249-978-2
 Registration no. 01-2119894925-17
 Concentration $\geq 2,5$ < 10 %
 Classification (Regulation (EC) No. 1272/2008)
 Aquatic Chronic 1 H410

Hydroxypropyl methacrylate

CAS No. 27813-02-1
 EINECS no. 248-666-3
 Registration no. 01-2119490226-37
 Concentration ≥ 1 < 10 %
 Classification (Regulation (EC) No. 1272/2008)
 Eye Irrit. 2 H319
 Skin Sens. 1 H317

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

CAS No. 162881-26-7
 EINECS no. 423-340-5
 Registration no. 01-2119489401-38
 Concentration ≥ 1 < 10 %
 Classification (Regulation (EC) No. 1272/2008)



Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

Skin Sens. 1A	H317
Aquatic Chronic 4	H413

2-Hydroxyethyl acrylate

CAS No.	818-61-1			
EINECS no.	212-454-9			
Registration no.	01-2119459345-34			
Concentration	>= 0,2	<	1	%
Classification (Regulation (EC) No. 1272/2008)				
	Acute Tox. 3		H311	
	Skin Corr. 1B		H314	
	Skin Sens. 1		H317	
	Aquatic Acute 1		H400	

Concentration limits (Regulation (EC) No. 1272/2008)

	Skin Sens. 1	H317	>= 0,2	%
ATE	dermal		1.000	mg/kg

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note D

Diethylene glycol dimethacrylate

CAS No.	2358-84-1			
EINECS no.	219-099-9			
Registration no.	01-2120892085-48			
Concentration	>= 0,1	<	1	%
Classification (Regulation (EC) No. 1272/2008)				
	Skin Sens. 1B		H317	

Further ingredients**Dichlorodimethylsilane, reaction products with silica**

CAS No.	68611-44-9			
EINECS no.	271-893-4			
Registration no.	01-2119379499-16			
Concentration		<	1	%
Advice: [7]				

Name of set of nanoform	Nanoagglomerate
Particle size distribution	d50 2,5-50 nm
	Method Transmission Electron Microscopy (TEM)
Shape and aspect ratio of particles	Spheroidal

Note

[7] Nanoforms

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid

After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.



Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

After skin contact

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed**Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Recommended: alcohol resistant foam, CO₂, powders, water spray/mist, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters**Special protective equipment for fire-fighting**

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions



Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition! Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Hydroxypropyl methacrylate

Reference substance	Hydroxypropyl methacrylate	
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	inhalative	
Concentration	14,7	mg/m ³

Hydroxypropyl methacrylate



Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	dermal	
Concentration	4,2	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	dermal	
Concentration	2,5	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	inhalative	
Concentration	4,35	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	oral	
Concentration	2,5	mg/kg

2-Hydroxyethyl acrylate

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	2,4	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	General Population	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	1,2	mg/m ³

Isodecylmethacrylate

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	2,5	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	5	mg/kg/d

Predicted No Effect Concentration (PNEC)**Hydroxypropyl methacrylate**

Reference substance	Hydroxypropyl methacrylate
Type of value	PNEC
Type	Freshwater



Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

Concentration	0,904	mg/l
Type of value	Hydroxypropyl methacrylate	
Type	PNEC	
Type	Freshwater sediment	
Concentration	4,13	mg/kg
Type of value	Hydroxypropyl methacrylate	
Type	PNEC	
Type	Soil	
Concentration	0,295	mg/kg
Type of value	Hydroxypropyl methacrylate	
Type	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	10	mg/l
Type of value	PNEC	
Type	Saltwater	
Concentration	0,09	mg/l
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,413	mg/kg
2-Hydroxyethyl acrylate		
Type of value	PNEC	
Type	Freshwater	
Concentration	0,017	mg/l
Type of value	PNEC	
Type	Marine	
Concentration	0,002	mg/l
Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	0,0361	mg/l
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,064	mg/kg
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,006	mg/kg
Type of value	PNEC	
Type	Soil	
Concentration	0,003	mg/kg
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	10	mg/l

Isodecylmethacrylate

Type of value PNEC



Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

Type	Freshwater	
Concentration	0,24	µg/l
Type of value	PNEC	
Type	Saltwater	
Concentration	0,024	µg/l
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	50	mg/kg
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,042	mg/kg
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,004	mg/kg
Type of value	PNEC	
Type	Soil	
Concentration	0,008	mg/kg

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374.

Appropriate Material Butyl rubber

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	pink
Odour	characteristic



Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

Melting point

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Value 263 °C

Flammability

evaluation not determined

Upper and lower explosive limits

Remarks not determined

Flash point

Value 70 °C

Method closed cup

Auto-ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

pH value

Remarks not determined

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative densityValue 1,04 g/cm³

Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information**Odour threshold**

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks virtually insoluble

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

None known

Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Protect from heat and direct sunlight

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

Isodecylmethacrylate

Species	rat (male)	
LD50	> 5000	mg/kg

Hydroxypropyl methacrylate

Species	rat	
LD50	> 2000	mg/kg
Method	OECD 401	

2-Hydroxyethyl acrylate

Species	rat	
LD50	540	mg/kg

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	rat	
LD50	> 2000	mg/kg
Method	OECD 401	

Diethylene glycol dimethacrylate

Species	rat	
LD50	3790	mg/kg

Acute dermal toxicity

ATE	> 10.000	mg/kg
Method	calculated value according to GHS (e.g see UN GHS)	

Acute dermal toxicity (Components)

Isodecylmethacrylate



Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

Species	rabbit		
LD50	>	3000	mg/kg

Hydroxypropyl methacrylate

Species	rabbit		
LD50	>	5000	mg/kg

2-Hydroxyethyl acrylate

Species	rat		
LD50	>	1000	mg/kg
Method	OECD 402		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 402		

Acute inhalational toxicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Skin corrosion/irritation

Remarks	Based on available data, the classification criteria are not met.
---------	---

Skin corrosion/irritation (Components)**Isodecylmethacrylate**

Species	rabbit		
evaluation	slight irritant effect - does not require labelling		
Source	ECHA		

2-Hydroxyethyl acrylate

Species	rabbit		
evaluation	corrosive		

Serious eye damage/irritation

Remarks	Based on available data, the classification criteria are not met.
---------	---

Serious eye damage/irritation (Components)**Hydroxypropyl methacrylate**

Species	rabbit		
evaluation	slightly irritant		

2-Hydroxyethyl acrylate

Species	rabbit		
evaluation	corrosive		

Sensitization

evaluation	May cause sensitization by skin contact.
Remarks	The classification criteria are met.

Sensitization (Components)**Hydroxypropyl methacrylate**

Species	mouse		
evaluation	non-sensitizing		
Method	OECD 429		
Remarks	May cause sensitization by skin contact.		

2-Hydroxyethyl acrylate

Route of exposure	dermal		
Species	mouse		
evaluation	sensitizing		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Route of exposure	dermal		
Species	guinea pig		



Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

evaluation	sensitizing
Method	OECD 406

Diethylene glycol dimethacrylate

Route of exposure: dermal

Species: mouse

evaluation: sensitizing

Method: OECD 429

Subacute, subchronic, chronic toxicity

Remarks: not determined

Mutagenicity

Remarks: Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

Remarks: Based on available data, the classification criteria are not met.

Repeated exposure

Remarks: Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information**12.1. Toxicity****General information**

not determined

Fish toxicity (Components)**Isodecylmethacrylate**Species: golden orfe (*Leuciscus idus*)

LC50: 470 mg/l

Duration of exposure: 48 h

Source: ECHA

Hydroxypropyl methacrylate

LC50: > 100 mg/l

Duration of exposure: 96 h

2-Hydroxyethyl acrylate



Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

Species	Fathead minnow (<i>Pimephales promelas</i>)		
LC50	3,61		mg/l
Duration of exposure	96	h	
Remarks	Test conducted with a similar formulation.		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	zebra fish (<i>Brachydanio rerio</i>)		
LC50	> 90		µg/l
Duration of exposure	96	h	
Method	OECD 203		

Diethylene glycol dimethacrylate

LC50	48,787		mg/l
Duration of exposure	96	h	
Method	QSAR		
Source	ECHA		

Diethylene glycol dimethacrylate

NOEC	4,353		mg/l
Duration of exposure	60	d	
Method	QSAR		
Source	ECHA		

Daphnia toxicity (Components)**Isodecylmethacrylate**

Species	Daphnia magna		
NOEC	54,2		µg/l
Duration of exposure	21	d	
Method	OECD 211		

Hydroxypropyl methacrylate

Species	Daphnia magna		
EC50	> 143		mg/l
Duration of exposure	48	h	

Hydroxypropyl methacrylate

Species	Daphnia magna		
NOEC	45,2		mg/l
Duration of exposure	21	d	

2-Hydroxyethyl acrylate

Species	Daphnia magna		
EC50	9,3		mg/l
Duration of exposure	48	h	
Method	OECD 202		

2-Hydroxyethyl acrylate

Species	Daphnia magna		
NOEC	0,86		mg/l
Duration of exposure	21	d	
Method	OECD 211		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	Daphnia magna		
EC50	> 1175		µg/l
Duration of exposure	48	h	
Method	OECD 202		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	Daphnia magna		
NOEC	>= 8,1		µg/l
Duration of exposure	21	d	
Method	OECD 211		

Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

Diethylene glycol dimethacrylate

LC50	38,331		mg/l
Duration of exposure	48	h	
Method	QSAR		
Source	ECHA		

Diethylene glycol dimethacrylate

NOEC	3,748		mg/l
Duration of exposure	21	d	
Method	QSAR		
Source	ECHA		

Algae toxicity (Components)**Isodecylmethacrylate**

Species	Desmodesmus subspicatus		
EC50	> 16,9		µg/l
Duration of exposure	72	h	
Method	OECD 201		

Hydroxypropyl methacrylate

EC50	> 97,2		mg/l
Duration of exposure	72	h	

2-Hydroxyethyl acrylate

Species	Pseudokirchneriella subcapitata		
EC50	6		mg/l
Duration of exposure	72	h	
Method	OECD 201		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	Scenedesmus subspicatus		
EC50	> 260		µg/l
Duration of exposure	72	h	
Method	OECD 201		

Diethylene glycol dimethacrylate

EC50	0,416		mg/l
Duration of exposure	96	h	
Source	ECHA		

Bacteria toxicity (Components)**Isodecylmethacrylate**

EC0	> 500		mg/l
Method	OECD 209		

2-Hydroxyethyl acrylate

Species	activated sludge		
EC10	> 100		mg/l
Duration of exposure	72	h	

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	activated sludge		
EC50	> 100		mg/l
Duration of exposure	3	h	
Method	OECD 209		

Diethylene glycol dimethacrylate

IC50	1280		mg/l
Duration of exposure	48	h	
Source	ECHA		

Hydroxypropyl methacrylate

NOEC	100		mg/l
------	-----	--	------

Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

12.2. Persistence and degradability

General information

not determined

Biodegradability (Components)

Isodecylmethacrylate

evaluation Readily biodegradable (according to OECD criteria)

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Value 1 %

Duration of test 28 d

evaluation not degradable

Hydroxypropyl methacrylate

Value > 80 %

Duration of test 10 d

evaluation Readily biodegradable (according to OECD criteria)

Method OECD 301 E

2-Hydroxyethyl acrylate

Value 80 %

Duration of test 28 d

evaluation Readily biodegradable (according to OECD criteria)

Method OECD 301B / ISO 9439 / EEC 84/449 C5

Ready degradability (Components)

Diethylene glycol dimethacrylate

Source ECHA

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)

Hydroxypropyl methacrylate

log Pow 0,97

Temperature 20 °C

2-Hydroxyethyl acrylate

log Pow -0,17

Temperature 25 °C

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

log Pow 5,8

Diethylene glycol dimethacrylate

log Pow 1,93

Temperature 25 °C

Source ECHA

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined



Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

Results of PBT and vPvB assessment

The product contains no PBT substances
The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Must not be disposed together with household garbage.
Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

SECTION 14: Transport information

Trade name: FotoDent gingiva




Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	3082	3082	3082
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isodecylmethacrylate, 2-Hydroxyethyl acrylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isodecylmethacrylate, 2-Hydroxyethyl acrylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isodecylmethacrylate, 2-Hydroxyethyl acrylate)
14.3. Transport hazard class(es)	9	9	9
Label			
14.4. Packing group	III	III	III
Remarks	The product is not subject to any other provisions of ADR provided packaging of not more than 5 l / 5 kg	The product can be transported in accordance with IMDG Code paragraph 2.10.2.7, provided packaging not more than 5 l / 5 kg.	The product is not subject to any other provisions of IATA provided packaging of not more than 5 l / 5 kg (A197)
Limited Quantity	5 l	5 l	
Transport category	3		
14.5. Environmental hazards	-		
Tunnel restriction code	-		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restriction according to annex XVII to regulation (EU) No 1907/2006

The product is subject to restrictions according to Annex XVII Regulation (EU) No. 1907/2006: Entry No. 3

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to



Trade name: FotoDent gingiva

Substance number: 9390

Version: 3 / GB

Date revised: 06.10.2025

Replaces Version: 2 / GB

Print date: 06.10.2025

Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1A	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

Hazard statements listed in Chapter 2/3

H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

CLP categories listed in Chapter 2/3

Acute Tox. 3	Acute toxicity, Category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment, chronic, Category 4
Eye Irrit. 2	Eye irritation, Category 2
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, Category 1A
Skin Sens. 1B	Skin sensitization, Category 1B

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.