

Trade name: GumQuick implant Comp. A

Substance number: 36701

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

GumQuick implant Comp. A

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/preparation

Gingiva mask material

### 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

Dreve Dentamid GmbH

Max-Planck-Straße 31

59423 Unna

Telephone no. +49 2303 8807-0

Fax no. +49 2303 8807-29

Information provided by / telephone Department Research &amp; Development: Fax: +49 2303 8807-562

E-mail address of person responsible sicherheitsdatenblatt@dreve.com

for this SDS

### 1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Supplemental information

EUH210

Safety data sheet available on request.

### 2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Trade name: GumQuick implant Comp. A

Substance number: 36701

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

**Chemical characterization**

Addition-vulcanising 2-component silicone

**Hazardous ingredients****Cristobalite**

CAS No.	14464-46-1				
EINECS no.	238-455-4				
Concentration	>= 25	<	50	%	
Classification (Regulation (EC) No. 1272/2008)	STOT RE 1		H372		

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

No special measures required

**After inhalation**

Ensure supply of fresh air. In the event of symptoms take medical treatment.

**After skin contact**

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

**After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

**After ingestion**

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

**Adhere to personal protective measures when giving first aid**

First aider: Pay attention to self-protection!

**4.2. Most important symptoms and effects, both acute and delayed**

Until now no symptoms known so far.

**4.3. Indication of any immediate medical attention and special treatment needed****Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Recommended: alcohol resistant foam, CO<sub>2</sub>, powders, water spray/mist, Extinguishing measures to suit surroundings**Non suitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

In case of combustion evolution of dangerous gases possible.



Trade name: GumQuick implant Comp. A

Substance number: 36701

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

In case of combustion use a suitable breathing apparatus.

#### Other information

Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

### 6.2. Environmental precautions

Do not allow to enter drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Pick up mechanically. Clean contaminated floors and objects thoroughly, observing environmental regulations.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Observe the usual precautions for handling chemicals. For personal protection see Section 8.

#### Advice on protection against fire and explosion

No special measures required.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store product in closed containers.

#### Hints on storage assembly

Do not store together with foodstuffs.

#### Further information on storage conditions

Keep container tightly closed and dry.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Other information

Contains no substances with occupational exposure limit values.

### 8.2. Exposure controls

#### General protective and hygiene measures



Trade name: GumQuick implant Comp. A

Substance number: 36701

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

Observe the usual precautions for handling chemicals. Do not eat, drink or smoke during work time.  
Wash hands before breaks and after work. Avoid contact with eyes.

**Respiratory protection**

Not necessary.

**Hand protection**

Not necessary.

**Eye protection**

Not necessary.

**Body protection**

Clothing as usual in the chemical industry.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	liquid, viscous	
<b>Colour</b>	white	
<b>Odour</b>	characteristic	
<b>Melting point</b>		
Remarks	not determined	
<b>Freezing point</b>		
Remarks	not determined	
<b>Boiling point or initial boiling point and boiling range</b>		
Value	> 300	°C
<b>Flammability</b>		
evaluation	not determined	
<b>Upper and lower explosive limits</b>		
Remarks	not determined	
<b>Flash point</b>		
Value	> 130	°C
Method	closed cup	
<b>Ignition temperature</b>		
Remarks	not determined	
<b>Decomposition temperature</b>		
Remarks	not determined	
<b>pH value</b>		
Remarks	not determined	
<b>Viscosity</b>		
Remarks	not determined	
<b>Solubility(ies)</b>		
Remarks	not determined	
<b>Partition coefficient n-octanol/water (log value)</b>		
Remarks	not determined	
<b>Vapour pressure</b>		
Remarks	not determined	

Trade name: GumQuick implant Comp. A

Substance number: 36701

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

**Density and/or relative density**

Value	1,32		g/cm <sup>3</sup>
Temperature	20	°C	

**Relative vapour density**

Remarks not determined

**9.2. Other information****Odour threshold**

Remarks not determined

**Evaporation rate (ether = 1) :**

Remarks not determined

**Solubility in water**

Remarks virtually insoluble

**Explosive properties**

evaluation not determined

**Oxidising properties**

Remarks not determined

**Other information**

None known

## SECTION 10: Stability and reactivity

**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

No hazardous reactions known.

**10.5. Incompatible materials**

None known

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

## SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute dermal toxicity**

Remarks Based on available data, the classification criteria are not met.

Trade name: GumQuick implant Comp. A

Substance number: 36701

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

**Acute inhalational toxicity**

Remarks Based on available data, the classification criteria are not met.

**Skin corrosion/irritation**

Remarks Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

Remarks Based on available data, the classification criteria are not met.

**Sensitization**

Remarks Based on available data, the classification criteria are not met.

**Subacute, subchronic, chronic toxicity**

Remarks not determined

**Mutagenicity**

Remarks Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Remarks Based on available data, the classification criteria are not met.

**Carcinogenicity**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)****Single exposure**

Remarks Based on available data, the classification criteria are not met.

**Repeated exposure**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) (Components)****Cristobalite****Repeated exposure**evaluation Causes damage to organs through prolonged or repeated exposure  
Route of exposure inhalative**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2 Information on other hazards****Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

**Other information**

No toxicological data are available.

**SECTION 12: Ecological information****12.1. Toxicity****General information**

not determined

**12.2. Persistence and degradability****General information**

not determined

Trade name: GumQuick implant Comp. A

Substance number: 36701

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

### 12.3. Bioaccumulative potential

#### General information

not determined

#### Partition coefficient n-octanol/water (log value)

Remarks not determined

### 12.4. Mobility in soil

#### General information

not determined

### 12.5. Results of PBT and vPvB assessment

#### General information

not determined

#### Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

### 12.6 Endocrine disrupting properties

#### Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

### 12.7. Other adverse effects

#### General information

not determined

#### General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations for the product

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

#### Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

## SECTION 14: Transport information



Trade name: GumQuick implant Comp. A

Substance number: 36701

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-

## SECTION 15: Regulatory information

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Hazard statements listed in Chapter 2/3

H372 Causes damage to organs through prolonged or repeated exposure.

### CLP categories listed in Chapter 2/3

STOT RE 1 Specific target organ toxicity - repeated exposure, Category 1

### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.



Trade name: GumQuick implant Comp. B

Substance number: 36702

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

GumQuick implant Comp. B

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/preparation

Gingiva mask material

### 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

Dreve Dentamid GmbH

Max-Planck-Straße 31

59423 Unna

Telephone no. +49 2303 8807-0

Fax no. +49 2303 8807-29

Information provided by / telephone Department Research &amp; Development: Fax: +49 2303 8807-562

E-mail address of person responsible sicherheitsdatenblatt@dreve.com

for this SDS

### 1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Supplemental information

EUH210

Safety data sheet available on request.

### 2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Trade name: GumQuick implant Comp. B

Substance number: 36702

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

**Chemical characterization**

Addition-vulcanising 2-component silicone

**Hazardous ingredients****Cristobalite**

CAS No.	14464-46-1				
EINECS no.	238-455-4				
Concentration	>= 25	<	50	%	
Classification (Regulation (EC) No. 1272/2008)	STOT RE 1		H372		

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

No special measures required

**After inhalation**

Ensure supply of fresh air. In the event of symptoms take medical treatment.

**After skin contact**

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

**After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

**After ingestion**

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

**Adhere to personal protective measures when giving first aid**

First aider: Pay attention to self-protection!

**4.2. Most important symptoms and effects, both acute and delayed**

Until now no symptoms known so far.

**4.3. Indication of any immediate medical attention and special treatment needed****Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Recommended: alcohol resistant foam, CO<sub>2</sub>, powders, water spray/mist, Extinguishing measures to suit surroundings**Non suitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

In case of combustion evolution of dangerous gases possible.

Trade name: GumQuick implant Comp. B

Substance number: 36702

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

In case of combustion use a suitable breathing apparatus.

#### Other information

Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

### 6.2. Environmental precautions

Do not allow to enter drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Pick up mechanically. Clean contaminated floors and objects thoroughly, observing environmental regulations.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Observe the usual precautions for handling chemicals. For personal protection see Section 8.

#### Advice on protection against fire and explosion

No special measures required.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store product in closed containers.

#### Hints on storage assembly

Do not store together with foodstuffs.

#### Further information on storage conditions

Keep container tightly closed and dry.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Other information

Contains no substances with occupational exposure limit values.

### 8.2. Exposure controls

#### General protective and hygiene measures

Trade name: GumQuick implant Comp. B

Substance number: 36702

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

Observe the usual precautions for handling chemicals. Do not eat, drink or smoke during work time.  
Wash hands before breaks and after work. Avoid contact with eyes.

**Respiratory protection**

Not necessary.

**Hand protection**

Not necessary.

**Eye protection**

Not necessary.

**Body protection**

Clothing as usual in the chemical industry.

## SECTION 9: Physical and chemical properties

**9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	liquid, viscous	
<b>Colour</b>	pink	
<b>Odour</b>	characteristic	
<b>Melting point</b>		
Remarks	not determined	
<b>Freezing point</b>		
Remarks	not determined	
<b>Boiling point or initial boiling point and boiling range</b>		
Value	> 300	°C
<b>Flammability</b>		
evaluation	not determined	
<b>Upper and lower explosive limits</b>		
Remarks	not determined	
<b>Flash point</b>		
Value	> 130	°C
Method	closed cup	
<b>Ignition temperature</b>		
Remarks	not determined	
<b>Decomposition temperature</b>		
Remarks	not determined	
<b>pH value</b>		
Remarks	not determined	
<b>Viscosity</b>		
Remarks	not determined	
<b>Solubility(ies)</b>		
Remarks	not determined	
<b>Partition coefficient n-octanol/water (log value)</b>		
Remarks	not determined	
<b>Vapour pressure</b>		
Remarks	not determined	

Trade name: GumQuick implant Comp. B

Substance number: 36702

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

**Density and/or relative density**

Value	1,33		g/cm <sup>3</sup>
Temperature	20	°C	

**Relative vapour density**

Remarks not determined

**9.2. Other information****Odour threshold**

Remarks not determined

**Evaporation rate (ether = 1) :**

Remarks not determined

**Solubility in water**

Remarks virtually insoluble

**Explosive properties**

evaluation not determined

**Oxidising properties**

Remarks not determined

**Other information**

None known

## SECTION 10: Stability and reactivity

**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

No hazardous reactions known.

**10.5. Incompatible materials**

None known

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

## SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute dermal toxicity**

Remarks Based on available data, the classification criteria are not met.

Trade name: GumQuick implant Comp. B

Substance number: 36702

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

**Acute inhalational toxicity**

Remarks Based on available data, the classification criteria are not met.

**Skin corrosion/irritation**

Remarks Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

Remarks Based on available data, the classification criteria are not met.

**Sensitization**

Remarks Based on available data, the classification criteria are not met.

**Subacute, subchronic, chronic toxicity**

Remarks not determined

**Mutagenicity**

Remarks Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Remarks Based on available data, the classification criteria are not met.

**Carcinogenicity**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)****Single exposure**

Remarks Based on available data, the classification criteria are not met.

**Repeated exposure**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) (Components)****Cristobalite****Repeated exposure**evaluation Causes damage to organs through prolonged or repeated exposure  
Route of exposure inhalative**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2 Information on other hazards****Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

**Other information**

No toxicological data are available.

**SECTION 12: Ecological information****12.1. Toxicity****General information**

not determined

**12.2. Persistence and degradability****General information**

not determined

Trade name: GumQuick implant Comp. B

Substance number: 36702

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

### 12.3. Bioaccumulative potential

#### General information

not determined

#### Partition coefficient n-octanol/water (log value)

Remarks not determined

### 12.4. Mobility in soil

#### General information

not determined

### 12.5. Results of PBT and vPvB assessment

#### General information

not determined

#### Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

### 12.6 Endocrine disrupting properties

#### Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

### 12.7. Other adverse effects

#### General information

not determined

#### General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations for the product

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

#### Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

## SECTION 14: Transport information



Trade name: GumQuick implant Comp. B

Substance number: 36702

Version: 1 / GB

Date revised: 03.08.2023

Replaces Version: - / GB

Print date: 03.08.2023

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-

## SECTION 15: Regulatory information

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Hazard statements listed in Chapter 2/3

H372 Causes damage to organs through prolonged or repeated exposure.

### CLP categories listed in Chapter 2/3

STOT RE 1 Specific target organ toxicity - repeated exposure, Category 1

### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.