301048

GUTTA PERCHA

03/12/2015 Version: 1.0

Axis SybronEndo

Safety Data Sheet GUTTA PERCHA

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name

: GUTTA PERCHA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category

Function or use category

: Professional use

: Dental materials

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier Kerr Italia S.r.I. Via Passanti, 332 84018 Scafati (SA) - Italy T +39-081-850-8311 E-mail: safety@kerrhawe.com

Contact person : safety@kerrhawe.com - tel. 00-800-41-050-505 (08.00-17.00)

1.4. Emergency telephone number

Emergency number

CHEMTREC® Emergency Call Center. Emergency Telephone Number (for USA only) 001-800-424-9300 International and Maritime Telephone Number +1 (703) 527-3887

NL 3821 BR AMERSFOORT - NETHERLAND

Country	Organisation/Company	Address	Emergency number
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182/+44 191 2606180 24H

Manufacturer

Basicweg, 20

ORMCO B.V./SybronEndo

T 00-800-3032-3032

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Full text of hazard classes and H-statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

 Signal word (CLP)
 :
 Warning

 Hazard statements (CLP)
 :
 H410 - Very toxic to aquatic life with long lasting effects

 Precautionary statements (CLP)
 :
 H410 - Very toxic to aquatic life with long lasting effects

 Precautionary statements (CLP)
 :
 P273 - Avoid release to the environment P391 - Collect spillage P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

 EUH-statements
 :
 EUH208 - Contains Tartrazine. May produce an allergic reaction

 Extra phrases
 :
 The product is seen as a medical device and therefore not subject to labelling (EU

GUTTA PERCHA

: None under normal conditions.

regulation 1907/2006, article 2, paragraph 6c)

2.3. Other hazards

Other hazards not contributing to the classification

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
zinc oxide	(CAS No) 1314-13-2 (EC no) 215-222-5 (EC index no) 030-013-00-7 (REACH-no) 01-2119463881-32	=>60-<70	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
trans-Polyisoprene	(CAS No) 9003-31-0 (EC no) 618-362-9 (REACH-no) N/A	=>15-<25	Not classified
barium sulphate	(CAS No) 7727-43-7 (EC no) 231-784-4 (REACH-no) 01-2119491274-35	=>8-<18	Not classified
calcium carbonate	(CAS No) 471-34-1 (EC no) 207-439-9 (REACH-no) 01-2119486795-18	=>1-<10	Not classified
Beeswax	(CAS No) 8012-89-3 (EC no) 232-383-7 (REACH-no) N/A	=>1-<10	Not classified
2,6-Di-tert-butyl-4-methylphenol	(CAS No) 128-37-0 (EC no) 204-881-4 (REACH-no) 01-2119480433-40	< 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Tartrazine	(CAS No) 1934-21-0 (EC no) 217-699-5 (REACH-no) N/A	< 1	Skin Sens. 1, H317 Resp. Sens. 1, H334
Barium 3-hydroxy-4-[(4-methyl-2-sulphonatophenyl)azo]-2- naphthoate	(CAS No) 17852-98-1 (EC no) 241-806-4 (REACH-no) N/A	< 1	Not classified

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES	
4.1. Description of first aid measures	
First-aid measures general	: No particular/specific measures required.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.
First-aid measures after ingestion	: If swallowed, rinse mouth with water (only if the person is conscious). Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No specific measures identified.

SECTION 5: FIREFIGHTING MEASU	RES	
5.1. Extinguishing media		
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Foam, carbon dioxide (CO2) a powder.	and
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from the su	bstance or mixture	
Fire hazard	: Non flammable.	
	Essenticon - SDS EU v2 EN (English)	2/8

	GUTTA PERCHA 03	3/12/20 [,]
azardous decomposition products in case of e	: zinc oxide.	
3. Advice for firefighters		
refighting instructions	: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water fro entering environment.	m
otection during firefighting	: Do not enter fire area without proper personal protective equipment, including respiration.	atory
ECTION 6: ACCIDENTAL RELEAS	SE MEASURES	
1. Personal precautions, protective	equipment and emergency procedures	
eneral measures	: Avoid contact with skin and eyes.	
or non-emergency personnel		
otective equipment	: See Heading 8.	
or emergency responders o additional information available		
2. Environmental precautions ischarging into rivers and drains is forbidden		
3. Methods and material for contain	ment and cleaning up	
or containment	: Collect all waste in suitable and labelled containers and dispose according to local legislation.	
ethods for cleaning up	: Recover mechanically the product. Wash off with plenty of water.	
4. Reference to other sections		
or further information refer to section 13.		
ECTION 7: HANDLING AND STOP	RAGE	
1. Precautions for safe handling		
ecautions for safe handling	: Do not eat, drink or smoke when using this product.	
2. Conditions for safe storage, inclu	ding any incompatibilities	
orage conditions	: Store in a dry place. Store in a closed container. Store in original container.	
orage area	: Store in a well-ventilated place.	
3. Specific end use(s)		
onsult the supplier for further information.		

8.1. Control parameters

-

inert or nuisance dust, inhal	able	
United Kingdom	WEL STEL (mg/m ³)	10 mg/m³
barium sulphate (7727-43-7)		
United Kingdom	Local name	Barium sulphate
United Kingdom	WEL TWA (mg/m³)	10 mg/m³ inhalable dust 4 mg/m³ respirable dust

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Personal protective equipment	: Gloves.
Hand protection	: Wear suitable gloves. Chemical resistant PVC gloves (to European standard EN 374 or equivalent). Layer thickness : 0,09mm. Breakthrough time : >480 min
Eye protection	: In case of dust production: protective goggles. STANDARD EN 166
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Respiratory protection not applicable. Dust production: dust mask with filter type P2. Standard EN 149
M ²	

Other information

: Do not eat, drink or smoke during use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: Little spheres.	
Colour	: pink.	
Odour	: slight. aromatic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate	=1) : No data available	
Melting point	: ≈68 °C	
Freezing point	: No data available	
Boiling point	: The substance decomposes	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: > 220 °C	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: Material insoluble in water.	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: Product is not explosive.	
Oxidising properties	: Non flammable.	
Explosive limits	: No data available	
9.2. Other information		

Additional information

: None to our knowledge

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No polymerization.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity	Not classified
zinc oxide (1314-13-2)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	0.4 mg/l/4h
barium sulphate (7727-43-7)	
LD50 oral rat	> 20000 mg/kg
calcium carbonate (471-34-1)	
LD50 oral rat	6450 mg/kg
LD50 dermal rabbit	500 mg/kg

301048	GUTTA PERCHA 03/12/20
Beeswax (8012-89-3)	
LD50 oral rat	> 5000 mg/kg bodyweight
2,6-Di-tert-butyl-4-methylphenol (128-37-0)	
LD50 oral rat	890 mg/kg bodyweight
LD50 dermal rat	2400 mg/kg bodyweight
kin corrosion/irritation	: Not classified
erious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Serm cell mutagenicity	Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
	: Not classified
Specific target organ toxicity (repeated exposure)	
spiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Under normal conditions of use, no adverse effects to health have been observed.
SECTION 12: ECOLOGICAL INFORM	
2.1. Toxicity	
Ecology - water	: Very toxic to aquatic life with long lasting effects.
	. אבוא נסאוב נט מקטמנוב וווב שונוו וטווץ ומכווווץ בוובבוג.
zinc oxide (1314-13-2)	
LC50 fish 1	1.1 mg/l (96 hours - Rainbow trout)
EC50 Daphnia 1	24.6 mg/l (48 hours - Daphnia magna)
barium sulphate (7727-43-7)	
LC50 fish 1	> 7600 mg/l (96 hours)
EC50 Daphnia 1	> 32 mg/l (48 hours - Daphnia magna)
calcium carbonate (471-34-1)	
LC50 fish 1	> 5600 (96 hours - Gambusia affinis - Mosquito fish)
2,6-Di-tert-butyl-4-methylphenol (128-37-0)	
EC50 Daphnia 1	0.2 mg/l Daphnia magna, 48 hours
IC50 algae	6 mg/l (IC50, 72 hours - Selenastrum capricornutum)
12.2. Persistence and degradability	
GUTTA PERCHA	
Persistence and degradability	No data available.
,	
calcium carbonate (471-34-1)	
Persistence and degradability	There are no data on the degradability of this product.
2,6-Di-tert-butyl-4-methylphenol (128-37-0)	10.0% (OECD 201D method)
Biodegradation	10 % (OECD 301D method)
12.3. Bioaccumulative potential	
GUTTA PERCHA	
Bioaccumulative potential	No data.
zinc oxide (1314-13-2)	
Log Pow	< 0
trans-Polyisoprene (9003-31-0)	
Bioconcentration factor (BCF REACH)	25.12
Log Pow	2.72
calcium carbonate (471-34-1)	No blog annual d'an data ann llab
Bioaccumulative potential	No bioaccumulation data available.
2,6-Di-tert-butyl-4-methylphenol (128-37-0)	25
Bioconcentration factor (BCF REACH) Log Pow	25 5.1
	V.1
2.4. Mobility in soil	
GUTTA PERCHA	Material incoluble in water
Ecology - soil	Material insoluble in water.
	Material insoluble in water.
Ecology - soil	The product is water soluble and may spread in water systems.

GUTTA PERCHA

Results of PBT and vPvB assessment 12.5.

criteria of REACH regulation, annex XIII
criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
: None to our knowledge.
5
: No other effects known
ATIONS
: Dispose as hazardous waste.
: Recover the product with absorbent material. Dispose of contents/container in accordance
with licensed collector's sorting instructions.
 Dispose in a safe manner in accordance with local/national regulations.

European List of Waste (LoW) code

: Avoid release to the environment.

: 18 01 06* - chemicals consisting of or containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	RID	
14.1. UN number				
3077	3077	3077	3077	
14.2. UN proper shipp	ing name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
Transport document desc				
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide(1314- 13-2)), 9, III, (E)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, MARINE POLLUTANT/ENVIRO NMENTALLY HAZARDOUS			
14.3. Transport hazard	l class(es)			
9	9	9	9	
14.4. Packing group				
14.5. Environmental had Dangerous for the environment : Yes	azards Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	:	M7
Special provisions (ADR)	:	274, 335, 601, 375
Limited quantities (ADR)	:	5kg
Excepted quantities (ADR)	:	E1

301048	GUTTA PERCHA
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: PP12, B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1, BK1, BK2
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV, LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V13
Special provisions for carriage - Bulk (ADR)	: VC1, VC2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	³ 90 3077
Tunnel restriction code (ADR)	: E
EAC code	: 2Z
- Transport by sea	
Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
Special packing provisions (IMDG)	: PP12
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1, BK1, BK2, BK3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y956
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
CAO max net quantity (IATA)	: 400kg
Special provisions (IATA)	: A97, A158, A179, A197
ERG code (IATA)	: 9L

Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances 03/12/2015

National regulations

EC-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: OTHER INFORMATION				
Date of issue :	3/12/2015			
Revision date :	3/12/2015			
:				
Version :	.0			
Signature :	A. Åsebø Murel			
Full text of H- and EUH-statements:				
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1			
Resp. Sens. 1	Sensitisation — Respiratory, Category 1			
Skin Sens. 1	Sensitisation — Skin, Category 1			
H317	May cause an allergic skin reaction			
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled			
H400	Very toxic to aquatic life			
H410	Very toxic to aquatic life with long lasting effects			
EUH208	Contains . May produce an allergic reaction			

The information in this safety data sheet is based on information from the manufacturer/supplier, present European and national legislation, and presupposes that the product is used within the specified area of application.