

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 20.02.2023

Version number 2 (replaces version 1)

Revision: 20.02.2023

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: Omnident Silikon Knetmassen Härter Paste**
- **UFI: NUC0-M0G9-R00U-YU5Q**
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture Dental.**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Manufacturer:  
Cavex Holland B. V.  
The Netherlands
- Supplier:  
Omnident Dental-Handelsgesellschaft mbH  
Gutenbergring 7 - 9  
D-63110 Rodgau, Hessen  
T 0049 (6106) 874-267  
F 0049 (6106) 874-265  
www.omnident.de
- **Further information obtainable from: Product safety department**
- **Emergency telephone number: During normal opening times: 0049 (6106) 874-267.**

## 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3      H226 Flammable liquid and vapour.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4      H332 Harmful if inhaled.  
Eye Irrit. 2      H319 Causes serious eye irritation.  
STOT SE 3      H335 May cause respiratory irritation.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 20.02.2023

Version number 2 (replaces version 1)

Revision: 20.02.2023

Trade name: **Omnident Silikon Knetmassen Härter Paste**

(Contd. of page 1)

· **Hazard pictograms**

GHS02   GHS07   GHS09

· **Signal word** Warning· **Hazard-determining components of labelling:**

dioctyltin oxide

· **Hazard statements**

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Determination of endocrine-disrupting properties**

870-08-6 | dioctyltin oxide

List II

### 3 Composition/information on ingredients

· **Mixtures**· **Description:** Mixture of substances listed below with nonhazardous additions.· **Dangerous components:**

|                                    |  |          |
|------------------------------------|--|----------|
| CAS: 870-08-6<br>EINECS: 212-791-1 | dioctyltin oxide<br>☠ STOT RE 2, H373; Aquatic Chronic 4, H413   | 15-20%   |
| CAS: 78-10-4<br>EINECS: 201-083-8  | tetraethyl silicate<br>☠ Flam. Liq. 3, H226; ⚠ Acute Tox. 4, H332; Eye Irrit. 2, H319; STOT SE 3, H335 | ≥15-<20% |

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

· **Description of first aid measures**· **General information:**

Immediately remove any clothing soiled by the product.

(Contd. on page 3)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.02.2023

Version number 2 (replaces version 1)

Revision: 20.02.2023

**Trade name: Omnident Silikon Knetmassen Härter Paste**

(Contd. of page 2)

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately rinse with water.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Firefighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** < 8 °Celsius.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 20.02.2023

Version number 2 (replaces version 1)

Revision: 20.02.2023

Trade name: **Omnident Silikon Knetmassen Härter Paste**

(Contd. of page 3)

· **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

· **Control parameters**· **Ingredients with limit values that require monitoring at the workplace:**

#### 870-08-6 dioctyltin oxide

|     |  |
|-----|--|
| OEL | Short-term value: 0.2 mg/m <sup>3</sup><br>Long-term value: 0.1 mg/m <sup>3</sup><br>as Sn |
|-----|--|

#### 78-10-4 tetraethyl silicate

|       |   |
|-------|---|
| OEL   | Long-term value: 44 mg/m <sup>3</sup> , 5 ppm |
| IOELV |   |

· **Additional information:** The lists valid during the making were used as basis.· **Exposure controls**· **Appropriate engineering controls** No further data; see item 7.· **Individual protection measures, such as personal protective equipment**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**

Tightly sealed goggles

IE

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 20.02.2023

Version number 2 (replaces version 1)

Revision: 20.02.2023

Trade name: **Omnident Silikon Knetmassen Härter Paste**

(Contd. of page 4)

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

|  |   |
|--|---|
| · Physical state   | Fluid                                   |
| · Colour:  | Red                                     |
| · Odour:   | Characteristic                          |
| · Odour threshold:   | Not determined.                         |
| · Melting point/freezing point:                            | Undetermined.                           |
| · Boiling point or initial boiling point and boiling range | 110 °C                                  |
| · Flammability   | Flammable.                              |
| · Lower and upper explosion limit                          |   |
| · Lower:   | 1.3 Vol % (78-10-4 tetraethyl silicate) |
| · Upper:   | 23 Vol % (78-10-4 tetraethyl silicate)  |
| · Flash point:   | 28 °C                                   |
| · Ignition temperature:                                    | 234 °C                                  |
| · Decomposition temperature:                               | Not determined.                         |
| · pH   | Not determined.                         |
| · Viscosity:   |   |
| · Kinematic viscosity                                      | Not determined.                         |
| · Dynamic:   | Not determined.                         |
| · Solubility   |   |
| · water:   | Not miscible or difficult to mix.       |
| · Partition coefficient n-octanol/water (log value)        | Not determined.                         |
| · Vapour pressure at 20 °C:                                | 1.7 hPa (78-10-4 tetraethyl silicate)   |
| · Density and/or relative density                          |   |
| · Density:   | Not determined.                         |
| · Relative density   | Not determined.                         |
| · Vapour density   | Not determined.                         |

#### · Other information

|   |   |
|---|---|
| · Appearance:   |   |
| · Form:   | Pasty   |
| · Important information on protection of health and environment, and on safety. |   |
| · Auto-ignition temperature:  | Product is not selfigniting.  |
| · Explosive properties:   | Product is not explosive. However, formation of explosive air/vapour mixtures are possible. |
| · Solvent content:  |   |
| · VOC (EC)  | 0.00 %  |
| · Solids content:   | 24.7 %  |
| · Change in condition   |   |
| · Evaporation rate  | Not determined.   |

#### · Information with regard to physical hazard classes

|   |                              |
|---|------------------------------|
| · Explosives  | Void                         |
| · Flammable gases   | Void                         |
| · Aerosols  | Void                         |
| · Oxidising gases   | Void                         |
| · Gases under pressure  | Void                         |
| · Flammable liquids   | Flammable liquid and vapour. |
| · Flammable solids  | Void                         |
| · Self-reactive substances and mixtures                                     | Void                         |
| · Pyrophoric liquids  | Void                         |
| · Pyrophoric solids   | Void                         |
| · Self-heating substances and mixtures                                      | Void                         |
| · Substances and mixtures, which emit flammable gases in contact with water | Void                         |

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 20.02.2023

Version number 2 (replaces version 1)

Revision: 20.02.2023

Trade name: **Omnident Silikon Knetmassen Härter Paste**

(Contd. of page 5)

|                                  |      |
|----------------------------------|------|
| · <b>Oxidising liquids</b>       | Void |
| · <b>Oxidising solids</b>        | Void |
| · <b>Organic peroxides</b>       | Void |
| · <b>Corrosive to metals</b>     | Void |
| · <b>Desensitised explosives</b> | Void |

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if inhaled.

#### · **LD/LC50 values relevant for classification:**

##### 78-10-4 tetraethyl silicate

|        |      |                      |
|--------|------|----------------------|
| Oral   | LD50 | 6,270 mg/kg (rat)    |
| Dermal | LD50 | 5,878 mg/kg (rabbit) |

- **Primary irritant effect:** -
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Information on other hazards**

#### · **Endocrine disrupting properties**

870-08-6 dioctyltin oxide

List II

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **Other adverse effects**
- **Remark:** Toxic for fish

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 20.02.2023

Version number 2 (replaces version 1)

Revision: 20.02.2023

**Trade name: Omnident Silikon Knetmassen Härter Paste**

(Contd. of page 6)

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

### 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· **UN number or ID number**

· **ADR, IMDG, IATA**

UN1993

· **UN proper shipping name**

· **ADR**

1993 FLAMMABLE LIQUID, N.O.S. (TETRAETHYL SILICATE), ENVIRONMENTALLY HAZARDOUS

· **IMDG**

FLAMMABLE LIQUID, N.O.S. (TETRAETHYL SILICATE), MARINE POLLUTANT

· **IATA**

FLAMMABLE LIQUID, N.O.S. (TETRAETHYL SILICATE)

· **Transport hazard class(es)**

· **ADR, IMDG**



· **Class**

3 Flammable liquids.

· **Label**

3

· **IATA**



· **Class**

3 Flammable liquids.

· **Label**

3

· **Packing group**

· **ADR, IMDG, IATA**

III

· **Environmental hazards:**

· **Marine pollutant:**

Symbol (fish and tree)

· **Special marking (ADR):**

Symbol (fish and tree)

· **Special precautions for user**

Not applicable.

· **Hazard identification number (Kemler code):** 30

· **EMS Number:**

F-E,S-D

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 20.02.2023

Version number 2 (replaces version 1)

Revision: 20.02.2023

Trade name: **Omnident Silikon Knetmassen Härter Paste**

(Contd. of page 7)

|  |  |
|--|--|
| · <b>Stowage Category</b>  | A  |
| · <b>Maritime transport in bulk according to IMO instruments</b> | Not applicable.  |
| · <b>Transport/Additional information:</b>                       |  |
| · <b>ADR</b>   |  |
| · <b>Limited quantities (LQ)</b>                                 | 5L   |
| · <b>Excepted quantities (EQ)</b>                                | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · <b>Transport category</b>                                      | 3  |
| · <b>Tunnel restriction code</b>                                 | D/E  |
| · <b>IMDG</b>  |  |
| · <b>Limited quantities (LQ)</b>                                 | 5L   |
| · <b>Excepted quantities (EQ)</b>                                | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · <b>UN "Model Regulation":</b>                                  | UN 1993 FLAMMABLE LIQUID, N.O.S. (TETRAETHYL SILICATE), 3, III, ENVIRONMENTALLY HAZARDOUS                        |

### 15 Regulatory information

- **Directive 2004/42/EC**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**  
E2 Hazardous to the Aquatic Environment  
P5c FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 20

· **Regulation (EU) No 649/2012**

870-08-6 | dioctyltin oxide

Annex I Part I

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.02.2023

Version number 2 (replaces version 1)

Revision: 20.02.2023

**Trade name: Omnident Silikon Knetmassen Härter Paste**

(Contd. of page 8)

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H413 May cause long lasting harmful effects to aquatic life.

· **Department issuing SDS: Product safety department**

· **Contact: .**

· **Version number of previous version: 1**

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4