

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Orthocryl-liquid

Revision date: 07.05.2025 Product code: 161-100 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Orthocryl-liquid

Further trade names

Article No.: 160-501-00, 160-502-00, 160-600-00, 160-700-00, 161-100-00, 161-127-00, 161-128-00, 161-129-00, 161-130-00, 161-131-00, 161-132-00, 161-133-00, 161-134-00, 161-135-00, 161-136-00,

161-137-00, 161-138-00, 161-139-00, 161-150-00, 161-300-00, 161-350-00, 161-912-00

UFI: 3PJJ-3H35-6894-87X3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Health services.

1.3. Details of the supplier of the safety data sheet

Company name: DENTAURUM GmbH & Co. KG

Street: Turnstr. 31
Place: D-75228 Ispringen

Telephone: +49 7231 803 0 Telefax: +49 7231 803 295

E-mail: info@dentaurum.de

Contact person: chemistry

Internet: www.dentaurum.com

1.4. Emergency telephone +497231803-184 7:00-16:15 (Mo-Do) 7:00-13:15 (Fr) number: +497231803-0 16:15-18:00 (Mo-Do) 13:15-18:00 (Fr)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate ethylene dimethacrylate

N,N-dihydroxyethylene-p-toluidine 2-(2H-Benzotriazol-2-yl)-p-cresol

Signal word: Danger

Pictograms:





Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.



according to Regulation (EC) No 1907/2006

Orthocryl-liquid

Revision date: 07.05.2025 Product code: 161-100 Page 2 of 12

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

none

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate

red, pink-transparent : colour index S.R. 111, S.R. 52

green: colour index S.B.97, S.Y.93

blue: colour index S.B. 97 yellow: colour index S.Y. 93

hot pink: colour index D.V.26, Perylene dye

turquoise: colour index S.B. 67

emerald green: colour index S.B. 67, S.Y. 93

violet: colour index S.B. 97, S.V. 36 neon orange: colour index S.Y. 98

neon yellow: colour index S.Y. 98, S.O.112

neon pink: colour index S.R. 52

neon green: colour index S.B. 67, S.Y. 98

neon blue: colour index S.B. 104

Relevant ingredients

| CAS No | Chemical name | | | | | |
|-----------|---|--------------------------------------|-------------|-------------|--|--|
| | EC No | Index No | REACH No | | | |
| | Classification (Regulation (EC) No | 1272/2008) | | | | |
| 80-62-6 | methyl methacrylate; methyl 2-meth | nylprop-2-enoate; methyl 2-methylpro | penoate | 90 - < 95 % | | |
| | 201-297-1 | 607-035-00-6 | | | | |
| | Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335 | | | | | |
| 97-90-5 | ethylene dimethacrylate | | | | | |
| | 202-617-2 | 607-114-00-5 | | | | |
| | Skin Sens. 1, STOT SE 3; H317 H335 | | | | | |
| 3077-12-1 | N,N-dihydroxyethylene-p-toluidine | | | | | |
| | 221-359-1 | | | | | |
| | Acute Tox. 4, Eye Dam. 1, Skin Ser | ns. 1B, Aquatic Chronic 3; H302 H31 | 8 H317 H412 | | | |
| 2440-22-4 | 2-(2H-Benzotriazol-2-yl)-p-cresol | | | | | |
| | 219-470-5 | | | | | |
| | Skin Sens. 1B, Aquatic Chronic 1; H317 H410 | | | | | |

Full text of H and EUH statements: see section 16.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Orthocryl-liquidRevision date: 07.05.2025Product code: 161-100Page 3 of 12

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|----------------|--|-------------|
| | Specific Conc. | Limits, M-factors and ATE | |
| 80-62-6 | 201-297-1 | methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate | 90 - < 95 % |
| | dermal: LD50 | dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg | |
| 97-90-5 | 202-617-2 | ethylene dimethacrylate | 5 - < 10 % |
| | STOT SE 3; H | STOT SE 3; H335: >= 10 - 100 | |
| 3077-12-1 | 221-359-1 | N,N-dihydroxyethylene-p-toluidine | < 1 % |
| | oral: LD50 = 3 | 300 mg/kg | |

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes skin and eye irritation. Skin sensitisation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, ABC-powder.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Orthocryl-liquid

Revision date: 07.05.2025 Product code: 161-100 Page 4 of 12

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8 Disposal: see section 13 Disposal: see section 13

Safe handling: see section 7

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Avoid breathing vapours.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc. Use non-sparking tools.

Advice on general occupational hygiene

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep/Store only in original container. Protect against: Light.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

none

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

| CAS No | Name of agent | ppm | mg/m³ | fib/cm³ | Category | Origin |
|---------|---------------------|-----|-------|---------|---------------|--------|
| 80-62-6 | Methyl methacrylate | 50 | - | | TWA (8 h) | |
| | | 100 | - | | STEL (15 min) | |

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

Orthocryl-liquid

Revision date: 07.05.2025 Product code: 161-100 Page 5 of 12







Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection. Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommendation:

Dermatril 740 Single-use gloves. NBR (Nitrile rubber). 0,11 mm

penetration time (maximum wearing period): 0 min.

REF 162-907-00 (7/S), REF 162-908-00 (8/M), REF 162-909-00 (9/L)

Camapren 720, 0,65 mm

penetration time (maximum wearing period): > 10 min, KCL

Skin protection

Protective clothing

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Do not breathe mist/vapours/spray.

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: various, depending on coloration

Odour: like: ester

Melting point/freezing point:

-48 °C

Boiling point or initial boiling point and

100,3 °C

boiling range:

Flammability: No data available Lower explosion limits: 2,1 vol. % 12,5 vol. % Upper explosion limits: 10 °C Flash point: 430 °C Auto-ignition temperature: Decomposition temperature: No data available pH-Value: not applicable No data available Viscosity / kinematic: Water solubility: 15.9 a/l

(at 20 °C)

Solubility in other solvents

miscible with most organic solvents

Partition coefficient n-octanol/water: 0,7



according to Regulation (EC) No 1907/2006

Orthocryl-liquid

Revision date: 07.05.2025 Product code: 161-100 Page 6 of 12

Vapour pressure: 38,7 hPa

(at 20 °C)

Vapour pressure: 157 hPa

(at 50 °C)

Density (at 20 °C): 0,94 g/cm³

Bulk density: No data available

Relative vapour density: 3,5

(at 20 °C)

Particle characteristics: not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustained combustibility: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available Solvent separation test: No data available Solvent content: > 95% Solid content: No data available Sublimation point: No data available Softening point: No data available No data available Pour point: Brookfield 0.63 mPa·s Viscosity / dynamic:

(at 20 °C)

Flow time: No data available

Further Information

Odour threshold: 0,5 - 1,0 ppm

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable. No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

10.5. Incompatible materials

Reducing agent Amines. Heavy metals. Peroxides Oxidizing agent.

10.6. Hazardous decomposition products

none



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Orthocryl-liquid

Revision date: 07.05.2025 Product code: 161-100 Page 7 of 12

Further information

Thermal decomposition: at room temperature none

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Acute toxicity (inhalant): 7093 ppm 4h

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | | |
|-----------|--|----------------------|---------|----------|--------|--|
| | Exposure route | Dose | Species | Source | Method | |
| 80-62-6 | methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate | | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | | | |
| | dermal | LD50 > 5000 mg/kg | Rabbit | | | |
| 3077-12-1 | N,N-dihydroxyethylene-p-toluidine | | | | | |
| | oral | LD50 300 mg/kg | Rat | OECD 401 | | |

Irritation and corrosivity

Irritant effect on the skin: non-irritant. 24h Irritant effect on the eye: non-irritant.

Sensitising effects

May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Longterm experiments do not indicate carcinogenic effects. No experimental evidence of in vitro mutagenicity.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

: 37 mg/L 8d

Pseudomonas putida 100 mg/L



Revision date: 07.05.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Orthocryl-liquid
Product code: 161-100

Page 8 of 12

| CAS No | Chemical name | | | | | | |
|---------|--|--------------|---------|-----------|--|--------|--------|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 80-62-6 | methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate | | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 79 | | Oncorhynchus mykiss (Rainbow trout) | | |
| | Acute crustacea toxicity | EC50 | 69 mg/l | 48 h | | | |
| 97-90-5 | ethylene dimethacrylate | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 15,95 | 96 h | Danio rerio (zebrafish) | | |
| | Acute crustacea toxicity | EC50 mg/l | 44,9 | 48 h | | | |

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

none

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Send to a hazardous waste incinerator facility under observation of official regulations.

List of Wastes Code - used product

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08);

waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent

mixtures; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1247

14.2. UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3





according to Regulation (EC) No 1907/2006

| | Orthocryl-liquid | |
|---------------------------|-----------------------|--------------|
| Revision date: 07.05.2025 | Product code: 161-100 | Page 9 of 12 |
| Classification code: | F1 | |

Classification code: F1
Special Provisions: 386
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 339
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1247

14.2. UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Special Provisions: 386
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1247

14.2. UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: 386

Limited quantity: 1 L

Excepted quantity: E2

EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1247

14.2. UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: A209
Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2

IATA-packing instructions - Passenger:353IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Orthocryl-liquid

Revision date: 07.05.2025 Product code: 161-100 Page 10 of 12

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid. Yes.

14.7. Maritime transport in bulk according to IMO instruments

Authorisations: SECTION 15: Regulatory information

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to Directive

2012/18/EU (SEVESO III):

P5c FLAMMABLE LIQUIDS

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the

Candidate List according to Article 59 of REACH: none

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s):

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Indication of changes:

SECTION 2: Hazards identification

SECTION 4: First aid measures

SECTION 6: Accidental release measures

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

SECTION 9: Physical and chemical properties

SECTION 10: Stability and reactivity

SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 14: Transport information

SECTION 15: Regulatory information



according to Regulation (EC) No 1907/2006

Orthocryl-liquid

Revision date: 07.05.2025 Product code: 161-100 Page 11 of 12

Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Dam: Eye damage Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations). EC/EEC: European Community/European Economic Community

EU: European Union M-factor: Multiplying factor

IATA: International Air Transport Association DGR: Dangerous Goods Regulations

ICAO: International Civil Aviation Organization

TI: Technical Instructions



according to Regulation (EC) No 1907/2006

Orthocryl-liquidRevision date: 07.05.2025Product code: 161-100Page 12 of 12

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|---------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Skin Irrit. 2; H315 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| STOT SE 3; H335 | Calculation method |

Relevant H and EUH statements (number and full text)

| H225 | Highly flammable liquid and vapour. |
|------|---|
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H335 | May cause respiratory irritation. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)