



SAFETY DATA SHEET

PREMISE (all other shades)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name PREMISE (all other shades)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Applications Dental impression material.

1.3. Details of the supplier of the safety data sheet

Supplier Kerr Italia S.r.l.
Via Passanti, 332
84018 Scafati (SA) - Italy
Tel: +39-081-850-8311
E-mail: safety@kerrhawe.com

Contact person E-mail: safety@kerrhawe.com (Mobile Phone number 08.00 – 23.00:
+39-340.1721884)

Manufacturer Kerr Italia S.r.l.
Via Passanti, 332
84018 Scafati (SA) - Italy
Tel: +39-081-850-8311
E-mail: safety@kerrhawe.com

1.4. Emergency telephone number

Emergency telephone number 112 # The UK National Poisons Emergency number: +44 870 600 6266 WEB:
<http://www.toxbase.org>
CHEMTREC® Emergency Call Center. Emergency Telephone Number (for USA only)
001-800-424-9300
International and Maritime Telephone Number +1 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to directives -
67/548/EEC, 99/45/EC & 2001/58/EC
(DSD/DPD)

Classification according to directive
1272/2008 (CLP) EUH210
EUH208

Hazard The product is seen as a medical device and therefore not subject to labelling, regulation (EC) no 1272/2008 of the european parliament and of the council, article 1d; Medical devices as defined in Directives 90/385/EEC and 93/42/EEC, which are invasive or used in direct physical contact with the human body, and in Directive 98/79/EC.

2.2. Label elements

CLP

Hazard statements EUH210 Safety data sheet available on request.
EUH208 Contains dibenzoyl peroxide. May produce an allergic reaction.

Contains dibutyl phthalate, DBP
dibenzoyl peroxide

titanium dioxide
metakrylat ester monomer

2.3. Other hazards

Meets the criteria for vPvB	No.
Meets the criteria for PBT	No.
Other hazards which do not contribute to classification	No known risks.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Ingredients

Name	EC No.	CAS No.	Content	Symbol	Classification
dibutyl phthalate, DBP	201-557-4	84-74-2	<0,5 %	T ,N	R-50, R-62, R-61
dibenzoyl peroxide	202-327-6	94-36-0	<1 %	Xi ,E	R-3, R-7, R-36, R-43
titanium dioxide	236-675-5	13463-67-7		-	
metakrylat ester monomer				-	

CLP

Name	REACH No.	Content	Symbol	Classification	CAS No.
dibutyl phthalate, DBP	01-21194930 42-44	<0,5 %	GHS09, GHS08, , Danger	Repr. 1B: H360Df, Aquatic Acute 1: H400	84-74-2
dibenzoyl peroxide	01-21195114 72-50	<1 %	GHS01, GHS07, GHS02, , Danger	Org. Perox. B: H241, Skin Sens. 1: H317, Eye Irrit. 2: H319	94-36-0
titanium dioxide	01-21194893 79-17				13463-67-7
metakrylat ester monomer					

Section 16 contains detailed classification phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

General General first aid, rest, warmth and fresh air. Contact physician if discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Specific first aid treatment No specific first aid measures noted.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation Provide rest, warmth and fresh air. Get medical attention if any discomfort continues.

Ingestion Rinse mouth with water. Do not induce vomiting. Get medical attention if any discomfort continues.

Skin Wash skin with soap and water.

Eyes Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Extinguishing media	Foam, carbon dioxide or dry powder.
Special fire fighting procedures	Use supplied air respirator if substance is involved in a fire. Containers close to fire should be removed or cooled with water.
5.2. Special hazards arising from the substance or mixture	
Specific hazards	Non-flammable. Heating could result in rapid polymerization, which results in strong heat generation.
Hazardous combustion products	Fire creates: Carbon dioxide (CO ₂). Carbon monoxide (CO).
5.3. Advice for firefighters	
Protective measures in fire	Firefighters exposed to combustion gases/decomposition products should use a respiratory protective device.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection	Wear appropriate personal protective equipment - see Section 8.
----------------------------	---

6.2. Environmental precautions

Environmental protection	Do not allow to enter drains, sewers or watercourses.
---------------------------------	---

6.3. Methods and material for containment and cleaning up

Spill cleanup methods	Collect for reclamation or absorb in vermiculite, dry sand or similar material.
------------------------------	---

6.4. Reference to other sections

See section 13 for waste handling.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact.
--------------------------	---

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store at ambient temperature in dry, well-ventilated area. Keep in original container. Keep containers tightly closed. Keep away from heat, sparks and open flame. Store separated from: Oxidising material. Amines. Peroxides.
----------------------------	---

7.3. Specific end use(s)

Specific use(s)	Contact supplier for more information.
------------------------	--

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredient name	CAS no.	Reference	LT Exp 8 Hrs	ST Exp 15 Min	Date
dibutyl phthalate, DBP	84-74-2	WEL.	5 mg/m ³	10 mg/m ³	
dibenzoyl peroxide	94-36-0	WEL.	5 mg/m ³		
titanium dioxide	13463-67-7	WEL.	10 mg/m ³		

Ingredient comments	WEL = Workplace exposure limits. SK= Skin absorbance, Rep= Reproduction, Carc= Carcinogenic Senz= Sensitisers, Mut= Carcinogenic
----------------------------	--

Protective equipment



Ventilation	Provide adequate general and local exhaust ventilation.
8.2. Exposure controls	
Respirators	In case of inadequate ventilation: Dust filter P2 (for fine dust). Standard EN 149.
Protective gloves	Use protective gloves made of: Impermeable material. Neoprene. Time of breakthrough is not known, change gloves regularly. Suitable glove must be chosen in consultation with the gloves supplier, giving information of the breakthrough time for the glove material. Standard EN 374.
Eye protection	Under normal conditions of use eye protection is not required.
Other Protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygienic work practices	Wash at the end of each work shift and before eating, smoking and using the toilet.
DNEL	No data.
PNEC	No data.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Paste.	
Odour	Fruity. Ester.	
Solubility description	Insoluble in water.	
Density (g/cm³)	2,4	Temperature (°C)

9.2. Other information

Safety information	Not known.
---------------------------	------------

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactive groups.

10.2. Chemical stability

Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation	May polymerise. Stabilized with non-hazardous polymerization inhibitors.
---------------------------------	--

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid	Strong reducing agents. Strong oxidising agents. Peroxides. Amines.
---------------------------	---

10.6. Hazardous decomposition products

Hazardous decomp. products	No hazardous decomposition products are emitted at recommended use and storage conditions.
-----------------------------------	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Sensitization	No allergic reaction is known.
Genotoxicity	No known heritable or mutagenic effects.
Carcinogenicity	No evidence of carcinogenic properties.
Reproduction toxicity	No known hazardous effects on reproduction, fertility or to the unborn child.
Inhalation	Prolonged or repeated exposure to this chemical may cause: Upper respiratory irritation.
Ingestion	Uncured material may be harmful if swallowed.

Skin	Prolonged or repeated contact may cause irritation.
Eyes	Direct contact may irritate.
COMPONENT:	dibutyl phthalate, DBP
Toxicology data	Acute toxicity. TDL0 Oral. Human. 140 mg/kg (CNS)
Toxic dose - LD50:	3050 mg/kg (oral rat)
Toxic dose - LD50 (skin):	8000 mg/kg (skin rabbit)
Toxic conc. - LC50:	>15,68 mg/l/4h (inhalation rat)
COMPONENT:	dibenzoyl peroxide
Toxic dose - LD50:	7710 mg/kg (oral rat)
Toxic conc. - LC50:	7 mg/l/4h (inhalation rat)

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity	Not classified as dangerous to the environment. However, the product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.
--------------------	---

12.2. Persistence and degradability

Unknown.

12.3. Bioaccumulative potential

Unknown.

12.4. Mobility in soil

Mobility	The product is insoluble in water.
-----------------	------------------------------------

12.5. Results of PBT and vPvB assessment

PTB/vPvB	Component(s) is not identified as a PBT or vPvB-substance.
-----------------	--

12.6. Other adverse effects

No known information.

COMPONENT:	dibutyl phthalate, DBP
LC 50, 96 Hrs, Fish mg/l:	0,71 (Lepomis macrochirus)
EC 50, 48 Hrs, Daphnia, mg/l:	3,4 (Daphnia magna)
IC 50, 72 Hrs, Algae, mg/l:	1,2 (Scenedesmus subspicatus)
Bioaccumulative potential	BCF:12
Partition coefficient (log Pow)	4,57
Persistence and degradability	BOD5/COD: 0,63 98 % deg., 30 days, Method: OECD 301C
COMPONENT:	dibenzoyl peroxide
LC 50, 96 Hrs, Fish mg/l:	0,24 (Oryzias latipes)
EC 50, 48 Hrs, Daphnia, mg/l:	0,07 (Daphnia magna)
IC 50, 72 Hrs, Algae, mg/l:	0,44 (Selenastrum)
Bioaccumulative potential	BCF:5,62
	Component will not bio-accumulate.
Partition coefficient (log Pow)	3,71
Persistence and degradability	BOD: 84 % (MITI)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General/cleaning	Product is not hazardous waste.
Disposal methods	Dispose of in accordance with Local Authority requirements. Collect in marked containers and deliver to approved depot.
Waste class	18 01 07 chemicals other than those mentioned in 18 01 06

SECTION 14: Transport information

General No dangerous goods (ADR/RID, IMDG, IATA/ICAO)

ROAD TRANSPORT (ADR):

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

RAIL TRANSPORT (RID):

SEA TRANSPORT (IMDG):

TRANSPORT BY INLAND WATERWAYS (ADN):

14.4. Packing group

14.5. Environmental hazards

Transport by inland waterways
notes Not applicable.

14.6. Special precautions for user

No particular precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No IBC-code for bulk transport offshore (MARPOL).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU directives Medical, invasive equipment, EU-regulation 1272/2008, article 1, paragraph 5d, EU-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

15.2. Chemical safety assessment

Chemical Safety Assessment Chemical Safety Report (CSR) has not been carried out for this product.

SECTION 16: Other information

Explanations to R-phrases in section 3

R-3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.
R-36 Irritating to eyes.
R-43 May cause sensitisation by skin contact.
R-50 Very toxic to aquatic organisms.
R-61 May cause harm to the unborn child.
R-62 Possible risk of impaired fertility.
R-7 May cause fire.

Explanations to classification in section 3

H241 Heating may cause a fire or explosion.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H360Df May damage the unborn child. Suspected of damaging fertility.
H400 Very toxic to aquatic life.

DSD/DPD

* Information revised since the previous version of the SDS

Revision comments Revision 20.05.2014, no. 1: supersedes safety data sheet of 15.04.2013. Prepared in CLP-format. No change in composition or classification.

Issued by Essenticon AS, Leif Weldingsvei 18, N-3208 Sandefjord, Norway. E-mail: post@essenticon.no. Phone.: +47 33 42 34 50 - Fax: +47 33 42 34 59
www.essenticon.com

Date of issue 2013.04.15

Revision date 20.05.2014

Revision no. 1

Rev. no./repl. SDS generated 2013.04.15

Safety Data Sheet status CLP 03 ATP

Signature

R. E. Lunde

Disclaimer**CAUTION: PRODUCT FOR PROFESSIONAL USE**

The information on this Safety Sheet is based on presently available data and to our best knowledge for the correct handling of the product under normal conditions. Any use of this product in any way not indicated on this Sheet or the use of this product together with any other process/procedure will be exclusively under the user's responsibility. This document does not constitute explicit or implicit warranty of product quality or fitness for a particular purpose.