

according to UK REACH Regulation

## STAMMOPUR GR

Revision date: 09.11.2025 No.: 83006 Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

STAMMOPUR GR

UFI: 1F00-Q072-200Q-40NX

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Cleaning agent. Basic instrument cleaner for the ultrasonic bath, concentrate.

Restricted to professional users.

## 1.3. Details of the supplier of the safety data sheet

Company name: DR.H.STAMM GmbH Chemische Fabrik

Street: Heinrichstr. 3 – 4

Place: D-12207 Berlin, GERMANY

Telephone: +49 30 76880-280
E-mail: info@dr-stamm.de
Internet: www.dr-stamm.de

Responsible Department: sdb@dr-stamm.de, Tel.: +49 30 76880-258

**1.4. Emergency telephone** 24-hours-emergency: Giftnotruf Berlin: +49 30 30686700 (german, english)

number:

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## **GB CLP Regulation**

## Hazard components for labelling

Phosphoric acid ... %; orthophosphoric acid

C12-C14 Fatty alcohol ethoxylate

quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides

Phosphoric acid-2 ethylhexylester

Signal word: Danger

Pictograms:



## **Hazard statements**

H314 Causes severe skin burns and eye damage.

## **Precautionary statements**

P280 Wear protective gloves/protective clothing and eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

## 2.3. Other hazards



according to UK REACH Regulation

## STAMMOPUR GR

Revision date: 09.11.2025 No.: 83006 Page 2 of 11

The mixture does not contain substances >=0.1% of substances that have endocrine disrupting properties according to Regulation (EC) No. 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## Relevant ingredients

CAS No	Chemical name						
	EC No	Index No	REACH No				
	Classification (GB CLP Regulation	)					
7664-38-2	Phosphoric acid %; orthophosph	<60 %					
	231-633-2	015-011-00-6	01-2119485924-24				
	Skin Corr. 1B; H314						
7732-18-5	Water			20-30 %			
	231-791-2						
68439-50-9	C12-C14 Fatty alcohol ethoxylate						
	-		*				
	Acute Tox. 4, Eye Dam. 1, Aquatic						
63449-41-2	quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides						
	264-151-6	612-140-00-5	01-2119965180-41				
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H312 H302 H314 H318 H400 H410						
12645-31-7	Phosphoric acid-2 ethylhexylester		<2,0 %				
	235-741-0		01-2119896587-13				
	Skin Corr. 1B; H314	Skin Corr. 1B; H314					

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	Limits, M-factors and ATE				
7664-38-2	64-38-2 231-633-2 Phosphoric acid %; orthophosphoric acid					
	Skin Corr. 1B; 25	H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - <				
68439-50-9	-	C12-C14 Fatty alcohol ethoxylate	<10,0 %			
	oral: LD50 = <2000 mg/kg					
63449-41-2	264-151-6	quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides	<5,0 %			
	dermal: ATE =	: 1100 mg/kg; oral: LD50 = 795 mg/kg				
12645-31-7	235-741-0	Phosphoric acid-2 ethylhexylester	<2,0 %			
	oral: LD50 = 2	500 mg/kg				

## Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % non-ionic surfactants.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

Remove contaminated, saturated clothing immediately.



according to UK REACH Regulation

#### STAMMOPUR GR

Revision date: 09.11.2025 No.: 83006 Page 3 of 11

#### After inhalation

In case of inhalation of aerosols/spray mist/splash spots: Consult physician. Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with: Water and soap. In case of skin irritation, seek medical treatment.

## After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

## After ingestion

Rinse mouth immediately and drink large quantities of water. Do NOT induce vomiting. Consult physician.

## 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Water. Foam. Atomized water.

## Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Nitrogen oxides (NOx). Carbon dioxide (CO2). Phosphorus oxides.

#### 5.3. Advice for firefighters

Special protective equipment for firefighters Use appropriate respiratory protection. In case of fire and/or explosion do not breathe fumes.

## Additional information

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from unprotected people. Keep upwind. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove persons to safety.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3. Methods and material for containment and cleaning up

## Other information

Clean contaminated articles and floor according to the environmental legislation. Treat the recovered material as prescribed in the section on waste disposal. Suitable material for taking up: Sand Universal binding agent. earth. Sawdust.

## 6.4. Reference to other sections

See protective measures under point 7 and 8.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling



according to UK REACH Regulation

## **STAMMOPUR GR**

Revision date: 09.11.2025 No.: 83006 Page 4 of 11

## Advice on safe handling

It is recommended to design all work processes always so that the following is excluded: skin contact. Eye contact

## Advice on protection against fire and explosion

The product is not: Oxidizing. Flammable. Explosive.

## Advice on general occupational hygiene

Do not eat, drink, smoke or sneeze at the workplace.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Store only in original container.

Keep away from food, drink and animal feedingstuffs.

## 7.3. Specific end use(s)

Cleaning agent.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

## **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7664-38-2	Phosphoric acid %; orthophosphoric acid			
Worker DNE	L, long-term	inhalation	systemic	10,7 mg/m³
Worker DNE	L, long-term	inhalation	local	1 mg/m³
Worker DNE	L, acute	inhalation	local	2 mg/m³
12645-31-7	Phosphoric acid-2 ethylhexylester			
Consumer DNEL, long-term		oral	systemic	6,25 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	10,42 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	6,25 mg/kg bw/day
Worker DNE	L, long-term	inhalation	systemic	36,73 mg/m³
Consumer D	NEL, acute	inhalation	systemic	10,87 mg/m³



according to UK REACH Regulation

## **STAMMOPUR GR**

Revision date: 09.11.2025 No.: 83006 Page 5 of 11

#### **PNEC values**

CAS No	Substance				
Environmental	Environmental compartment				
12645-31-7					
Freshwater	0,049 mg/l				
Marine water		0,0015 mg/l			
Marine sedime	0,35 mg/kg				
Micro-organisn	15 mg/l				

## 8.2. Exposure controls

## Appropriate engineering controls

Refer to chapter 7. No further action is necessary.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

Wear safety goggles/face protection.

#### Hand protection

Suitable material:

PE (polyethylene).Layer thickness: 0,5 mm penetration time (maximum wearing period): >=8h

CR (polychloroprenes, Chloroprene rubber). 0,5 mm penetration time (maximum wearing period): >=8h

NBR (Nitrile rubber). 0,35 mm penetration time (maximum wearing period): >=8h

Butyl rubber. FKM (Fluoroelastomer (Viton)). 0,5 mm penetration time (maximum wearing period): >=8h

Breakthrough times and swelling properties of the material must be taken into consideration.

Recommended protective gloves brand: Camapren 722, Manufacturer: KCL, Or comparable articles from other companies.

## Skin protection

Lab apron.

#### Respiratory protection

Respiratory protection not required.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: colourless - light yellow

Odour: characteristic
Odour threshold: not determined

Test method

Melting point/freezing point:

-20 °C

Boiling point or initial boiling point and

100 °C

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

not applicable
not applicable

Flash point: No flash point up to 100 °C.

Auto-ignition temperature: not determined

Decomposition temperature: not determined

pH-Value (at 20 °C): 1,9 (1 %) DGF H-III 1

Viscosity / kinematic: not determined ISO 3105

Water solubility: complete miscible

(at 20 °C)

# DR·H·STAMM GmbH Chemische Fabrik

## **Safety Data Sheet**

according to UK REACH Regulation

## STAMMOPUR GR

Revision date: 09.11.2025 No.: 83006 Page 6 of 11

Solubility in other solvents

not determined

Dissolution rate:

Partition coefficient n-octanol/water:

Dispersion stability:

Vapour pressure:

not determined
not determined
not determined
not determined
not determined
not determined

Density (at 20 °C): 1,41 g/cm³ DIN 12791

Bulk density: not applicable
Relative vapour density: not determined
Particle characteristics: not applicable

#### 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties not Explosive.

Sustaining combustion:

No data available

Oxidizing properties not oxidizing.

## Other safety characteristics

Evaporation rate:

Sublimation point:

Softening point:

Pour point:

Viscosity / dynamic:

Flow time:

not determined

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

None, in case of proper use.

## 10.2. Chemical stability

The product is chemically stable under normal ambient conditions.

## 10.3. Possibility of hazardous reactions

None, in case of proper use.

## 10.4. Conditions to avoid

Thermal decomposition can lead to the escape of irritating gases and vapors.

## 10.5. Incompatible materials

Alkalis (alkalis), concentrated. Alkali metals.

## 10.6. Hazardous decomposition products

None, in case of proper use.

#### **Further information**

Do not mix with other products.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

## **Acute toxicity**

Based on available data, the classification criteria are not met.

Acute toxicity, oral LD50: 1530 mg/kg, Rat Acute toxicity, dermal LC50: 1,69 mg/l 1h, Rat

Data apply to the main component.



according to UK REACH Regulation

## **STAMMOPUR GR**

Revision date: 09.11.2025 No.: 83006 Page 7 of 11

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

	, -								
CAS No	Chemical name	Chemical name							
	Exposure route	Dose	Species	Source	Method				
68439-50-9	C12-C14 Fatty alcohol et	hoxylate							
	oral LD50 <2000 rat Cesio-Recommend on								
63449-41-2	quaternary ammonium co	mpounds, benzyl-C8-18	alkyldimethyl, chlorides						
	oral	LD50 795 mg/kg	rat						
	dermal	ATE 1100 mg/kg							
12645-31-7	Phosphoric acid-2 ethylhexylester								
	oral	LD50 2500 mg/kg	rat	MSDS					

## Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage. Irritant effect on the skin: corrosive. Irritant effect on the eye: corrosive.

#### Sensitising effects

Based on available data, the classification criteria are not met. not sensitising.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Other information

The mixture does not contain substances >=0.1% of substances that have endocrine disrupting properties according to Regulation (EC) No. 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge.



according to UK REACH Regulation

## STAMMOPUR GR

Revision date: 09.11.2025 No.: 83006 Page 8 of 11

CAS No	Chemical name	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7664-38-2	Phosphoric acid %; orth	nophosphori	c acid					
	Acute fish toxicity LC50 138 mg/l 9		96 h	Gambusia affinis				
	Acute algae toxicity ErC50 >100 72 h Desmodesm gg/l subspicatus			Desmodesmus subspicatus				
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Gambia magna			
63449-41-2	quaternary ammonium co	mpounds, b	enzyl-C8-18-	alkyldim	ethyl, chlorides			
	Acute crustacea toxicity	EC50 mg/l	0,016	48 h	Daphnie		OECD 201	
12645-31-7	Phosphoric acid-2 ethylhe	Phosphoric acid-2 ethylhexylester						
	Acute fish toxicity LC50 189-355 96 h Danio rerio mg/l						OECD 203A	

## 12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation	-	-	•				
68439-50-9	C12-C14 Fatty alcohol ethoxylate							
	OECD 301F	>60 %	28					
	easily biodegradable							
63449-41-2	quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides							
	OECD 301 D Closed-Bottle-Test	>60 %						
	easiliy biodegradable							
12645-31-7	Phosphoric acid-2 ethylhexylester							
	OECD 301 B	>60 %						
	easy biodegradable							
	OECD 302 B	74 %	28					
	OECD 301 D	82 %	21					

## 12.3. Bioaccumulative potential

On the basis of existing data about disposal/decomposition and bio-accumulation potential, long term environmental damage is unlikely.

## 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. not applicable

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

# DR·H·STAMM GmbH Chemische Fabrik

## **Safety Data Sheet**

according to UK REACH Regulation

## STAMMOPUR GR

Revision date: 09.11.2025 No.: 83006 Page 9 of 11

## 13.1. Waste treatment methods

#### **Disposal recommendations**

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

## List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

#### List of Wastes Code - used product

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT

KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals

consisting of or containing hazardous substances; hazardous waste

## Contaminated packaging

Completely emptied packings can be re-cycled.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number: UN1805

14.2. UN proper shipping name: PHOSPHORIC ACID, SOLUTION

14.3. Transport hazard class(es): 8 Ш 14.4. Packing group: Hazard label: 8 Classification code: C<sub>1</sub> Limited quantity: 5 L Transport category: 3 Hazard No: 80 Tunnel restriction code: Ε

## Marine transport (IMDG)

14.1. UN number or ID number: UN1805

14.2. UN proper shipping name: PHOSPHORIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Marine pollutant:noSpecial Provisions:223Limited quantity:5 LEmS:F-A, S-B

## Other applicable information (marine transport)

Excepted Quantity: E1

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN1805

14.2. UN proper shipping name: PHOSPHORIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 L

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

## DR·H·STAMM GmbH Chemische Fabrik

## **Safety Data Sheet**

according to UK REACH Regulation

## STAMMOPUR GR

Revision date: 09.11.2025 No.: 83006 Page 10 of 11

## Other applicable information (air transport)

Excepted Quantity: E1 Passenger-LQ: Y841

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## 14.6. Special precautions for user

No special precautionary measures are necessary.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2004/42/EC on VOC in

0 % (0 g/l)

paints and varnishes:

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Changes

Data changed from previous versions: 1.4., 2.3., 7.3., 9.1., 9.2., 11.2., 14.5, 14.6., 14.7., 15.2.

## Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

## Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

## **Further Information**

Training instructions: Follow the instructions for use on the label.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.



according to UK REACH Regulation

## STAMMOPUR GR

Revision date: 09.11.2025 No.: 83006 Page 11 of 11

## Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	STAMMOPUR GR	PW	20	35	8a, 9, 13	8b	0	96	

 LCS: Life cycle stages
 SU: Sectors of use

 PC: Product categories
 PROC: Process categories

 ERC: Environmental release categories
 AC: Article categories

TF: Technical functions

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Revision No: 1,06 GB - en Print date: 09.11.2025