Printing date 23.02.2024

ivoclar

Version number 4 (replaces version 3)

Revision: 21.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Variolink Esthetic Try-In

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

• Application of the substance / the mixture Water-soluble glycerine try-in paste

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Ivoclar Vivadent AG Bendererstrasse 2 9494 Schaan PRINCIPALITY OF LIECHTENSTEIN

Tel: +423 235 35 35 *Fax:* +423 235 33 60

 Further information obtainable from: Regulatory Affairs sds@ivoclar.com
 1.4 Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, 9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

· Signal word Void

• Hazard statements Void

• Additional information:

Medical devices as defined in Regulation (EU) 2017/745 (MDR) and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No. 1272/2008 (GB CLP/GHS) if they are in the finished state and intented for the final user.

Contains urethane dimethacrylate, 1,10-decandiol dimethacrylate. May produce an allergic reaction. Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	50-100%
CAS: 72869-86-4 EINECS: 276-957-5	urethane dimethacrylate Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	0.1-<1%
(Contd. on page 2		

Printing date 23.02.2024

Version number 4 (replaces version 3)

Revision: 21.02.2024

Trade name: Variolink Esthetic Try-In

		(Contd. of page 1)	
	CAS: 13463-67-7	titanium dioxide	<1%	
	EINECS: 236-675-5	Carc. 2, H351		
	Reg.nr.: 01-2119489379-17-xxxx			
Γ	CAS: 6701-13-9	1,10-decandiol dimethacrylate	0.1-<0.25%	
	EINECS: 229-745-1	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410		
	Reg.nr.: 01-2120735533-57-XXXX	(M=1); Skin Sens. 1, H317		
	• Additional information: For the wording of the listed hazard phrases refer to section 16.			

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- *Pick up mechanically. Ensure adequate ventilation.*
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Only adequately trained personnel should handle this product. For use in dentistry only.

(Contd. on page 3)

Printing date 23.02.2024

Version number 4 (replaces version 3)

Revision: 21.02.2024

Trade name: Variolink Esthetic Try-In

• Information about fire - and explosion protection: No special measures required.

(Contd. of page 2)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

· Information about storage in one common storage facility: Store away from oxidising agents.

• Further information about storage conditions:

This product is hygroscopic.

Keep container tightly sealed.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 56-81-5 glycerol

WEL Long-term value: 10 mg/m³

- Regulatory information WEL: EH40/2020
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Usual hygienic measures for dental practice and dental laboratories. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Avoid contact with the eves and skin.
- **Respiratory protection:** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- Recommended filter device for short term use:
- Combination filter A-P2
- Combination filter A-P3
- Hand protection



Protective gloves (EN 374)

After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB

Printing date 23.02.2024

Version number 4 (replaces version 3)

Revision: 21.02.2024

Trade name: Variolink Esthetic Try-In

(Contd. of page 3)

· Eye/face protection



×

Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

General Information	
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Partly soluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	D
Form:	Pasty
Important information on protection of health an	d
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable tiquias Flammable solids	Void
Flammable solias Self-reactive substances and mixtures	Void
Self-reactive substances and mixtures Pyrophoric liquids	Void
	voiu

Printing date 23.02.2024

Version number 4 (replaces version 3)

Revision: 21.02.2024

Trade name: Variolink Esthetic Try-In

		(Contd. of page 4)
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid Keep away from heat and direct sunlight.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None under normal conditions of storage and use.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information: No further relevant information available.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.

(Contd. on page 6)

Printing date 23.02.2024

Version number 4 (replaces version 3)

Revision: 21.02.2024

Trade name: Variolink Esthetic Try-In

(Contd. of page 5)

• 12.7 Other adverse effects • Additional ecological information:

• General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Void		
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Void		
· 14.3 Transport hazard class(es)			
· ADR/RID/ADN, ADN, IMDG, IATA	17 • 1		
· Class	Void		
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void		
	, 014		
 14.5 Environmental hazards: 			
· Marine pollutant:	No		
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Maritime transport in bulk according to IMO			
instruments	Not applicable.		
• Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).		
· UN "Model Regulation":	Void		

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

· Other regulations, limitations and prohibitive regulations

The product is a medical device according to Regulation 2017/745 on Medical Devices (MDR).

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

Printing date 23.02.2024

Version number 4 (replaces version 3)

Revision: 21.02.2024

Trade name: Variolink Esthetic Try-In

(Contd. of page 6)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.