

Revision nr. 7 Dated 06/12/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Product Name: ZETA 7 SOLUTION

Code: C810048

1.2. Relevant identified uses of the substance or mixture and uses advised against

For professional use only. Concentrated disinfectant for dental impressions.

1.3. Details of the supplier of the safety data sheet

Name

Zhermack S.p.a

Via Bovazecchino 100

45021 Badia Polesine (RO)

Italy

tel. +39 0425-597611

fax +39 0425-597689

Competent person responsible for the safety data sheet:

msds@zhermack.com

1.4. Emergency telephone number

UK Emergency number: 999 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Acute Tox. 4, H302 Harmful if swallowed.

Skin Corr. 1B, H314 Causes severe skin burns and eye damage.

Eye Dam. 1, H318 Causes serious eye damage.

STOT SE 3, H335 May cause respiratory irritation.

STOT SE 3, H336 May cause drowsiness or dizziness.

Aguatic Acute 1, H400 Very toxic to aguatic life.

Aquatic Chronic 2, H411 Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

Revision nr. 7 Page n. 1 of 24



P264 Wash hands thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Special Provisions:

EUH208 Contains (R)-p-mentha-1,8-diene; d-limonene. May produce an allergic reaction.

Contains

didecyldimethylammonium chloride

Butane-1,4 diol

2-phenoxyethanol

2-aminoethanol; ethanolamine

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 30% -	Butane-1,4 diol	CAS:	110-63-4	STOT SE 3 H336 May cause
< 40%		EC:	203-786-5	drowsiness or dizziness.
		REACH No.:	01-21194718	Acute Tox. 4 H302 Harmful if
			49-20-XXXX	swallowed.
>= 13% -	2-phenoxyethanol	Index	603-098-00-9	Acute Tox. 4 H302 Harmful if
< 20%		number:		swallowed.
		CAS:	122-99-6	Eye Dam. 1 H318 Causes serious
		EC:	204-589-7	eye damage.
		REACH No.:	01-21194889	STOT SE 3 H335 May cause
			43-21-XXXX	respiratory irritation.
				Acute Toxicity Estimate:
				ATE - Oral 1394 mg/kg bw
>= 10% -	acetic acid	Index	607-002-00-6	Flam. Liq. 3 H226 Flammable
< 12,5%		number:		liquid and vapour.
		CAS:	64-19-7	Skin Corr. 1A H314 Causes
		EC:	200-580-7	severe skin burns and eye
		REACH No.:	01-21194753	damage.
			28-30-XXXX	Specific Concentration Limits:
				C >= 90%: Skin Corr. 1A H314
				C >= 90%: Skin Corr. 1A H314
				25% <= C < 90%: Skin Corr. 1B
				H314
				25% <= C < 90%: Skin Corr. 1C



		T		
				H314 10% <= C < 25%: Skin Irrit. 2 H315 C >= 25%: Eye Dam. 1 H318
>= 8% - < 10%	2-aminoethanol; ethanolamine	Index number: CAS: EC: REACH No.:	603-030-00-8 141-43-5 205-483-3 01-21194864 55-28-XXXX	10% <= C < 25%: Eye Irrit. 2 H319 STOT SE 3 H335 May cause respiratory irritation. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Skin Corr. 1B H314 Causes severe skin burns and eye damage. Specific Concentration Limits: C >= 5%: STOT SE 3 H335
>= 5% - < 8%	didecyldimethylammon ium chloride	Index number: CAS: EC:	612-131-00-6 7173-51-5 230-525-2	Aquatic Acute 1 H400 Very toxic to aquatic life. M=10. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. M=1. Acute Tox. 3 H301 Toxic if swallowed. Skin Corr. 1B H314 Causes severe skin burns and eye damage.
>= 0,5% - < 2,5%	Polyalkyleneoxide modified heptamethyltrisiloxane	CAS:	27306-78-1	Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation.
>= 0,5% - < 2,5%	propan-2-ol; isopropyl alcohol; isopropanol	Index number: CAS: EC: REACH No.:	603-117-00-0 67-63-0 200-661-7 01-21194575 58-25-XXXX	STOT SE 3 H336 May cause drowsiness or dizziness. Flam. Liq. 2 H225 Highly flammable liquid and vapour. Eye Irrit. 2 H319 Causes serious eye irritation.
>= 0,1% - < 0,3%	(R)-p-mentha-1,8-dien e; d-limonene	Index number: CAS: EC: REACH No.:	601-096-00-2 5989-27-5 227-813-5 01-21195292 23-47-XXXX	Skin Sens. 1B H317 May cause an allergic skin reaction. Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Acute 1 H400 Very toxic to aquatic life. M=1. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Flam. Liq. 3 H226 Flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin



				irritation.
<0,1%	Diphenyl ether	CAS: EC: REACH No.:	101-84-8 202-981-2 01-21194725 45-33-XXXX	Aquatic Acute 1 H400 Very toxic to aquatic life. M=1. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Eye Irrit. 2 H319 Causes serious
				eye irritation.

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediatley and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Revision nr. 7



For non emergency personnel:

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

See section 10.5.

Instructions as regards storage premises:

Cool and adequately ventilated.

7.3. Specific end use(s)

See section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ZETA 7 SOLUTION

Butane-1,4 diol - CAS: 110-63-4

OEL Type	TWA		Duratio	STEL		Duratio	Notes	Country
			n			n		
MAK	200	50 ppm	8h	800	200	15min	Inhalable	GERMANY
	mg/m3			mg/m3	ppm			
MAK	200	50 ppm	8h	800	200	15min		AUSTRIA
	mg/m3			mg/m3	ppm			

2-phenoxyethanol - CAS: 122-99-6

OEL Type TWA	Duratio STEL	Duratio Notes	Country
--------------	--------------	---------------	---------



			n			n		
MV	110 mg/m3	20 ppm	8h	110 mg/m3	20 ppm	15min	Skin	SLOVENIA
MAK	110 mg/m3	20 ppm	8h	110 mg/m3	20 ppm	15min		SWITZERLA ND
HTP	110 mg/m3	20 ppm	8h	290 mg/m3	50 ppm	15min	Skin	FINLAND
MAK	110 mg/m3	20 ppm	8h	Ceiling 110 mg/m3	Ceiling 20 ppm	15min		AUSTRIA
NDS/NDSCh	230 mg/m3		8h					POLAND
VME/VLE	110 mg/m3	20 ppm	8h	110 mg/m3	20 ppm	15min		SWITZERLA ND
MAK	5.7 mg/m3	1 ppm	8h	5.7 mg/m3	1 ppm	15min		GERMANY
AGW	5.7 mg/m3	1 ppm	8h	Ceiling 5.7 mg/m3	Ceiling 1 ppm	15min		GERMANY

acetic acid - CAS: 64-19-7

OEL Type	TWA		Duratio	STEL		Duratio	Notes	Country
			n			n		
MAK	25	10 ppm	8h	50	20 ppm	15min		GERMANY
	mg/m3			mg/m3				
AGW	25	10 ppm	8h	50	20 ppm	15min		GERMANY
	mg/m3			mg/m3				
MAK	25	10 ppm	8h	50	20 ppm	15min		SWITZERLA
	mg/m3			mg/m3				ND
VME/VLE	25	10 ppm	8h	50	20 ppm	15min		SWITZERLA
	mg/m3			mg/m3				ND
MV	25	10 ppm	8h	50	20 ppm	15min		SLOVENIA
	mg/m3			mg/m3				
AK	25		8h	50		15min		HUNGARY
	mg/m3			mg/m3				
GVI/KGVI	25	10 ppm	8h	50	20 ppm	15min		CROATIA
	mg/m3			mg/m3				
HTP	13	5 ppm	8h	25	10 ppm	15min		FINLAND
	mg/m3			mg/m3				
MAK	25	10 ppm	8h	50	20 ppm	15min		AUSTRIA
	mg/m3			mg/m3				
NDS/NDSCh	25		8h	50		15min		POLAND
	mg/m3			mg/m3				
NGV/KGV	13	5 ppm	8h	25	10 ppm	15min		SWEDEN
	mg/m3			mg/m3				
NPEL	25	10 ppm	8h	50	20 ppm	15min		SLOVAKIA
	mg/m3			mg/m3				(Slovak
								Republic)
EU	25	10 ppm	8h	50	20 ppm			
	mg/m3			mg/m3				
OELV	25	10 ppm	8h	50	20 ppm	15min		IRELAND
	mg/m3			mg/m3				
RD	25	10 ppm	8h	50	20 ppm	15min		LITHUANIA



	mg/m3			mg/m3				
RV	25	10 ppm	8h	50	20 ppm	15min		LATVIA
	mg/m3			mg/m3				
TGG	25		8h	50		15min		NETHERLAN
	mg/m3			mg/m3				DS
TLV	25	10 ppm	8h	25	10 ppm	15min		ESTONIA
	mg/m3			mg/m3				
TLV	25	10 ppm	8h	50	20 ppm	15min		MALTA
	mg/m3			mg/m3				
TLV	25	10 ppm	8h	50	20 ppm	15min		NORWAY
	mg/m3			mg/m3				
TLV	25	10 ppm	8h	50	20 ppm	15min		ROMANIA
	mg/m3			mg/m3				
TLV	25	10.2	8h	50	20.4	15min		CZECH
	mg/m3	ppm		mg/m3	ppm			REPUBLIC
TLV	25	10 ppm	8h					DENMARK
	mg/m3							
TLV	25	10 ppm	8h	50	20 ppm	15min		CYPRUS
	mg/m3			mg/m3				
TLV	25	10 ppm	8h	37	15 ppm	15min		GREECE
	mg/m3			mg/m3				
VL	25	10 ppm	8h	50	20 ppm	15min		LUXEMBOUR
	mg/m3			mg/m3				G
VLE	25	10 ppm	8h	50	20 ppm	15min		PORTUGAL
	mg/m3			mg/m3				
VLEP				25	10 ppm	15min		FRANCE
				mg/m3				
VLEP	25	10 ppm	8h	50	20 ppm	15min		ITALY
	mg/m3			mg/m3				
VLEP	25	10 ppm	8h	38	15 ppm	15min		BELGIUM
	mg/m3			mg/m3				
WEL	25	10 ppm	8h	50	20 ppm	15min		UNITED
	mg/m3			mg/m3				KINGDOM
VLA	25	10 ppm	8h	50	20 ppm	15min		SPAIN
	mg/m3			mg/m3				
ACGIH		10 ppm	8h		15 ppm		URT and	
							eye irr,	
							pulm func	

2-aminoethanol; ethanolamine - CAS: 141-43-5

OEL Type	TWA		Duratio n	STEL		Duratio n	Notes	Country
AGW	0.5 mg/m3	0.2 ppm	8h	0.5 mg/m3	0.2 ppm	15min	Inhalable fraction and vapour	GERMANY
MAK	0.51 mg/m3	0.2 ppm	8h	0.51 mg/m3	0.2 ppm	15min	Inhalable fraction and vapour	GERMANY
VME/VLE	5 mg/m3	2 ppm	8h	10 mg/m3	4 ppm	15min		SWITZERLA ND
MV	2.5	1 ppm	8h	7.6	3 ppm	15min		SLOVENIA



	mg/m3			mg/m3		1		
MAK	5	2 ppm	8h	10	4 ppm	15min		SWITZERLA
	mg/m3	_ pp	0	mg/m3		10111111		ND
AK	2.5		8h	7.6		15min		HUNGARY
	mg/m3			mg/m3				
GVI/KGVI	2.5	1 ppm	8h	7.6	3 ppm	15min		CROATIA
	mg/m3	''		mg/m3				
HTP	2.5	1 ppm	8h	7.6	3 ppm	15min		FINLAND
	mg/m3			mg/m3				
MAK	2.5	1 ppm	8h	7.6	3 ppm	15min		AUSTRIA
	mg/m3			mg/m3				
NDS/NDSCh	2.5		8h	7.5		15min		POLAND
	mg/m3			mg/m3				
NGV/KGV	2.5	1 ppm	8h	7.5	3 ppm	15min		SWEDEN
	mg/m3			mg/m3				
NPEL	2.5	1 ppm	8h	7.6	3 ppm	15min		SLOVAKIA
	mg/m3			mg/m3				(Slovak
		1.		1			<u> </u>	Republic)
EU	2.5	1 ppm	8h	7.6	3 ppm		Skin	
0=1.1	mg/m3	<u> </u>		mg/m3	<u> </u>	·- ·		1551 4115
OELV	2.5	1 ppm	8h	7.6	3 ppm	15min		IRELAND
DD	mg/m3	4	Ol-	mg/m3	0	45		1.171.11.14.811.4
RD	2.5	1 ppm	8h	7.6	3 ppm	15min		LITHUANIA
DV	mg/m3	0.0	Ol-	mg/m3	0	45		1.4.7.//.4
RV	0.5	0.2	8h	7.6	3 ppm	15min		LATVIA
TGG	mg/m3 2.5	ppm	8h	mg/m3 7.6		15min		NETHERLAN
166	mg/m3		OII	mg/m3		13111111		DS
TLV	2.5	1 ppm	8h	7.6	3 ppm	15min		GREECE
I L V	mg/m3	Γρριιι	011	mg/m3	3 ррпп	1311111		OKLLOL
TLV	2.5	1 ppm	8h	7.6	3 ppm	15min		ESTONIA
124	mg/m3	, pp	011	mg/m3	Оррии	10111111		201011111
TLV	2.5	1 ppm	8h	7.6	3 ppm	15min		MALTA
,	mg/m3		0	mg/m3	о рр	10111111		
TLV	2.5	1 ppm	8h					NORWAY
	mg/m3							
TLV	2.5	1 ppm	8h	7.6	3 ppm	15min		ROMANIA
	mg/m3			mg/m3				
TLV	2.5	1 ppm	8h	5	2 ppm	15min		DENMARK
	mg/m3			mg/m3	1			
TLV	2.5	1 ppm	8h	7.6	3 ppm	15min		BULGARIA
	mg/m3	'		mg/m3	''			
VL	2.5	1 ppm	8h	7.6	3 ppm	15min		LUXEMBOUR
	mg/m3			mg/m3				G
VLE	2.5	1 ppm	8h	7.6	3 ppm	15min		PORTUGAL
	mg/m3			mg/m3				
VLEP	2.5	1 ppm	8h	7.6	3 ppm	15min		FRANCE
	mg/m3	1		mg/m3				
VLEP	2.5	1 ppm	8h	7.6	3 ppm	15min	Skin	ITALY
	mg/m3	1		mg/m3				
VLEP	2.5	1 ppm	8h	7.6	3 ppm	15min		BELGIUM
	mg/m3	1		mg/m3				
WEL	2.5	1 ppm	8h	7.6	3 ppm	15min		UNITED
	mg/m3			mg/m3				KINGDOM



VLA	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min	Skin	SPAIN
ACGIH		3 ppm	8h		6 ppm		Eye and skin irr	
TLV-ACGIH		3 ppm	8h		6 ppm	15min	Eye and skin irr	

didecyldimethylammonium chloride - CAS: 7173-51-5

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
No data available						

Polyalkyleneoxide modified heptamethyltrisiloxane - CAS: 27306-78-1

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
No data available						

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

OEL Type	TWA		Duratio	STEL		Duratio	Notes	Country
			n			n		
AGW	500	200	8h	1000	400	15min		GERMANY
	mg/m3	ppm		mg/m3	ppm			
MAK	500	200	8h	1000	400	15min		GERMANY
	mg/m3	ppm		mg/m3	ppm			
MAK	500	200	8h	1000	400	15min		SWITZERLA
	mg/m3	ppm		mg/m3	ppm			ND
VME/VLE	500	200	8h	1000	400	15min		SWITZERLA
	mg/m3	ppm		mg/m3	ppm			ND
MV	500	200	8h	2000	800	15min		SLOVENIA
	mg/m3	ppm		mg/m3	ppm			
AK	500		8h	2000		15min	Skin	HUNGARY
	mg/m3			mg/m3				
GVI/KGVI	999	400	8h	1250	500	15min		CROATIA
	mg/m3	ppm		mg/m3	ppm			
MAK	500	200	8h	2000	800	15min		AUSTRIA
	mg/m3	ppm		mg/m3	ppm			
NDS/NDSCh	900		8h	1200		15min	Skin	POLAND
	mg/m3			mg/m3				
NGV/KGV	350	150	8h	Ceiling	Ceiling	15min		SWEDEN
	mg/m3	ppm		600	250			
				mg/m3	ppm			
NPEL	500	200	8h	1000	400	15min		SLOVAKIA
	mg/m3	ppm		mg/m3	ppm			(Slovak
								Republic)
OELV		200	8h		400	15min	Skin	IRELAND
		ppm			ppm			
RD	350	150	8h	600	250	15min		LITHUANIA
	mg/m3	ppm		mg/m3	ppm			
RV	350		8h	600		15min		LATVIA
	mg/m3			mg/m3				
TGG	650		8h					NETHERLAN



	mg/m3							DS
TLV	350	150	8h	600	250	15min		ESTONIA
	mg/m3	ppm		mg/m3	ppm			
TLV	245	100	8h					NORWAY
	mg/m3	ppm						
TLV	200	81 ppm	8h	500	203	15min		ROMANIA
	mg/m3			mg/m3	ppm			
TLV	500	203.5	8h	1000	407	15min		CZECH
	mg/m3	ppm		mg/m3	ppm			REPUBLIC
TLV	490	200	8h					DENMARK
	mg/m3	ppm						
TLV	980		8h	1225		15min		BULGARIA
	mg/m3			mg/m3				
TLV	980	400	8h	1225	500	15min		GREECE
	mg/m3	ppm		mg/m3	ppm			
TLV-ACGIH		200	8h		400	15min		
		ppm			ppm			
VLEP				980	400	15min		FRANCE
				mg/m3	ppm			
VLEP	500	200	8h	1000	400	15min		BELGIUM
	mg/m3	ppm		mg/m3	ppm			
WEL	999	400	8h	1250	500	15min		UNITED
	mg/m3	ppm		mg/m3	ppm			KINGDOM
VLA	500	200	8h	1000	400	15min		SPAIN
	mg/m3	ppm		mg/m3	ppm			
ACGIH		200	8h		400		A4, BEI -	
		ppm			ppm		Eye and	
							URT irr,	
							CNS	
							impair	

(R)-p-mentha-1,8-diene; d-limonene - CAS: 5989-27-5

OEL Type	TWA		Duratio	STEL		Duratio	Notes	Country
			n			n		
AGW	28 mg/m3	5 ppm	8h	112 mg/m3	20 ppm	15min		GERMANY
MAK	28 mg/m3	5 ppm	8h	110 mg/m3	20 ppm	15min		GERMANY
HTP	140 mg/m3	25 ppm	8h	280 mg/m3	50 ppm	15min		FINLAND
MAK	40 mg/m3	7 ppm	8h	80 mg/m3	14 ppm	15min		SWITZERLA ND

Diphenyl ether - CAS: 101-84-8

OEL Type	TWA		Duratio	STEL		Duratio	Notes	Country
			n			n		
AGW	7.1 mg/m3	1 ppm	8h	7.1 mg/m3	1 ppm	15min	Inhalable	GERMANY
MAK	7.1 mg/m3	1 ppm	8h	7.1 mg/m3	1 ppm	15min	Inhalable	GERMANY
OELV	7 mg/m3	1 ppm	8h					IRELAND

Revision nr. 7 Page n. 10 of 24



NDS/NDSCh	7		8h	14		15min		POLAND
	mg/m3			mg/m3				
TLV	5	0.7	8h	10	1.4	15min		ROMANIA
	mg/m3	ppm		mg/m3	ppm			
VLA	7.1	1 ppm	8h	14.2	2 ppm	15min		SPAIN
	mg/m3			mg/m3				
MAK	7	1 ppm	8h	7	1 ppm	15min		SWITZERLA
	mg/m3			mg/m3				ND
WEL	7.1	1 ppm	8h					UNITED
	mg/m3							KINGDOM
VLEP	7	1 ppm	8h	14	2 ppm	15min		BELGIUM
	mg/m3			mg/m3				
MAK	7	1 ppm	8h					AUSTRIA
	mg/m3							
TLV	7	1 ppm	8h	14	2 ppm	15min		DENMARK
	mg/m3			mg/m3				
EU	7	1 ppm	8h	14	2 ppm			
	mg/m3			mg/m3	''			
HTP	7	1 ppm	8h	21	3 ppm	15min		FINLAND
	mg/m3			mg/m3	''			
VLEP	7	1 ppm	8h					FRANCE
	mg/m3							
ACGIH		1 ppm	8h		2 ppm		(V) - URT	
		''			''		and eye	
							irr, nausea	

DNEL Exposure Limit Values

Butane-1,4 diol - CAS: 110-63-4

Worker Professional: 19 mg/kg bw/d - Exposure: Human Dermal - Frequency: Long

Term, systemic effects

Worker Professional: 136 mg/m3 - Exposure: Human Inhalation - Frequency: Long

Term, systemic effects

Consumer: 8 mg/kg bw/d - Exposure: Human Dermal - Frequency: Long Term,

systemic effects

Consumer: 29 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic

effects

Worker Professional: 958 mg/m3 - Consumer: 340 mg/m3 - Exposure: Human

Inhalation - Frequency: Short Term, systemic effects

2-phenoxyethanol - CAS: 122-99-6

Worker Professional: 5.07 mg/m3 - Exposure: Human Inhalation - Frequency: Long

Term. local effects

Consumer: 9.23 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic

effects

Consumer: 10.42 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term,

systemic effects

Consumer: 2.41 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term,

systemic effects

Consumer: 9.23 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic

effects

Worker Professional: 20.83 mg/kg - Exposure: Human Dermal - Frequency: Long

Term, systemic effects

Worker Professional: 5.07 mg/m3 - Exposure: Human Inhalation - Frequency: Long

Term, systemic effects

acetic acid - CAS: 64-19-7



Consumer: 25 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Consumer: 25 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 25 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Professional: 25 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term. systemic effects

2-aminoethanol: ethanolamine - CAS: 141-43-5

Worker Professional: 3.3 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Consumer: 2 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Professional: 1 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 0.24 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 3.75 mg/kg/d - Exposure: Human Oral - Frequency: Long Term, systemic effects

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

Consumer: 319 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 89 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 26 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Professional: 888 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 500 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

(R)-p-mentha-1,8-diene; d-limonene - CAS: 5989-27-5

Consumer: 4.8 mg/kg/d - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 16.6 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 66.7 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 4.8 mg/kg bw/d - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Worker Professional: 9.5 mg/kg bw/d - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Diphenyl ether - CAS: 101-84-8

Worker Professional: 7 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Professional: 59 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 25 mg/kg bw/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Butane-1,4 diol - CAS: 110-63-4

Target: Fresh Water - Value: 0.813 mg/l Target: Marine water - Value: 0.081 mg/l Target: intermittent release - Value: 8.13 mg/l

Target: Microorganisms in sewage treatments - Value: 1554 mg/l

Target: Soil (agricultural) - Value: 0.244 mg/kg

2-phenoxyethanol - CAS: 122-99-6



Target: Freshwater sediments - Value: 7.2366 mg/kg Target: Marine water sediments - Value: 0.7237 mg/kg Target: Microorganisms in sewage treatments - Value: 24.8 mg/l Target: Soil (agricultural) - Value: 1.26 mg/kg Target: Fresh Water - Value: 0.943 mg/l Target: intermittent release - Value: 3.44 mg/l Target: Marine water - Value: 0.0943 mg/l acetic acid - CAS: 64-19-7 Target: Soil (agricultural) - Value: 0.478 mg/kg Target: Fresh Water - Value: 3.058 mg/l Target: intermittent release - Value: 3.058 mg/l Target: Marine water - Value: 0.3058 mg/l Target: Freshwater sediments - Value: 11.36 mg/kg Target: Marine water sediments - Value: 1.136 mg/kg Target: Microorganisms in sewage treatments - Value: 85 mg/l 2-aminoethanol; ethanolamine - CAS: 141-43-5 Target: Soil (agricultural) - Value: 0.037 mg/kg Target: intermittent release - Value: 0.025 mg/l Target: Freshwater sediments - Value: 0.434 mg/kg Target: Marine water sediments - Value: 0.043 mg/kg Target: Microorganisms in sewage treatments - Value: 100 mg/l Target: Fresh Water - Value: 0.085 mg/l Target: Marine water - Value: 0.009 mg/l propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0 Value: 552 mg/kg Target: Soil (agricultural) - Value: 28 mg/kg Target: Fresh Water - Value: 140.9 mg/l Target: Marine water - Value: 140.9 mg/l Target: Freshwater sediments - Value: 552 mg/kg (R)-p-mentha-1,8-diene; d-limonene - CAS: 5989-27-5 Target: Fresh Water - Value: 0.014 mg/l Target: Marine water - Value: 0.0014 mg/l Target: Freshwater sediments - Value: 3.85 mg/kg Target: Marine water sediments - Value: 0.385 mg/kg Target: Microorganisms in sewage treatments - Value: 1.8 mg/l Target: Soil (agricultural) - Value: 0.763 mg/kg Target: Food chain - Value: 133 mg/kg Diphenyl ether - CAS: 101-84-8 Target: Fresh Water - Value: 0 mg/l Target: Marine water - Value: 0 mg/l Target: Freshwater sediments - Value: 0.093 mg/kg Target: Marine water sediments - Value: 0.009 mg/kg Target: intermittent release - Value: 0.005 mg/l Target: Microorganisms in sewage treatments - Value: 10 mg/l Target: Soil (agricultural) - Value: 0.018 mg/kg Biological Exposure Index propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0 Value: 40 mg/L - Biological Indicator: Acetone in urine - Sampling Period: End of turn; End of working week

8.2. Exposure controls

Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled.

Eye protection:

Wear airtight protective goggles (EN 166).

Protection for skin:

Wear professional overalls and safety footwear (EN 14605).

Revision nr. 7 Page n. 13 of 24



Protection for hands:

Protect hands with work gloves (EN 374).

The following should be considered when choosing work glove material (EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered (e.g. TLV-TWA).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	N.A.		
Colour:	Yellow		
Odour:	Lemon		
Melting point/freezing point:	Not available		
Boiling point or initial boiling point and boiling range:	Not available		
Flammability:	Not available		
Lower and upper explosion limit:	Not available		
Flash point:	> 100 ° C	EN ISO 3679	
Auto-ignition temperature:	Not available		
Decomposition temperature:	Not available		
pH:	Not available		
Kinematic viscosity:	Not available		
Solubility in water:	Soluble		
Solubility in oil:	Not available		
Partition coefficient n-octanol/water (log value):	Not Relevant		
Vapour pressure:	Not available		
Density and/or relative density:	1.01 - 1.09 g/cm3		
Relative vapour density:	Not available		
	Particle characteristics:		
Particle size:	Not available		

9.2. Other information

No other relevant information

Revision nr. 7 Page n. 14 of 24



SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

10.4. Conditions to avoid

Avoid bunching of electrostatic charges.

Heat, direct sunlight.

Avoid moisture and high temperature.

10.5. Incompatible materials

Avoid contact with strong oxidizing materials.

Acids

Alkalis

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

ZETA 7 SOLUTION

a) acute toxicity

The product is classified: Acute Tox. 4 H302

ATEmix - Oral 884,635 mg/kg bw

b) skin corrosion/irritation

The product is classified: Skin Corr. 1B H314

c) serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

d) respiratory or skin sensitisation

Not classified

e) germ cell mutagenicity

Not classified

f) carcinogenicity

Not classified

g) reproductive toxicity

Not classified

h) STOT-single exposure

The product is classified: STOT SE 3 H335; STOT SE 3 H336

i) STOT-repeated exposure

Not classified

i) aspiration hazard

Not classified

Toxicological information of the main substances found in the product:

Butane-1,4 diol - CAS: 110-63-4

Revision nr. 7 Page n. 15 of 24



a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 5.1 mg/l - Duration: 4h - Source: (OECD 403, ECHA dossier).

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: (study report, ECHA dossier)

Test: LD50 - Route: Oral - Species: Rat 1500 mg/kg - Source: (study report, ECHA dossier).

b) skin corrosion/irritation:

Species: Rabbit - Based on available data, the classification criteria are not met - Source: (Draize test, ECHA dossier).

c) serious eye damage/irritation:

Species: Rabbit - Based on available data, the classification criteria are not met - Source: (Draize test, ECHA dossier).

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Species: Guinea pig - Based on available data, the classification criteria are not met - Source: (Guinea pig maximization test, ECHA dossier).

e) germ cell mutagenicity:

Test: In vitro - Negative - Source: (OECD 476, GLP, ECHA dossier).

Test: In vivo - No data available for the product

f) carcinogenicity:

No data available for the product

i) aspiration hazard:

Test: Developmental toxicity - Route: Inhalation - Species: Mouse - Not applicable - Source: (MSDS supplier).

2-phenoxyethanol - CAS: 122-99-6

a) acute toxicity

ATE - Oral 1394 mg/kg bw

Test: LD50 - Route: Skin - Species: Rabbit 5000 mg/kg - Source: (MSDS supplier).

Test: LD50 - Route: Oral - Species: Rat 1394 mg/kg - Source: Annex VI, CLP

b) skin corrosion/irritation:

Species: Rabbit - Based on available data, the classification criteria are not met - Source: (OECD 404, MSDS supplier).

c) serious eye damage/irritation:

Species: Rabbit - Eye Irritant - Source: (OECD 405, MSDS supplier).

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Species: Guinea pig - Based on available data, the classification criteria are not met - Source: (OECD 406, MSDS supplier).

acetic acid - CAS: 64-19-7

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 16000 ppm - Duration: 4h - Source: (MSDS supplier).

Test: LD50 - Route: Oral - Species: Rat 3310 mg/kg - Source: (MSDS supplier).

b) skin corrosion/irritation:

Species: Rabbit - Skin Corrosive - Source: (OECD 404, MSDS supplier).

c) serious eye damage/irritation:

Species: Rabbit - Eye Corrosive - Source: (OECD 405, MSDS supplier).

e) germ cell mutagenicity:

Test: In vitro - Negative - Source: (MSDS supplier).

Test: In vivo - Negative - Source: (MSDS supplier).

g) reproductive toxicity:

Negative - Source: (MSDS supplier).

2-aminoethanol; ethanolamine - CAS: 141-43-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 1515 mg/kg - Source: (OECD 401, MSDS supplier).



Test: LC50 - Route: Inhalation - Species: Rat > 1.3 mg/l - Duration: ZHE_6H - Source: (IRT, MSDS supplier).

Test: LD50 - Route: Skin - Species: Rabbit 2504 mg/kg - Source: (OECD 402, MSDS supplier).

b) skin corrosion/irritation:

Species: Rabbit - Skin Corrosive - Source: (OECD 404, MSDS supplier).

c) serious eye damage/irritation:

Species: Rabbit - Eye Corrosive - Source: (OECD 405, MSDS supplier).

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Species: Guinea pig - Based on available data, the classification criteria are not met - Source: (OECD 406, MSDS supplier).

didecyldimethylammonium chloride - CAS: 7173-51-5

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg - Source: (OECD 402, ECHA dossier).

Test: LD50 - Route: Oral - Species: Rat 658 mg/kg - Source: (OECD TG 401, ECHA dossier).

b) skin corrosion/irritation:

Species: Rabbit - Skin Irritant - Source: (OECD 404, MSDS supplier).

c) serious eye damage/irritation:

No data available for the product

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Species: Guinea pig - Negative - Source: (US-EPA, Buehler Test, MSDS supplier).

e) germ cell mutagenicity:

Test: In vitro - Species: Salmonella Typhimurium - Negative - Source: (OECD 471, Test di ames, MSDS supplier).

Test: In vivo - Route: Oral - Species: Rat - Negative - Source: (OECD 475, MSDS supplier).

f) carcinogenicity:

No data available for the product

g) reproductive toxicity:

No data available for the product

j) aspiration hazard:

No data available for the product

Polyalkyleneoxide modified heptamethyltrisiloxane - CAS: 27306-78-1

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat 2 mg/l - Duration: 4h - Source: (MSDS supplier)

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/l - Source: (MSDS supplier)

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/l - Source: (MSDS supplier).

b) skin corrosion/irritation:

Species: Rat - Based on available data, the classification criteria are not met - Source: (MSDS supplier).

c) serious eye damage/irritation:

Species: Rabbit - Eye Irritant - Source: (MSDS supplier).

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Species: Guinea pig - Based on available data, the classification criteria are not met - Source: (MSDS supplier).

e) germ cell mutagenicity:

Test: In vitro - Negative - Source: (Test di ames, MSDS supplier).

Test: In vivo - Species: Mouse - Negative - Source: (MSDS supplier).

f) carcinogenicity:

No data available for the product

g) reproductive toxicity:

No data available for the product



h) STOT-single exposure:

No data available for the product

i) STOT-repeated exposure:

No data available for the product

j) aspiration hazard:

No data available for the product

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg - Source: (MSDS supplier). Test: LC50 - Route: Inhalation - Species: Rat > 20 mg/l - Duration: 4h - Source: (MSDS

supplier).

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg - Source: (MSDS supplier).

(R)-p-mentha-1,8-diene; d-limonene - CAS: 5989-27-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg - Source: (OECD 423, ECHA dossier).

b) skin corrosion/irritation:

Species: Rabbit - Skin Irritant - Source: (comparable to OECD 404, in vivo, ECHA dossier).

c) serious eye damage/irritation:

Species: Rabbit - Based on available data, the classification criteria are not met - Source: (comparable to OECD 404, in vivo, ECHA dossier).

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Species: Mouse - Positive - Source: (OECD 429, in vivo, Mouse local lymphnode assay, ECHA dossier).

e) germ cell mutagenicity:

Test: In vitro - Negative - Source: (OECD 476, 473, 479, ECHA dossier).
Test: In vivo - Route: Oral - Species: Rat - Negative - Source: (publication, ECHA

dossier).

f) carcinogenicity:

Species: Rat - Notes: Mechanism of nephrocarcinogenicity male-rat specific. Not relevant for humans. - Positive - Source: (similar to OECD 451, GLP, ECHA dossier).

g) reproductive toxicity:

Insufficient data

i) STOT-repeated exposure:

Test: NOAEL - Species: Rat 1650 mg/kg - Source: (similar to OECD 407, GLP, ECHA dossier).

i) aspiration hazard:

No data available for the product

Diphenyl ether - CAS: 101-84-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg - Source: (ECHA dossier).

b) skin corrosion/irritation:

Species: Rabbit - Based on available data, the classification criteria are not met - Source: (FIFRA-TSCA, GLP, ECHA dossier).

c) serious eye damage/irritation:

Species: Rabbit - Eye Irritant - Source: (ECHA dossier).

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Based on available data, the classification criteria are not met - Source: (epicutaneous test, ECHA dossier).

e) germ cell mutagenicity:

Test: In vitro - Negative - Source: (ECHA dossier).

i) STOT-repeated exposure:

Route: Skin - Species: Rat - Negative - Source: (ECHA dossier).

11.2. Information on other hazards

Revision nr. 7 Page n. 18 of 24



Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

ZETA 7 SOLUTION

The product is classified: Aquatic Acute 1 - H400; Aquatic Chronic 2 - H411

Butane-1,4 diol - CAS: 110-63-4

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 813 mg/l - Duration h: 48h (OECD 202, GLP, Daphnia magna, freshwater, ECHA dossier).

Endpoint: LC50 - Species: Fish > 30000 mg/l - Duration h: 96h (study report,

Pimephales promelas, freshwater, ECHA dossier).

2-phenoxyethanol - CAS: 122-99-6

a) Aquatic acute toxicity:

Endpoint: EC10 - Species: Daphnia > 100 mg/l - Duration h: 48h (MSDS supplier).

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72h (MSDS supplier).

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96h (MSDS supplier).

acetic acid - CAS: 64-19-7

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 301 mg/l - Duration h: 48h (OECD 202, Daphnia magna, MSDS supplier).

Endpoint: LC50 - Species: Fish > 301 mg/l - Duration h: 96h (similar to OECD 203, Oncorhynchus mykiss, MSDS supplier).

Endpoint: LC50 - Species: Algae > 301 - Duration h: 72h (MSDS supplier).

2-aminoethanol; ethanolamine - CAS: 141-43-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 27.04 mg/l - Duration h: 48h (OECD 202, Daphnia magna, MSDS supplier).

Endpoint: IC50 - Species: Algae 2.8 mg/l - Duration h: 72h (OECD 201, Selenastrum capricornutum, MSDS supplier).

Endpoint: LC50 - Species: Fish 349 mg/l - Duration h: 96h (Cyprinus carpio, MSDS supplier).

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish 1.2 - Duration h: 30d (OECD 210, Oryzias latipes, MSDS supplier).

Endpoint: NOEC - Species: Daphnia 0.85 - Duration h: 21d (OECD 211, Daphnia magna, MSDS supplier).

didecyldimethylammonium chloride - CAS: 7173-51-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 0.029 mg/l - Duration h: 48h (OECD 202, Daphnia magna, ECHA dossier).

Endpoint: LC50 - Species: Fish 0.49 mg/l - Duration h: 96h (OECD 203, Danio rerio, ECHA dossier).

Endpoint: NOEC - Species: Daphnia 0.021 mg/l (OECD 211, 21 d, Daphnia magna, ECHA dossier).

Endpoint: IC50 - Species: Algae 0.062 mg/l - Duration h: 72h (OECD 201,

Pseudokirchneriella subcapitata, ECHA dossier).

Polyalkyleneoxide modified heptamethyltrisiloxane - CAS: 27306-78-1

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 6.8 mg/l - Duration h: 96h (Brachydanio rerio, MSDS supplier)

Endpoint: IC50 - Species: Algae 32 mg/l - Duration h: 72h (Pseudokirchneriella subcapitata, MSDS supplier)

Revision nr. 7 Page n. 19 of 24



Endpoint: EC50 - Species: Daphnia 25 mg/l - Duration h: 48h (Daphnia similis, MSDS supplier).

Endpoint: NOEC - Species: Fish 3.2 mg/l (Oncorhynchus mykiss, 96h, MSDS supplier). Endpoint: NOEC - Species: Daphnia 5.6 mg/l (Daphnia magna, 48h, MSDS supplier).

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 10000 mg/l - Duration h: 48h (similar to OECD 202. Daphnia magna. ECHA dossier).

Endpoint: LC50 - Species: Fish 9640 mg/l - Duration h: 96h (similar to OECD 203, Pimephales promelas, ECHA dossier).

(R)-p-mentha-1,8-diene; d-limonene - CAS: 5989-27-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 0.307 mg/l - Duration h: 48h (OECD 202, Daphnia magna, static, freshwater, ECHA dossier).

Endpoint: LC50 - Species: Fish < 1 mg/l - Duration h: 96h (similar or equivalent to OECD 203, Pimephales promelas, freshwater, ECHA dossier).

Endpoint: IC50 - Species: Algae < 0.32 mg/l - Duration h: 72h (OECD 201.

Pseudokirchneriella subcapitata, ECHA dossier).

Diphenyl ether - CAS: 101-84-8

a) Aquatic acute toxicity:

Endpoint: EC10 - Species: Fish 4.2 mg/l - Duration h: 96h (study report, Oncorhynchus mykiss, ECHA dossier).

Endpoint: EC50 - Species: Daphnia 1.7 mg/l - Duration h: 48h (OECD 202, Daphnia magna, ECHA dossier).

12.2. Persistence and degradability

Butane-1,4 diol - CAS: 110-63-4

Biodegradability: Readily biodegradable

2-phenoxyethanol - CAS: 122-99-6

Biodegradability: Readily biodegradable

2-aminoethanol; ethanolamine - CAS: 141-43-5

Biodegradability: Readily biodegradable

didecyldimethylammonium chloride - CAS: 7173-51-5

Biodegradability: Readily biodegradable

Polyalkyleneoxide modified heptamethyltrisiloxane - CAS: 27306-78-1

Biodegradability: Non-readily biodegradable

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

Biodegradability: Readily biodegradable

(R)-p-mentha-1.8-diene: d-limonene - CAS: 5989-27-5

Biodegradability: Readily biodegradable

Diphenyl ether - CAS: 101-84-8

Biodegradability: Readily biodegradable

12.3. Bioaccumulative potential

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

Test: Kow - Partition coefficient 0.05

12.4. Mobility in soil

Not available

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Revision nr. 7 Page n. 20 of 24



Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information





14.1. UN number or ID number

ADR-UN Number: 3265 IATA-UN Number: 3265 IMDG-UN Number: 3265

14.2. UN proper shipping name

ADR-Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.(acetic

acid, didecyldimethylammonium chloride)

IATA-Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.(acetic

acid, didecyldimethylammonium chloride)

IMDG-Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.(acetic

acid, didecyldimethylammonium chloride)

14.3. Transport hazard class(es)

ADR-Class: 8
IATA-Class: 8
IATA-Label: 8
IMDG-Class: 8

14.4. Packing group

ADR-Packing Group: II IATA-Packing group: II IMDG-Packing group: II

14.5. Environmental hazards

ADR-Enviromental Pollutant: Yes

IMDG-Marine pollutant: Marine Pollutant IMDG-EmS: F-A , S-B

14.6. Special precautions for user

ADR-Subsidiary hazards: - ADR-S.P.: 274

ADR-Transport category (Tunnel restriction code): 2 (E)

ADR - Hazard identification number: 80
IATA-Passenger Aircraft: 851
IATA-Subsidiary hazards: IATA-Cargo Aircraft: 855
IATA-S.P.: A3 A803
IATA-ERG: 8L
IMDG-Subsidiary hazards: -

IMDG-Stowage and handling: Category B SW2
IMDG-Segregation: SGG1 SG36 SG49

14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

SECTION 15: Regulatory information

Revision nr. 7 Page n. 21 of 24



15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

```
Dir. 98/24/EC (Risks related to chemical agents at work)
```

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

No restriction.

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: E1, E2

Composition according to Annex VII.a of Reg. (EC) 648/2004:

15% = x < 30%: disinfectant;

5% = x < 15%: cationic surfactants

< 5%: non-ionic surfactants

Parfum (Limonene, Citral, Linalool, Geraniol, Citronellol, Hexyl Cinnamal)

WGK Classification (Water hazard class - Verwaltungsvorschrift wassergefährdende Stoffe) WGK3 - Highly hazardous for water

Lagerklasse according to TRGS 510:

LGK 8A: Combustible corrosive substances

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: didecyldimethylammonium chloride.

California Proposition 65

Substance(s) listed under California Proposition 65:

None.

Revision nr. 7 Page n. 22 of 24



15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out:

Butane-1,4 diol 2-phenoxyethanol acetic acid

2-aminoethanol; ethanolamine

propan-2-ol; isopropyl alcohol; isopropanol

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Hazard class and	Code	Description
hazard category		
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Corr. 1C	3.2/1C	Skin corrosion, Category 1C
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Acute Tox. 4, H302	Calculation method
Skin Corr. 1B, H314	Calculation method
Eye Dam. 1, H318	Calculation method
STOT SE 3, H335	Calculation method
STOT SE 3, H336	Calculation method
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 2, H411	Calculation method



This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECHA - European Chemical Agency

GESTIS - Information system on hazardous substances of the German Social Accident Insurance

IARC - International Agency for Research on Cancer

IPCS INCHEM – International Programme on Chemical Safety

ISS - Istituto Superiore di Sanità

PubChem - open chemistry database at the National Institutes of Health (NIH)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.