neodisher LM 2

Version: 2 / GB | Replaces Version: 1 / GB | Date revised: 09.05.2022 | Print date: 16.05.22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neodisher LM 2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

PC35	Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG
Mühlenhagen 85
D-20539 Hamburg

Telephone no.	+49 40 789 60 0
Fax no.	+49 40 789 60 120

www.drweigert.com

E-mail address of person responsible for this SDS:
sida@drweigert.de

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2	H315
Eye Irrit. 2	H319

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms

Signal word

Warning

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

	lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention. Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.
EUH208 Contains	N-(2-hydroxyethyl)-N-[2-[(1-oxooctyl)amino]ethyl-ß-alanine, May produce an allergic reaction.

2.3. Other hazards

No special hazards have to be mentioned. The product contains no PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

N-(2-hydroxyethyl)-N-[2-[(1-oxooctyl)amino]ethyl-ß-alanine

CAS No.	64265-45-8				
EINECS no.	264-761-2				
Registration no.	01-2120769114-55				
Concentration	>=	0,1	<	1	%

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2	H319	
Skin Sens. 1B	H317	
Aquatic Chronic 2	H411	

potassium hydroxide

CAS No.	1310-58-3				
EINECS no.	215-181-3				
Registration no.	01-2119487136-33				
Concentration	>=	0,5	<	2	%

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1	H290	
Acute Tox. 4	H302	Route of exposure: oral
Skin Corr. 1A	H314	
Eye Dam. 1	H318	

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2	H319	>= 0.5 < 2 %
Skin Corr. 1A	H314	>= 5 %
Skin Corr. 1B	H314	>= 2 < 5 %
Skin Irrit. 2	H315	>= 0.5 < 2 %

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely.

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

After contact with skin, wash immediately with plenty of water. Consult a doctor if skin irritation persists.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly

closed.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value	>	0	< 30	°C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage classes

Storage class according to TRGS 510	12	Non-combustible liquids

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

potassium hydroxide

List	EH40	
Type	WEL	
Short term exposure limit	2	mg/m³

Status: 2011

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work.

Respiratory protection

Not necessary, but do not inhale vapours. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

Hand protection

Chemical resistant gloves

Use	Permanent hand contact		
Appropriate Material	neoprene		
Material thickness	>=	0,65	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile		
Material thickness	>=	0,4	mm
Breakthrough time	>	480	min
Appropriate Material	butyl		
Material thickness	>=	0,7	mm
Breakthrough time	>	480	min
Use	Short-term hand contact		
Appropriate Material	nitrile		
Material thickness	>=	0,11	mm

Hand protection must comply with EN 374.

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	liquid			
Colour	light yellow			
Odour	characteristic			
Odour threshold				
Remarks	not determined			
pH value				
Value	appr.	13		
Temperature		20	°C	
Melting point				
Remarks	not determined			
Freezing point				
Remarks	not determined			
Initial boiling point and boiling range				
Remarks	not determined			
Flash point				
Remarks	Not applicable			
Evaporation rate (ether = 1) :				
Remarks	not determined			
Flammability (solid, gas)				
evaluation	Not applicable			
Upper/lower flammability or explosive limits				
Remarks	Not applicable			
Vapour pressure				
Remarks	not determined			
Vapour density				
Remarks	not determined			
Density				
Value		1,22		g/cm³
Temperature		20	°C	
Solubility in water				
Remarks	miscible in all proportions			
Solubility(ies)				
Remarks	not determined			
Partition coefficient: n-octanol/water				
Remarks	not determined			
Ignition temperature				
Remarks	Not applicable			
Decomposition temperature				

Remarks	not determined			

Viscosity

dynamic

Value	<	10		mPa.s
Temperature		20	°C	

Explosive properties

evaluation	not determined

Oxidising properties

evaluation	None known

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Species	rat		
LD50	>	2000	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)		
Remarks	Based on available data, the classification criteria are not met.		

Acute oral toxicity (Components)

potassium hydroxide

Species	rat		
LD50		333	mg/kg

Acute dermal toxicity

Remarks	Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks	Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation	irritant
Remarks	The classification criteria are met.

Serious eye damage/irritation

evaluation	irritant
Remarks	The classification criteria are met.

Sensitization

Remarks	Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks	Based on available data, the classification criteria are not met.

Mutagenicity

Remarks	Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks	Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks	Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks	Based on available data, the classification criteria are not met.

Repeated exposure

Remarks	Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

potassium hydroxide

Species	mosquito fish		
LC50	80		mg/l
Duration of exposure	24	h	
Source	ECHA		

N-(2-hydroxyethyl)-N-[2-[(1-oxooctyl)amino]ethyl-ß-alanine

Species	carp (Cyprinus carpio)		
LC50	> 100		mg/l
Duration of exposure	96	h	
Method	OECD 203		

Daphnia toxicity (Components)

N-(2-hydroxyethyl)-N-[2-[(1-oxooctyl)amino]ethyl-ß-alanine

Species	Daphnia magna		
EC50	> 100		mg/l
Duration of exposure	96	h	
Method	OECD 202		

Algae toxicity (Components)

N-(2-hydroxyethyl)-N-[2-[(1-oxooctyl)amino]ethyl-ß-alanine

ErC50	128	mg/l
Duration of exposure	72	h
Method	OECD 201	

Bacteria toxicity (Components)

N-(2-hydroxyethyl)-N-[2-[(1-oxooctyl)amino]ethyl-ß-alanine

Species	activated sludge	
EC50	198	mg/l
Duration of exposure	3	h
Method	OECD 209	

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

Evaluation of persistance and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

General information

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

15 % or over but less than 30 %:

phosphates

less than 5 %:

amphoteric surfactants, anionic surfactants

Water Hazard Class (Germany)

Water Hazard Class (Germany)	WGK 1
Remarks	Derivation of WGK according to Annex 1 No. 5.2 AwSV

VOC

VOC (EU)	0	%

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2

Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion, Category 1A
Skin Sens. 1B	Skin sensitization, Category 1B

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
IMDG: International Maritime Code for Dangerous Goods
ICAO: International Civil Aviation Organization
IATA: International Air Transport Association
IBC: Intermediate Bulk Container
CAS: Chemical Abstracts Service
VOC: Volatile Organic Compound
LD: Lethal dose
LC: Lethal concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: Very persistent and very bioaccumulative
SVHC: Substances of very high concern
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)
ISO: International Organization for Standardization
OECD: Organisation for Economic Co-operation and Development
IMO: International Maritime Organization
UN: United Nations
EU: European Union

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.