

neodisher MediKlar

Version: 2 / GB

Replaces Version: 1 /
GB

Date revised: 15.05.2017

Print date: 26.05.17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neodisher MediKlar

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG
Mühlenhagen 85
D-20539 Hamburg
Telephone no. +49 40 789 60 0
Fax no. +49 40 789 60 120
www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

GBK/ Infotrac: (USA domestic) 1 800 535 5053 or international +1 352 323 3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)
Skin Irrit. 2 H315

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H315 Causes skin irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
Dispose only when container is empty and closed. For disposal of product residues, refer to Safety Data Sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

EUH208 Contains cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride, A mixture of: 5-

neodisher MediKlar

Version: 2 / GB

Replaces Version: 1 /
GB

Date revised: 15.05.2017

Print date: 26.05.17

Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1), May produce an allergic reaction.

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

sodium lauroyl glutamate

CAS No.	29923-31-7			
EINECS no.	249-958-3			
Concentration	>= 1	<	10	%
Classification (Regulation (EC) No. 1272/2008)				
	Eye Irrit. 2		H319	

fatty alkoholethoxylate-n-butylether

CAS No.	147993-63-3			
Concentration	>= 10	<	25	%
Classification (Regulation (EC) No. 1272/2008)				
	Skin Irrit. 2		H315	
	Aquatic Acute 1		H400	

cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride

CAS No.	51229-78-8			
EINECS no.	426-020-3			
Registration no.	01-0000017242-79			
Concentration		<	1	%
Classification (Regulation (EC) No. 1272/2008)				
	Flam. Sol. 2		H228	
	Repr. 2		H361d	
	Acute Tox. 4		H302	
	Skin Irrit. 2		H315	
	Skin Sens. 1		H317	
	Aquatic Chronic 2		H411	

A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1)

CAS No.	55965-84-9			
Concentration	>= 0,00015	<	0,0015	%
Classification (Regulation (EC) No. 1272/2008)				
	Acute Tox. 3		H331	
	Aquatic Chronic 1		H410	
	Aquatic Acute 1		H400	
	Skin Sens. 1		H317	
	Skin Corr. 1B		H314	
	Acute Tox. 3		H311	
	Acute Tox. 3		H301	

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Irrit. 2	H315	>= 0,06 < 0,6
Eye Irrit. 2	H319	>= 0,06 < 0,6
Skin Corr. 1B	H314	>= 0,6
Skin Sens. 1	H317	>= 0,0015

neodisher MediKlar

Version: 2 / GB

Replaces Version: 1 /
GB

Date revised: 15.05.2017

Print date: 26.05.17

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely.

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

After contact with skin, wash immediately with plenty of water. Consult a doctor if skin irritation persists.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

neodisher MediKlar

Version: 2 / GB

Replaces Version: 1 /
GB

Date revised: 15.05.2017

Print date: 26.05.17

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class according to TRGS 510

Storage class according to TRGS 510 12 Non-combustible liquids

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work.

Respiratory protection

Not necessary, but do not inhale vapours. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

Hand protection

Chemical resistant gloves (EN 374)

Use	Permanent hand contact		
Appropriate Material	neoprene		
Material thickness	>=	0,65	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile		
Material thickness	>=	0,4	mm
Breakthrough time	>	480	min
Appropriate Material	butyl		
Material thickness	>=	0,7	mm
Breakthrough time	>	480	min

neodisher MediKlar

Version: 2 / GB

Replaces Version: 1 /
GB

Date revised: 15.05.2017

Print date: 26.05.17

Use
Appropriate Material
Material thickness
Hand protection must comply with EN 374.

Short-term hand contact
nitrile
>= 0,11 mm

Eye protection

Safety glasses with side protection shield (EN 166)

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form liquid
Colour light brown
Odour characteristic
Odour threshold
Remarks not determined
pH value
Value appr. 5,8
Temperature 20 °C

Melting point
Remarks not determined

Freezing point
Remarks not determined

Initial boiling point and boiling range
Remarks not determined

Flash point
Remarks Not applicable

Evaporation rate (ether = 1) :
Remarks not determined

Flammability (solid, gas)
evaluation not determined

Upper/lower flammability or explosive limits
Remarks not determined

Vapour pressure
Remarks not determined

Vapour density
Remarks not determined

Density
Value 1,01 g/cm³
Temperature 20 °C

Solubility in water
Remarks miscible in all proportions

Solubility(ies)
Remarks not determined

Partition coefficient: n-octanol/water
Remarks not determined

neodisher MediKlar

Version: 2 / GB

Replaces Version: 1 /
GB

Date revised: 15.05.2017

Print date: 26.05.17

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

Viscosity

dynamic

Value	<	50		mPa.s
Temperature		20	°C	

Explosive properties

evaluation not determined

Oxidising properties

evaluation None known

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

Decomposition temperature

Remarks not determined

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Species	rat		
LD50	>	2000	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)		

Acute oral toxicity (Components)

cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride

Species	rat		
LD50		1552	mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

neodisher MediKlar

Version: 2 / GB

Replaces Version: 1 /
GB

Date revised: 15.05.2017

Print date: 26.05.17

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)

cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride

Species	rat	
LC50	> 5,2	mg/l
Administration/Form	Dust/Mist	

Skin corrosion/irritation

evaluation irritant

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Allergic reaction possible.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Remarks not determined

Aspiration hazard

No special hazards have to be mentioned.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

fatty alkoholethoxylate-n-butylether

Species	golden orfe (Leuciscus idus)	
LC50	0,6	mg/l
Method	DIN 38412 / Part 15	

cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride

Species	Bluegill (Lepomis macrochirus)	
LC50	66	mg/l
Duration of exposure	96 h	

A mixture of: 5-Chloro-2-methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1)

Species	rainbow trout (Oncorhynchus mykiss)	
LC50	0,19	mg/l

neodisher MediKlar

Version: 2 / GB

Replaces Version: 1 /
GB

Date revised: 15.05.2017

Print date: 26.05.17

Duration of exposure 96 h
Method OECD 203

Daphnia toxicity (Components)

cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride

Species Daphnia magna
EC50 25,8 mg/l
Duration of exposure 48 h

A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1)

Species Daphnia magna
EC50 0,16 mg/l
Duration of exposure 48 h
Method OECD 202

Algae toxicity (Components)

fatty alkoholethoxylate-n-butylether

Species Scenedesmus subspicatus
EC50 >= 0,1 to 1 mg/l
Duration of exposure 72 h
Method OECD 201

cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride

EbC50 72 mg/l
Duration of exposure 72 h

A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1)

IC50 0,379 mg/l
Duration of exposure 72 h
Method OECD 201

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Evaluation of persistence and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

General information

not determined

neodisher MediKlar

Version: 2 / GB

Replaces Version: 1 /
GB

Date revised: 15.05.2017

Print date: 26.05.17

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	Non-dangerous goods	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

5 % or over but less than 15 %:

non-ionic surfactants

less than 5 %:

anionic surfactants, polycarboxylates

Further ingredients

preservation agents: A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1), cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride

Water Hazard Class (Germany)

Water Hazard Class WGK 2
(Germany)

Remarks Classification according to Annex 4 VwVwS

VOC

VOC (EU) 0 %

Other information

The product does not contain substances of very high concern (SVHC).

neodisher MediKlar

Version: 2 / GB

Replaces Version: 1 /
GB

Date revised: 15.05.2017

Print date: 26.05.17

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Eye Irrit. 2	Eye irritation, Category 2
Flam. Sol. 2	Flammable solid, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a
guarantee for any specific product properties and shall not establish a legally valid relationship.