



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 14.03.2024

Version number 1

Revision: 14.03.2024

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· Trade name: **Stahlgoldlot 910/ Stahlgold solder 910**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.

· **Application of the substance / the mixture** Brazing alloy

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)0800 4372522

· **Informing department:** E-Mail: [msds@kulzer-dental.com](mailto:msds@kulzer-dental.com)

· **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

**SECTION 2: Hazards identification**

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.

STOT RE 1 H372 Causes damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labelling:**

nickel

· **Hazard statements**

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer. Route of exposure: Inhalation.

H372 Causes damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

· **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / eye protection.

P280 Wear protective clothing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P405 Store locked up.

(Contd. on page 2)

GB



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 1

Revision: 14.03.2024

**Trade name: Stahlgoldlot 910/ Stahlgold solder 910**

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.

(Contd. of page 1)

**SECTION 3: Composition/information on ingredients**

- **3.2 Mixtures**
  - **Description:** -
  - **Dangerous components:**  
Chemical composition: see alloy table

CAS: 7440-02-0

EINECS: 231-111-4

Index number: 028-002-00-7

nickel

Carc. 2, H351; STOT RE 1, H372  
Skin Sens. 1, H317

10-25%

**SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
  - **After skin contact**  
Instantly wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
  - **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.
  - **After swallowing**  
Rinse out mouth and then drink plenty of water.  
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
  - **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
  - **Protective equipment:** Do not inhale explosion gases or combustion gases.
  - **Additional information** -

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or water bodies.  
Do not allow to enter the ground/soil.

(Contd. on page 3)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 14.03.2024

Version number 1

Revision: 14.03.2024

**Trade name: Stahlgoldlot 910/ Stahlgold solder 910**

(Contd. of page 2)

- **6.3 Methods and material for containment and cleaning up:**  
*Dispose of contaminated material as waste according to item 13.*
- **6.4 Reference to other sections**  
*See Section 7 for information on safe handling*  
*See Section 8 for information on personal protection equipment.*  
*See Section 13 for information on disposal.*

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
*Do not breathe vapor / mist / gas.*  
*Prevent formation of dust.*
  - **Information about protection against explosions and fires:** *No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
  - **Storage**
    - **Requirements to be met by storerooms and containers:** *No special requirements.*
    - **Information about storage in one common storage facility:** *Not required.*
    - **Further information about storage conditions:** *None.*
- **7.3 Specific end use(s)** *No further relevant information available.*

### **SECTION 8: Exposure controls/personal protection**

#### · **8.1 Control parameters**

- **Components with critical values that require monitoring at the workplace:**

**7440-02-0 nickel**

WEL (Great Britain)	Long-term value: 0.5 mg/m <sup>3</sup> as Ni; Sk; Carc
---------------------	---

- **Additional information:** *The lists that were valid during the compilation were used as basis.*

#### · **8.2 Exposure controls**

- **Appropriate engineering controls** *No further data; see section 7.*
- **Individual protection measures, such as personal protective equipment**
  - **General protective and hygienic measures**  
*Keep away from foodstuffs, beverages and food.*  
*Instantly remove any soiled and impregnated garments.*  
*Wash hands during breaks and at the end of the work.*
  - **Breathing equipment:** *Use breathing protection against the effects of fumes/dust/aerosol.*
  - **Hand protection**  
*If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.*
  - **Eye/face protection** *Safety glasses*
  - **Body protection:** *Light weight protective clothing*

GB

(Contd. on page 4)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 1

Revision: 14.03.2024

Trade name: **Stahlgoldlot 910/ Stahlgold solder 910**

(Contd. of page 3)

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

- **Physical state** Solid.
- **Colour:** Silver-coloured
- **Smell:** Odourless
  - **Odour threshold:** Not determined.
- **Melting point/freezing point:** Not determined
- **Boiling point or initial boiling point and boiling range** 2,730 °C (7440-02-0 nickel)
- **Flammability** Not determined.
- **Lower and upper explosion limit**
  - **Lower:** Not determined.
  - **Upper:** Not determined.
- **Flash point:** Not applicable
- **Decomposition temperature:** Not determined.

**SADT**

- **pH** Mixture is non-soluble (in water).
- **Viscosity:**
  - **Kinematic viscosity** Not applicable.
- **Kinematic viscosity**
  - **dynamic:** Not applicable.
- **Solubility**
  - **Water:** Insoluble
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Steam pressure:** Not applicable.
- **Vapour pressure:**
  - **Density and/or relative density**
    - **Density at 20 °C** 15.400 g/cm<sup>3</sup>
    - **Relative density** Not determined.
    - **Vapour density** Not applicable.

**9.2 Other information**

No further relevant information available.

**Appearance:**

- **Form:** Solid.

**Important information on protection of health and environment, and on safety.**

- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.  
Not determined.

**Solvent content:**

- **Solids content:** 100.0 %

**Change in condition**

- **Evaporation rate** Not applicable.

**Information with regard to physical hazard classes**

- **Explosives** Void
- **Flammable gases** Void

(Contd. on page 5)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 1

Revision: 14.03.2024

Trade name: **Stahlgoldlot 910/ Stahlgold solder 910**

(Contd. of page 4)

· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
  - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
  - Strong acids
  - Strong oxidizers
  - Strong bases
- **10.6 Hazardous decomposition products:** None

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
  - **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**7440-02-0 nickel**

Oral | LD50 | >9,000 mg/kg (rat) (OECD 401)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
  - May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity**
  - Suspected of causing cancer. Route of exposure: Inhalation.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 6)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 1

Revision: 14.03.2024

**Trade name: Stahlgoldlot 910/ Stahlgold solder 910**

(Contd. of page 5)

- **STOT-repeated exposure**  
Causes damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
  - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**  
Carc. 2

· **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

- **12.1 Toxicity**
  - **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
  - **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Disposal must be made according to official regulations.
  - **Uncleaned packagings:**
    - **Recommendation:** Packaging can be reused or recycled after cleaning.

**SECTION 14: Transport information**

- **14.1 UN number or ID number**
  - **ADR, ADN, IMDG, IATA** Void
- **14.2 UN proper shipping name**
  - **ADR, ADN, IMDG, IATA** Void
- **14.3 Transport hazard class(es)**
  - **ADR, ADN, IMDG, IATA**
  - **Class** Void

(Contd. on page 7)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 14.03.2024

Version number 1

Revision: 14.03.2024

**Trade name: Stahlgoldlot 910/ Stahlgold solder 910**

(Contd. of page 6)

- |   |                 |
|---|-----------------|
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>               | Void            |
| · <b>14.5 Environmental hazards:</b><br>· <b>Marine pollutant:</b>    | No              |
| · <b>14.6 Special precautions for user</b>                            | Not applicable. |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>                                       | Void            |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
  - **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)**
    - **Water hazard class:** Generally not hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H317 May cause an allergic skin reaction.
  - H351 Suspected of causing cancer.
  - H372 Causes damage to organs through prolonged or repeated exposure.
- **Abbreviations and acronyms:**
  - SADT: Self Accelerating Decomposition Temperature
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - Skin Sens. 1: Skin sensitisation – Category 1
  - Carc. 2: Carcinogenicity – Category 2
  - STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
- **\* Data compared to the previous version altered.**